M.R.O. 1—77,006—8-6-37.

(1) Number of pages_____

(2) Date of repair_____

(3) Initials of the Referencer_____

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.

G.O. No. 231 Press ~~Mis.~~

470-71.

Dated 23 — 1 — 1867.

Not to be folded or roughly handled

Proceedings of the Madras Government, Public Works Department, 23rd January 1867.

No. 470. Read the following Proceedings of the Madras Government in the Judicial Department:—

Sanctioning a transfer of Police Building Funds from the Trichinopoly to the Ganjam District. } (Here enter 16th January 1867, No. 100.)

No. 471: ORDER THEREON, 23rd January 1867, No. 231.

ACCOUNT, No. 40. Ordered to be recorded.

(True Extract.)

(Signed) CHARLES A. ORR, Colonel, R. E.,
Secretary to Government.

Exd. S. T. Augustin.

Proceedings of the Madras Government, Judicial Department,
16th January 1867.

No. 180. Read the following letter from the Inspector General of Police, to the Chief Secretary to Government, Fort Saint George; dated Madras, 22nd December 1866, No. 2124.

Hutting and Building.

I have the honor to request the sanction of Government for the following transfer of Building Funds provided in the Police Budget, to meet the existing urgent requirements for Hill Buildings in the Ganjam District:—

District.	Work.	Amount.	District.	Work.	Amount.
From Trichinopoly.	Police Buildings.	RS. 1,000.	*To* Ganjam.	Buildings in the Khond Maliahs.	RS. 1,000.

No. 181. ORDER THEREON, 16th January 1867, No. 100.

The transfer proposed in the foregoing letter is sanctioned.

(True Extract).

G. J. Corbett

Chief Secretary.

To the Inspector General of Police.
" Accountant General.
" Public Works Department.

Exd. J. H. Burns.

10 Pauchotier

Lid

No 231

Reinsle)

Hurt St George
23rd Jany 1867

8 Nov 1866 Dft

Pro. of Govt for January

Proc. of the Madras Govt

in the Jud Dept

No 16.

Recd 22d January 67

Rs 100

Sanctioning a

Transfer of Police Building

Funds from the Tricki-

nopoly to the Tanjore

Dt.

No. 231 - 23 January 1867

William Oke

No 470-476