

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE.**Government of Madras.***P. W.* **DEPARTMENT.**

G.O. No. <i>1113</i>	Press Mis.
<i>162-3</i>	
Dated <i>8-4-1868</i>	

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
8th April 1868.*

No. 162. Read the following Proceedings of the Madras Government in the
Public Department:—

Requesting that provision may be made for
house drainage, water supply, &c., in connec-
tion with the buildings recently erected at
Madras for the Warrant Officers attached to
the Arsenal. } (Here enter 1st April 1868, No. 413.)

No. 163. ORDER THEREON, 8th April 1868, No. 1,113.

MILITARY WORKS, No. 15.

Communicated to the Superintend-
ing Engineer of the 4th Division, who
will be requested to obtain and submit

at an early date plans and estimates for the works in question.

(True Extract.)

(Signed) CHARLES A. OER, Colonel, R. E.,
Secretary to Government.

To the Superintending Engineer, 4th Division.
,, Public Department.

Exd. S. T. Augustin.

W. J. P. O. M.

3

*Proceedings of the Madras Government, Public Department,
1st April 1868.*

No. 9. Proceedings of Government, dated 1st April 1868, No. 413.

The Governor in Council observes that no provision has been made for the house drainage of the buildings on the Esplanade, which are ready for the reception of the Warrant Officers attached to the Arsenal.

2. The water from the bath and cook-rooms of these cottages will run out on the ground at the back of the houses, and there become a source of offence.

3. It will be necessary to run a fence at the back of the row of these new buildings so as to divide them from the High Road, the fence not to include the wells which are used by the Native population of the neighbourhood, and to which free access must be left. Pipes should at once be laid for the distribution to these new buildings of the water of the Seven Wells from the main pipe, which is at no great distance.

4. Trees for shade, not Casuarinas, should be planted to the south of the houses with due care, seedlings being provided if possible, and they should be well fenced. The Peepul, in alternation with the Margosa tree, will probably be found best suited to this locality.

5. The necessary orders will be issued in the Public Works Department.

(True Extract).

W. H. Miller
Chief Secretary.

To the Public Works Department. ✓

„ Military Department.

To W. H. B. D. D.
No. of County of Wm
of 12935-

Pro. of the above sent
Public Dept

At the
of 12935-
of 4/13.

Representing that
provision may be made
for house drainage,
water supply for the
Countryside with the
districts recently
created at the same
for the present year
at the rate of 1/10
of 1113-8. April 1885
With care Wm

With care
Wm

10/11/13

Consent to the

supply of water
to the, water will be
agreed to obtain and
submit at an early
date please send
estimates for the work
in question -

Wm
8. April 1885

10/11/13

Public Dept
W. H. B. D. D.
P. C. - 11/11/13