

MADRAS RECORD OFFICE.

Government of Madras.

Revenue DEPARTMENT.

G.O. No.	557	Press ~~Mis.~~
587-88. Dated	28-2-	1868.

Not to be folded or roughly handled

*Proceedings of the Madras Government, Revenue Department,
28th February 1868.*

No. 587. Read the following Proceedings of the Madras Government in the
Public Works Department:—

Sanctioning estimate for constructing a new
head to the main sluice of the Anantapoor } (Here enter 24th February 1868, No. 617.)
tank in Bellary District.

No. 588. ORDER THEREON, 28th February 1868, No. 557.

Irrigation, No. 17.

Communicated to the Revenue Board.

(True Extract.)

(Signed) F. BRANDT,

Under Secretary to Government.

To the Board of Revenue, with Proceedings Public Works Department, No. 617.

*Proceedings of the Madras Government, Public Works Department,
24th February 1868.*

No. 549. Read the following letter from the Superintending Engineer, 3rd Division, to the Chief Engineer for Irrigation, dated Pennakonda Talook, Bellary District, 7th February 1868, No. 2,982:—

Rupees 1,400.

1. I have the honor to submit for the sanction of Government an estimate, &c., for constructing a new head to the main sluice of the Anantapoor tank in the Bellary District. The old head is very difficult to work in consequence of the tank having silted up so much, and hence the necessity for a new head.

2. I would request permission to commence this work at once as the tank is nearly dry; the funds can be met from Minor New Works "Agricultural," in the Cuddapah District, where Rupees 1,300 are available, but of this sum I expect not more than Rupees 500 could be spent during the present year.

MEMORANDUM.

1. It would appear from the plan and estimate submitted with the foregoing letter by the Superintending Engineer of the 3rd Division, that the bed of the Anantapoor tank has silted up to the height of 18 feet above the sill of the main irrigation sluice, or three-fifths of the total depth of the tank. The original sluice head has gradually become more and more unsuited for the proper delivery of the water, and it has now become necessary to construct a new head.

2. The estimate, amounting to Rupees 1,400, and the proposed transfer of 500 Rupees from the grant for Minor New Works to Cuddapah, to allow of the work being commenced as soon as possible, are recommended for the sanction of Government.

FORT ST. GEORGE,
13th February 1868.

(Signed) J. C. ANDERSON, Lieut.-Colonel, R. E.,
Chief Engineer for Irrigation.


No. 550.

ORDER THEREON, 24th February 1868, No. 617.

IRRIGATION, No. 31.

Sanctioned accordingly.

(True Extract.)


Colonel, R. E.,
Secretary to Government.

To the Superintending Engineer, 3rd Division.

„ Accountant General.
„ Controller of Public Works Accounts.
„ Revenue Department.

Exd. S. T. Augustin.

Permanence 1868. Q. 1947.
Ensign 1868. 172. 688.

Proceedings of the
P. M. D. 1868.

Dated 24th 3rd 1868.
Received 27th 1868.

87-617.

Sanctuary Lot:
note for sanctuaries or
new head to the main
elusive of the character
bank in Bellamy District.

With order

1867-28 684.

1858-588.

87-537.

Comments to the
Revenue Board.

793

28th 3rd 1868

14th 1868. To the 1868. 1868. 1868.