M.R.O. 1—77 08—8-6-07.

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Reference _____

MADRAS RECORD OFFICE.

Government of Madras.

[illegible] DEPARTMENT.

G.O. No. 1711	Press Mis.
407	
Dated 12	1857.

Not to be folded or roughly handled

Proceedings of the Madras Government, Public Works Department, 18th June 1869.

No. 409. Read the following letter from the Superintending Engineer, 5th Division, to the Secretary to Government, Public Works Department, dated Cuddalore, 3rd June 1869, No. 49:—

I HAVE the honour to forward, for the sanction of Government, from the Reserve under "Agricultural," an estimate of Rupees 638, accompanied by plan and specification, for constructing a calingulah in the bund of the Siruvathur tank in the Cuddalore Talook of South Arcot.

1 Plan.
1 Estimate.
1 Specification Report.

2. The tank has an ayacut of 502 Cawnies, with an assessment of Rupees 4,409, and yet is unprovided with a calingulah. The sluices that were in a ruinous state are now being rebuilt from the grant for Repairs "Agricultural," and the construction of the calingulah is required for the safety of the tank and to put it into a thoroughly efficient state.

No. 410. ORDER THEREON, 18th June 1869, No. 1,991.

IRRIGATION, No 15.

SANCTIONED for execution from the source indicated.

(True Extract.)

Colonel, R. E.,
Secretary to Government.

To the Superintending Engineer, 5th Division, with Plan, Estimate, and Specification.
" Controller of Public Works Accounts.
" Accountant-General.
" Chief Engineer for Irrigation.
" Revenue Department.

Exd. S. T. Augustin.

No. 49.

Superintg. Engineer's Office, 5th Division,
Cuddalore, 3rd June 1864.

From,

Colonel E. A. Ford R.E.,
Superintg. Engineer, 5th Division,

To,

Colonel Charles A. Orr, R.E.,
Secretary to Government, P.W.D.

Sir,

Inclosures 3.
1 Plan.
1 Estimate.
1 Specification
report.

I have the honor to forward, for the sanction of Government from the Reserve under "Agricultural", an estimate of Rupees 638., accompanied by plan and specification, for constructing a Calingulah in the bund of the Sinvathur Tank in the Cuddalore Taluq of South Arcot.

2. The tank has an ayacut of 502 cawnies with an assessment of Rupees 4,4 0/- "-", and yet is unprovided with a Calingulah. The sluices that were in a minous state are now being rebuilt from the grant for repairs "Agricultural", and the construction of the Calingulah is

required for the safety of the tank,
and to put it into a thoroughly
efficient state.

I have the honor to be
Sir,
Your most obedient Servant.

Ed Bvt Colonel R.E.
Superintg: Engineer, 5th Divn.

required f
and to pr
efficient s

P.W. Irrig Dept.
From No 2348.
The Supdg: Engr,
5th Division
To,
The Secy to Govt.
P. W. D.
Madras

Dated 3rd
Recd 5 } June 1869.
No 49.
Enclosures 3.

Sirivathur Tank.—
Forwarding for sanction
an estimate of Rs 638 for
constructing a Calingulah
in the bund of the Sirivat-
-hur Tank in the Cuddalore
Taluq of South Arcot.

C. 8 Jan/69 Q. 115

Lett as mem
No 1991. 18 June 1869

Sanction

No 1991
Sanctioned for execution
from the Service indic
-ated —

Fort St George
18th June/69

To the Supdg Engr 5th Divn
— — Contractor
— — Accts Genl
— — Chief Engineer for Irrigation
— — Revenue Depn

Depn 19/6/69.

required
and to
efficient

Enc 2348

Govt. of {1869} Madras.

PUBLIC WORKS.

To The Superintending Engr.
5th Circuit
&c., &c., &c.

Dated

Recd. Encl.

G. O. 18th June 1869. No. 1991

Nos. 409 - 410

Calingulate Estimate of
Rs 638 for constructing a
Calingulate in the bund
of the Srinivattum Tank
South West Side of Sanctum