

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE.

Government of Madras.

DEPARTMENT.

G.O. No. _____

Press
Mis.

Dated _____ 18 _____

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
19th September 1870.*

No. 328. Read the following letter from the Acting Consulting Engineer for the Irrigation and Canal Company, to the Secretary to Government, Public Works Department, dated Madras, 25th August 1870, No. 53 :—

I HAVE the honour to submit the plans and estimates noted at foot, together with the explanatory correspondence as per margin, connected with the distribution scheme under the 5th Section of the Company's Main Canal, or from the 61st to the 72nd mile.

2. The direction of the several channels, as well as the position of each masonry work, is shown on the general plan, and the particulars of these works are as follow :—

	Miles.	Chains.
Main Channels	2	63
Secondary do.	9	15
Minor do.	14	14½
Total...	26	12½

3. The masonry works are—

4 Sluices.	18 Weirs.
3 Aqueducts.	2 Bridges.
4 Culverts.	15 Road crossings.

The estimated cost is—

	RS.	A.	P.
For Earthwork, Main, Secondary, and Minor Channels	8,652	10	0
For Subsidiary Channels or the immediate delivery of water to the fields for 9,516½ acres, at 8 Annas each...	4,758	4	0
Contingencies, including store and store charges, 10 per cent.	1,339	2	0
Masonry works	5,800	0	0
Total...	20,550	0	0

or Rupees 2-2-7 per acre, a moderate amount.

4. In forwarding these estimates the Chief Engineer has omitted to notice the sanction of Rupees 4,000 for distribution under the 5th Section, part of 10,000 Rupees granted in Government Order, No. 1,307, 10th June 1862, and which must be deducted from the present estimates until it is shown that the amount was duly and properly expended on other works for the same scheme. The amount for which sanction is now required is, therefore, Rupees 16,550.

The rates are as follow :—

Excavating channels, 4 to 8 and 9 cubic yards per rupee.
Rubble masonry, Rupees 4 to 4-4-0 per cubic yard.
Arch-work, ,, 7-0-0 per ,, ,,
Cut-stone, ,, 6-0-0 per ,, ,,

all liberal and ample.

*Proceedings of the Madras Government, Public Works Department,
19th September 1870.*

5. The discharge of the channels, on which their dimensions and all other calculations are based, is according to Beardmore's formula $V = 9166 \sqrt{2f \times H.M.D.}$ and the project generally appears carefully got up. I would, therefore, have promptly submitted it for sanction, after having had some serious clerical discrepancies between the drawings and the estimates corrected, had I not noticed that the minor channels generally were designed to discharge the uniform quantity of two cubic yards per hour per acre; and that the principle proposed by Major Mullins, in paragraph 5 of his letter, printed with Government Order, No. 2,882, 10th September 1868, and approved of by Government, had been lost sight of, or was completely ignored. I was consequently obliged to refer the matter more than once, and the result is that the Company's professional officer appears to consider so large a provision of carrying capacity in channels unnecessary, and calculated to lead to waste of water. The Chief Engineer, in reply to my remarks on the distribution works in the 4th Section, says, "that he does not think the extra provision of area in the channels is required, as they are generally estimated at about half full, and might at all events be tried as they are even where the water-supply is in excess of the arable land commanded; and that the additional cost of carrying out the works on the principle advocated by Major Mullins, in the 4th and 5th Sections distribution, would amount to about Rupees 3,000, or 2 Annas 6 Pies an acre;" and in another communication he said, "I do not see how the Company will prevent great waste of water if the channels be made needlessly large."

6. The Executive Engineer also remarked "that all the channels in the 5th Section have been estimated with banks 1 foot 6 inches above water level, and everywhere the discharge can be further increased by adding to the depth, by which the discharge required by the Consulting Engineer would be easily obtained, and that any additional sanction for earthworks would not be required."

7. Without, therefore, concurring in the above opinions, it seems to me that the estimates as they now stand might be sanctioned, and the channels dug of the dimensions proposed by the Company's Engineers, on the distinct understanding that where masonry works for the passage of irrigation water occur they shall be constructed capable of discharging the maximum quantity of water according to the table in Major Mullins' letter; for it is improbable that anything approaching the full acreage commanded will be irrigated for a considerable time to come, and the enlargement of the channels by deepening them will be equally feasible at any time, and might, I think, be deferred until proved to be really necessary.

- One general plan.
- Two masonry drawings.
- One tabular statement.
- " detail estimate of earthwork.
- " do. do. of masonry.
- " abstract do. of earthwork.
- " do. do. of masonry.
- " do. do. of earth and masonry.

*Proceedings of the Madras Government, Public Works Department,
19th September 1870.*

No. 329. ORDER THEREON, 19th September 1870, No. 2,256.

IRRIGATION, No. 18.

WITH this letter the Consulting Engineer for the Madras Irrigation and Canal Company submits estimates of Rupees 20,550 for the distribution works connected with the 5th Section of the Main Canal, and states that, after deducting from the estimates the sum of Rupees 4,000 being the cost of similar works already approved for that section, the net amount requiring sanction is Rupees 16,550. Colonel Carpendale considers that the estimated cost of distribution, namely, Rupees 2-2-7 per acre is moderate, and he adds that the scheme generally appears to have been carefully prepared.

2. Under these explanations, and agreeably to the recommendation of the Consulting Engineer, His Excellency the Governor in Council sanctions the estimates on the distinct understanding that the masonry works referred to in paragraph 7 shall be constructed in the manner therein indicated.

(True Extract.)

Colonel, R.E.,

Secretary to Government.

To the Consulting Engineer for the Madras Irrigation and Canal Company.
" Agent and Manager for do. do.

Exd. E. C. Shunker.

calculated

Distribution works.—The estimate of Rupees 16,550 for the distribution works connected with the 5th Section of the Madras Irrigation and Canal Company's Main Canal, sanctioned with remarks.

N^o 53.

Consulting Engineer
Irrigation and Canal Co.
Madras 25 August 1881

Love,

Colonel J. Carpendale, N.E.
H. J. F. Building Engineer & Co.



Her Secretary to Government
Department of Public Works

I have the honor to submit the Plans and Estimates noted at foot, together with the explanatory paper:

Simsbury 29 May / 20 Providence as per margin, connected
 To - v 26 Simsbury / 20 229 with the distribution scheme under
 Loan - v 26 Simsbury / 20 265 the fifth section of the Company's
 To - v 24 Simsbury / 20 267 Main Canal or from the C1 to the
 - Loan - v 15 July / 20 89 2nd tile.
 20 207

2. The direction of the several Chambers, as well as the position of each Mason's work, is shown on the General Plan, and the particulars of these works are as follow.

Main Channel 2 Miles to Channel
Secondary 9 15

Minia ~~~~~ 14 ~~~~~ 14 1/2 ~~~~~
 Latab ~ 26 ~~~~~ 12 1/2 ~~~~~

The

calculated

3. The Masonry works are

- 1 Sluice
- 3 Aqueducts
- 1 Culvert
- 18 Weirs
- 2 Bridges
- 15 Road Crossings

The Estimated Cost is:-

For Earthwork, Main, Secondary
and Minor Channels Rs. 8652-10-0
For subsidiary Channels or the
immediate delivery of the
water to the fields for 7516 1/2
acres at 8 Annas each Rs. 4768-4-0
Contingencies including stones
and stone charges 10% Cent Rs. 1389-2-0
Masonry works Rs. 5800-0-0

Total Rs. 20550-0-0
Rs. 2-2-7 for a moderate amount
for forwarding these estimates
the Chief Engineer has omitted to
notice the sanction of Rs. 1,000
for distribution under the 5th Section
part of 10,000 Rs. granted in
Government Order No. 1307 15th June 1862
and which must be deducted from
the present estimates until it is
shown that the amount was duly
and properly expended on other works
for the same Scheme. The amount
for which sanction is now required

therefore
Rs. 10,550-0-0

The rates are as follow. 7

Excavating Channels 1 to 8 and 9 Cubic yards
per day
Rubble Masonry 14-0-0 to 14-4-0 a Cubic
Arch work 7-0-0 do
Cut stone 6-0-0 do
all liberal and ample.

5 The discharge of the Channels, on
which their dimensions and all other
calculations are based, is according
to Beardmore's formula $V = 9166 V^{2.5} X H^{1.4}$
and the project generally appears carefully
got up. I would therefore have
promptly submitted it for sanction
after having had some serious clerical
discrepancies between the drawings
and the estimates corrected, had I
not noticed that the minor channels
generally were designed to discharge
the uniform quantity of two Cubic yards
per hour per acre, and that the principle
proposed by Major Mullins in para-
graph five of his letter printed with
Government Order No. 2882 10th September
1868, and approved of by Government,
had been lost sight of or was com-
pletely ignored. I was consequently
obliged to refer the matter more than
once and the result is that the Company's
professional Officer appears to consider
so large a provision of carrying capacity
in Channels unnecessary, and
calculated

3. calculated to lead to waste of water.
The Chief Engineer in reply to my
remarks on the distribution works in
the 4th section says that he does not
think the extra provision of Area
in the Channels is required, as they
are generally estimated at a foot
half full and might at all events
be tried as they are in where the
water supply is in excess of the area
land, & maintained, and that the
additional cost of carrying out the
works on the principle advocated
by Major Bullin in the fourth
and fifth Sections distribution
would amount to about Rs 50,000
or 2 annas to provide an acre and in another
communication he said "I do not
see how the Company will prevent
a great waste of water if the Channels
are made needlessly large".
The Executive Engineer also
remarked that all the Channels
in the fifth Section have been estimated
with banks & above water level and
every where the discharge can be
further increased by adding to the
depth by which the discharge is
required by the Consulting Engineer
it would be easily obtained and that
any additional provision for earthwork
would not be required.

Without

7. Without therefore concurring in the
above opinion, it seems to me that
the estimates as they now stand
might be sanctioned, and the Channels
 dug of the dimensions proposed by
the Company's Engineer, on the distinct
understanding that where masonry
works for the passage of irrigation water
occur, they shall be constructed
capable of discharging the maximum
quantity of water according to the
table in Major Bullin's letter, for
it is improbable that any thing
approaching the full acreage commanded
will be irrigated for a considerable time
to come, and the enlargement of the
Channels by deepening them will be
equally feasible at any time, and might
I think be deferred until proved
to be really necessary.

- 1 General Plan
- 2 Masonry Drawings
- 1 Tabular Statement
- 1 Detail Estimate of Earthwork
- 1 — do — do — of Masonry
- 1 Abstract — do — of Earthwork
- 1 — do — do — of Masonry
- 1 — do — do — of Earth & Masonry

I have the honor to be,
Sir,

Your most obed^t. Servant,

W. M. Bullin C.E.
Consulting Engineer
W. M. Bullin

No 2256
 Proceedings of the Madras Govt.
 Read the Morning:

From the 1st of May for S. R. No 53 of 25 Aug 70
 the Madras Govt.

With this letter the
 Consulting Engineer for
 the Madras Irrigation
 and Canal Company
 submits estimates of
 Rs 20,550 for the distri-
 ction work connected
 with the 5th section of
 the Main Canal and
 states that after deducting
 from the estimates the
 sum of Rs 4,000 being
 the cost of similar work
 already approved for that
 section

R

1870-71
 1870-71
 1870-71
 1870-71

1870-71
 1870-71
 1870-71

1870-71
 1870-71
 1870-71

1870-71

No 228

1870-71

section, the net amount
requiring sanction is Rs
16,550. Col. Carpenter
considers that the esti-
mated cost of distribution
viz Rs 2-2-7 per acre
is moderate and he adds
that the scheme generally
appears to have been
carefully prepared.

Under these expla-
nations and agreeably
to the recommendation
of the Comd Engineer
His Excellency the Governor
in Council sanction
the estimate on the dis-
tinct understanding
that the masonry work
referred to in para: 4
shall

14
shall be constructed in
the manner therein
indicated.

W. B.

22
3

The Comd Engr for the Madras
Irrig. & C. Company with
fourteen enclosures
Agent & Manager do do
Recd 24/7/70

Further No. 1252 of 8-5-51

1252 of 8-5-51

Op 3430

Govt. of 1870 Madras

PUBLIC WORKS.

To
The Consulting Engineer for
the Madras Irrigation
& Canal Comp'y

19 Sept. 2256

Ex. 328-329

Distribution Works. The estimate

Rs. 16,500 for ^{the} distribution
works connected with the
5th Section of the Madras
& Co's main Canal,
sanctioned with remarks.