

(1) Number of pages 12
(2) Date of repair 4-5-44
(3) Initials of the Referencer _____

MADRAS RECORD OFFICE.

Government of Madras.

Public works **DEPARTMENT.**

G.O. No.	432-33	Press
		Mis.
273-280.		
Dated	11. 2	1871.

Not to be folded or roughly handled



*Proceedings of the Madras Government, Public Works Department,
11th February 1871.*

Read the following papers.—

No. 273. From the Acting Superintending Engineer, 1st Division, to the Secretary to Government, Public Works Department, dated Dowlaishweram, 18th January 1871, No. 3,535.

ADVERTING to G. O., No. 3,047, of the 15th December 1870, I have the honour to report that none of the copper straps, etc., therein alluded to are required for use in this Division.

No. 274. From the Superintending Engineer, 4th Division, to the Secretary to Government, Public Works Department, dated Madras, 3rd February 1871, No. 4,463.

WITH reference to G. O., No. 3,047, dated 15th December 1870, I have the honour to state that the copper straps and slab copper referred to are not required by any of the Range Officers of this Division.

No. 275. From the Acting Superintending Engineer, 5th Division, to the Secretary to Government, Public Works Department, dated Madras, 21st January 1871, No. 224.

IN reference to G. O., No. 3,047, of the 15th December 1870, I have the honour to state that the only copper at present required in the 5th Division is for straps for the four lightning conductors proposed for the palace at Mercara.

2. The Executive Engineer, Bangalore, has been requested to hasten the transmission of the plan and estimate of this service, which, when sanctioned, will be advantageously executed at the Public Works Workshop, Madras.

No. 276. From the Acting Superintending Engineer, 8th Division, to the Secretary to Government, Public Works Department, dated Palamcottah, 21st December 1870, No. 2,551.

IN reply to G. O. of the 15th instant, No. 3,047, I have the honour to inform you that no copper is required at present in the 8th Division.

No. 277. From the Special Executive Engineer, Wynaad, to the Secretary to Government, Public Works Department, dated Vythery, 6th February 1871, No. 57.

WITH reference to G. O., No. 3,047, dated 15th December last, I have the honour to reply that I do not know of any purpose to which the copper straps alluded to could be put to use.

No. 278. From the Acting Consulting Engineer for Railways, to the Secretary to Government, Public Works Department, dated Madras, 3rd February 1871, No. 56.

IN reply to your memorandum, No. 10, dated the 2nd instant, I have the honour to report that the Madras Railway Company do not require any of the copper straps in the Madras Mint. The Agent of the Great Southern of India Railway wrote to enquire the price of the copper, and I have furnished him with the information, but I have as yet received no further communication.

*Proceedings of the Madras Government, Public Works Department,
11th February 1871.*

No. 279. From the Deputy Secretary to the Government of India, Public Works Department, (Account—General,) to the Secretary to the Government of Madras, Public Works Department, dated Fort William, 23rd January 1871, No. 5371-A.G.

THE undersigned is directed to request the favour of an early reply to Public Works Department endorsement No. 537-A. G., dated the 28th November last, enquiring whether any of the surplus copper accumulated in the Madras and

* No 3,154, dated 22nd November 1870.

Calcutta Mints, as referred to in the Financial Department memorandum*

therewith forwarded, is required for Public Works in Madras.

(Signed) J. J. McLEOD INNES,
Deputy Secretary to Government of India.

No. 280. ORDER THEREON, 11th February 1871, No. 432.

ACCOUNT, No. 23.

ORDERED that the following letter
be sent:—

(Here enter No. 433, dated 11th February 1871.)

(True Extract.)

(Signed) CHARLES A. ORR, Colonel, R. E.,
Secretary to Government.

PUBLIC WORKS DEPARTMENT,
FORT ST. GEORGE, 11th February 1871.

No. 281.

No. 433.

To

THE SECRETARY TO THE GOVERNMENT OF INDIA,
PUBLIC WORKS DEPARTMENT.

ACCOUNT, No. 24.

SIR,—With reference to the Proceedings of the Government of India under date the 28th November 1870, No 537-

A. G, requesting to be informed whether any of the copper which has accumulated in the Calcutta and Madras Mints is required for Public Works in this Presidency, I am directed to state that on enquiry it has been ascertained that no portion of the copper can be utilized by the Public Works Department.

I have the honour to be,

Sir,

Your most obedient servant,

(Signed) CHARLES A. ORR, Colonel, R.E.,
Secretary to Government.

No 3535

Supy Engineer's Office 1st Div
Dindigul 18 January 1871

Thru.

3
Major J. H. Fisher M.C.

Ag Superintending Engineer
1st Division

To.

Colonel C. A. Orr M.C.

Secretary to Government P.W.D.

Madras.

Sir,

Referring to G.O. No 3047 of the 15th
December 1870, I have the honor to report
that none of the Copper straps &c therein alluded
to, are required for use in this Division.

I have the honor to be

Sir

Yours Most Obedt Servt

W. H. Fisher Major M.C.

Ag Supy Engineer 1st Div

Supp Engineer's Office 4th Div
Madras 3rd February 1871

From

Colonel C. W. Williams R.E.
Supp Engineer 4th Division

Colonel C. A. Orr R.E.
Secretary to Government C.W.S.

Sir

With reference to G.O. No. 3057
dated 15th December 1870, I have
the honor to state that the Copper
straps and slab Copper referred to
are not required by any of the
Range Officers of this Division.

I have the honor to be
Sir

Your most obedient servant

Norman Colmel R.E.
Supp Engineer 4th Div

Encl. No. 1870 Department
No 3535

8-328

Chiefly Engineer
4th Div

Chiefly Engineer
4th Div

Madras
18th January 1871
No 24

That the amount of
Copper straps which has
been estimated in the
fund are required for use
in the Division.

18-4-32.9 4-33-11 1st Feb

18-4-33-11

No 224

Superinty: Engin office, 5th Division,
Madras, 21st January 1871.

1/0

From,

The Ag. Superintending Engineer,
5th Division

To,

The Secretary to Government,
Public Works Department.

Sir,

In reference to G.O. No 3049
of the 15th December 1870, I have the
honour to state that the only copper
at present required in the 5th Division,
is for shaps for the four lightning
conductors proposed for the Palace at
Mercau.—

2 The Executive Engineer, Bangalore,
has been requested to hasten the trans-
mission of the Plan and Estimate of
this Service, which, when sanctioned,
will be advantageously executed at the
Public Work shops, Madras.—

I have the honour to be

Sir

Your most obedt. Servant.

Pick. J. Roberts Lieut. Col. R.E.,
Ag. Superintending Engineer, 5th Div.

No 224

No 4329435-11 July 1871

Inform that the
shaps and all
other are not required
any of the shaps
of the 5th Div.

Initial 3rd 3rd July 1871
Recd 4th 3rd July 1871
No 463

To the Secretary
to Government

From the Ag. Superintending
Engineer 5th Division
224

10th 1870 Dept.
~~No 2554~~ No 5237
From
The Asst Supg Engineer
8th Division

To The Secretary to Govt
P.W.D. Madras

Dated 21st December 1870
Recd. 27

Reports that no
copper is required at
present in the 8th Div.

No 4329433-11 Feb 1871

No 276.

No 57
J10

Special Executive Engineer
Office, Wynand, Vythery
11th February 1871.

From,

The Special Executive Engineer
Wynand

To,

The Secretary to Government
Department Public Works
Madras

Sir,

With reference to G.O. No
3047 dated 15th December last have
the honor to reply that I do not know
of any purpose to which the Copper
strips alluded to could be put to use.

Have the honor to be,

Sir,

Your most Obedient Servant

W. D. Hewell Major
Special Executive Engineer
Wynand.

CONSULTING ENGINEER'S OFFICE

Railway Department

No

56

From

Captain A. L. Prendergast M.C.
Consulting Engineer for Railways,

To

Colonel C. A. Carr M.C.

Secretary to Government,

Public Works Department,

Fort Saint George

SIR,

In reply to your Memo:
No. 10, dated the 2^d instant, I have
the honour to report that the
Madras Railway Company
do not require any of the copper
strips in the Madras Mint.
The Agent of the Great Southern
of India Railway wrote to
inquire the price of the copper,
and I have furnished him
with the information, but I
have

Sept 1871 M.C.

Ch: 584

The Special Commr

Engineers Mysore

The Secretary to

Government

Colonial Affairs

Madras

Sept 8. 3. 1871

Ch: 584

Ch: 584

Ch: 584

Ch: 584

Ch: 584

Ch: 584

Ch: 584

have as yet received no further
communication

Wageningen. I have the honor to be.

3^d February

Sir,

1857) My most Obedient

Respectful Salutation

Yours for Railways

All communications
should be addressed to
the Secretary

No 537 A &
GOVERNMENT OF INDIA.

PUBLIC WORKS DEPARTMENT.

ACCOUNT

General.

Public Works 1870 Department

537

Public Works Department

From
The Consulting Engineer
for Railways,

To
The Secretary to Government,
P. W. Department,
Fort St. George

Dated 27 Feb 1871.

Received 5 Feb 1871.
No. 56.

Reporting that
the Madras Rly Compt
do not require any of
the copper straps in
the Madras Mint.
No. 4329433-11 Feb 1871

No. 278.

The Secretary to the Govt of Madras.
Public Works Department.
Fort William 28 January 1871.

The undersigned is directed to request
the favor of an early reply to P. W. Department
Endorsement No. 537 A.G. dated the 28th Novem-
ber last, enquiring whether any of the
surplus copper accumulated in the Madras
and Calcutta Mints, as referred to in
the Financial Department Memo therewith
forwarded, is required for Public works
in Madras.

J. M. S. M. S.

Secretary to Govt of India.

Public Works Department.
No 432 280.
Proceedings of the Madras Government
1881

Under date the 11th Feb'y 1871

Read the following.

From The Asst Sup ^r Engineer 1 st H. E.	3535	18 th January 1871
From " " " " " " " "	4463	1 st February (1871)
From " " " " " " " "	224	21 st January
From Special Engr Engineer Guard	2567	21 st December 1870
From Consulting Engineer for Railways	56	8 th February - 1871
From The Government of India	57	23 rd January 1871

Ordered that the
following letter be sent.
To Mr. [unclear] No 433.

The Secretary to the
Government of India
P.W.D.

With reference to
the Proceedings of the
Government of India
under date the 28th

November 1870, No. 537 A. 9
requesting to be informed
whether any of the
coffee which has
accumulated in the

1871 Dec 1.

455

Ernest.

The Lord of Illusion

data 28, June 17

Water 28 } February 17
Wind: 31° }

1537

Deposition

in early reply to

White singing white

any of the surplus
added to the cost

copies in the boat.

is required for the

Wells in Madison

11.3749/11.3724.5

Calcutta and
Madras Mints is
required for Public

Works in this Department

I am directed to

state that on enquiry
it has been ascertained


that no portion of the
copper can be utilized

by the Public Works

Department.

20

h.s. despd 11/2/71.
P.C. — 18/2/71



No. 15 Despd 10/2/71 - 325

12

Further despd 10/2/71 - 325

C/543.586.527.297.525.325
455

-Govt. of 1871 Madras.

PUBLIC WORKS.

To

Dated

Recd.

Encl.

G O 11 Feb 1871, A 4329433

Under

Nos. 2730 281. -

Copper. Papering orders in
letters from Mr. [unclear] & other
Officers reporting that no
Copper is required by
them.

Let it be ^{as proposed by} Intimating that the Copper
which has accumulated
in the [unclear] & Madras
Presidency is required by the
P. & M. Dept. in the Madras
Presidency.