

(1) Number of pages.....

(2) Date of repair 8-5-41

(3) Initials of the Referencer.....

MADRAS RECORD OFFICE.**Government of Madras.***Public works* **DEPARTMENT.**

G.O. No. 444	Press ~~Mis.~~
300-02	
Dated 13 . 2	1871 .

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
13th February 1871.*

Read the following papers :—

No. 300. From the Acting Superintending Engineer, 5th Division, to the Chief Engineer for Irrigation, dated Madras, 20th January 1871, No. 222.

I HAVE the honour to submit, for the sanction of Government from the Reserve, Agricultural for 1871-72, an estimate of Rupees 900, accompanied by plan and specification, for re-constructing the Moganarputty Suria Gounden anicut and channel in the Utangiri Talook, Salem District.

2. If the project be sanctioned and carried out, the expected increase of revenue will be $27\frac{1}{2}$ per cent. on the outlay.

No. 18.

No. 301. NOTE by the Chief Engineer for Irrigation.

PARAGRAPH 3 of the specification is improperly worded: the foundations must in any case be properly secured, and if $4\frac{1}{2}$ feet will not do this a greater depth must be given. After the words "not exceeding" therefore "without further sanction" should be added.

2. The first apron of the anicut should be stone-in-chunam; this alteration will add 143 Rupees to the estimate.

3. Whether or no the water-supply will be sufficient for all the additional land proposed to be cultivated is uncertain, but it would appear that the ayacut will probably be secured, and as this would give about 10 per cent. on the outlay, the estimate may, I think, be sanctioned.

FORT SAINT GEORGE,
1st February 1871.

(Signed.) J. MULLINS, Major, R.E.,
Chief Engineer for Irrigation.

No. 302. ORDER THEREON, 13th February 1871, No. 444.

IRRIGATION, No. 14.

THE Government sanction the estimate Rupees 1,043 for restoring the Moganarputty Suria Gounden anicut, etc., in the Utangiri Talook of the Salem District, and the Superintending Engineer, 5th Division, will apply for an allotment from the Reserve under Agricultural after the 1st April next.

(True Extract.)

Colonel, R.E.,
Secretary to Government.

To the Acting Superintending Engineer, 5th Division.
.. Controller of Public Works Accounts.
.. Chief Engineer for Irrigation.

Encl^d 4

2
No.
Note by the Chief Engineer for Irrigation.

Para 3 of the specification is improperly worded: The foundations must in any case be properly secured, and if $4\frac{1}{2}$ feet will not do this a greater depth must be given—after the words "not exceeding" therefore "without further sanction" should be added.

2. The first apron of the ancient should be stone in chain: This alteration will add 143 Rupees to the estimate.

3. Whether or no the water supply will be sufficient for all the additional land proposed to be cultivated is uncertain, but it would appear that the aqueduct will probably be secured, and as this would give about 10 per cent on the outlay the estimate may, I think, be sanctioned.

Fort St George

1st February 1871

Columbians

Major R.S.

Chief Eng^r for Irrigation.

To the Secretary to Govt. P.W. D.

N^o 222.

Superintg. Engrs Office, 5th Division,
Madras, 26th January 1871.

From, The Asy. Superintending Engineer,
5th Division

To, The Chief Engineer
for Irrigation

Sir,

I have the honor to submit, for
enclosures, viz. the sanction of Government, from the
1st Div. Reserve, "Agricultural" for 1871/2, an
Est. of Rs. 900. Specification estimate of Rs. 900. accompanied by
plan and Specification for the constructing
the Mogamooty Sannayamden Aicut
and channel in the Codergherry Talook,
Salem District.—

2. If the project be sanctioned,
and carried out, the expected increase
of Revenue will be 27 1/2 per cent. on the
outlay.—

I have the honor to be
Sir

Your most obedient Servant

Pick J. Roberts Esq. M.A. M.E.,
Asy. Superintg. Engineer, 5th Div.

4444 P. W. D.
Proceedings of the Madras Government

Read the following
From
The Chief Engineer
for Irrigation } (H. E. No. 189, 1st July/71)

The Government
sanction the estimate
Rs 104.3 for restoring
the Inoganarputty Suria
Grounds Ancient &c., in
the Otangiri Taluq
of the Salem District,
and the Sup^r Engineer
5th Division will
apply for an allotment
from the Reserve under
Agricultural after the
1st April next.

To
6 The Sup^r Engr. 5th Div.
5. Controller P. W. Dept.
3. Chief Engr. for Irrig.
Desks 14/2/71.

14.3/2/71

Chief Engineer
for Irrigation
The Chief Engineer
for Irrigation

Estimated 2000
Rs. 23.44 per year 1871.

Incl. 3.
The Government
sanction the estimate
of Rs 104.3 for restoring
the Inoganarputty Suria
Grounds Ancient &c., in
the Otangiri Taluq,
Salem District.

P. W. D. 15th July 1871

Ch. 200

To 6. July 1871 P. W. D.

C/355

Govt of 1871 Madras.

PUBLIC WORKS.

To The Asst Superintending Engrs
S-B. (Division)

Date

Recd

17

G. O. 13th Feb 1871, No. 444

Nos. 300 @ 302

Maganarputty Suria Gounden
Anicut in the Salem Dist. - The
estimate of Rs 1043 for restoring
the Maganarputty Suria
Gounden Anicut in the
Salem District, sanctioned.