M.R.O. 1—77,006—8-6-37.

(1) Number of pages 2

(2) Date of repair

(3) Initials of the Referencer

MADRAS RECORD OFFICE.

Government of Madras.

Public works DEPARTMENT.

G.O. No. 499-500 Press
411-413 Mis.

Dated 18 2 1871.

Not to be folded or roughly handled

Proceedings of the Madras Government, Public Works Department,
18th February 1871.

No. 411. Read the following letter from the Acting Consulting Engineer for Railways, to the Secretary to Government, Public Works Department, dated Madras, 10th February 1871, No. 65.—

REFERRING to G. O., No. 85, dated 12th January 1871, I have the honour to state that I have pointed out to the Agent of the Madras Railway that the East India Railway Company have carriage turn-tables for disposal at Rupees 1,700 each.

2. With reference to the diameter of the piping to be used at the Raichore Station, Mr. Elwin quotes as follows from the Chief Engineer's report :—

"We have hitherto used 6-inch piping at all our large stations, and have "found that size ample for our requirements. I see no necessity for increasing "the diameter of the piping at Raichore, especially as it is now proposed to provide "separate watering arrangements for the Great Indian Peninsula and Madras "lines."

No. 412. ORDER THEREON, 18th February 1871, No. 499.

RAILWAY, No. 54.

ORDERED that this letter be forwarded for the information of the Government of India, with reference to their letter, dated 22nd December 1870, No. 2,059-B.

(True Extract.)

Colonel, R.E.,
Secretary to Government.

To the Acting Consulting Engineer for Railways.

Exd. S. T. Augustin.

Elwin

Proceedings of the Madras Government, Public Works Department, 18th February 1871.

No. 411. Read the following letter from the Acting Consulting Engineer for Railways, to the Secretary to Government, Public Works Department, dated Madras, 10th February 1871, No. 65 :—

REFERRING to G. O., No. 85, dated 12th January 1871, I have the honour to state that I have pointed out to the Agent of the Madras Railway that the East India Railway Company have carriage turn-tables for disposal at Rupees 1,700 each.

2. With reference to the diameter of the piping to be used at the Raichore Station, Mr. Elwin quotes as follows from the Chief Engineer's report :—

"We have hitherto used 6-inch piping at all our large stations, and have "found that size ample for our requirements. I see no necessity for increasing "the diameter of the piping at Raichore, especially as it is now proposed to provide "separate watering arrangements for the Great Indian Peninsula and Madras "lines."

No. 412. ORDER THEREON, 18th February 1871, No. 499.

RAILWAY, No. 54.

ORDERED that this letter be forwarded for the information of the Government of India, with reference to their letter, dated 22nd December 1870, No. 2,059-B.

(True Extract.)

(Signed) CHARLES A. ORR, Colonel, R. E,
Secretary to Government.

No. 413. (DOCKET, No. 500, dated 18th February 1871.)

COPY of the above forwarded to the Government of India.

(True Extract.)

Colonel, R.E.,
Secretary to Government.

Exd. S. T. Augustin.

Elwin

CONSULTING ENGINEER'S OFFICE

Railway Department

No 65

From Major H. L. Prendergast R.E.
Consulting Engineer for Railways,

To Colonel C. A. Orr R.E.
Secretary to Government,
Public Works Department,
Fort Saint George.

SIR,

Referring to G.O. No. 85 dated 12th January 1871, I have the honour to state that I have pointed out to the Agent of the Madras Railway that the East India Railway Company have carriage turn-tables for disposal at Rs 1,700 each.

With reference to the diameter of the piping to be used at the Raichore station, 10 in

Elwin

Elwin quotes as follows from the Chief Engineer's report—

"We have hitherto used
"six inch piping at all our large stations
"and have found that size ample
"for our requirements. I see no
"necessity for increasing the dia-
"meter of the piping at Raichore
"especially as it is now proposed
"to provide separate watering
"arrangements for the Great Indian
"Peninsula and Madras lines"—

I have the honour to be
Sir,
Your obedient Servant,

Madras
10th Febry
1871

Hutchinson Major R.E
Mg Cons Engr for Railways

Public Works 1871 Department
Proceedings for February

RAILWAY DEPARTMENT.

From

The Consulting Engineer
for Railways,

To

The Secretary to Government,
P. W. Department,
Fort St. George.

Dated 10th February 1871.
Received 11th February.

No. 65.

No 4999 / 1500-18 Feby

Submitting for the information of Govt the opinion of the Agent of the Madras Railway regarding the diameter of the piping to be used at the Raichore station

No 411

No 633

Proceedings of the Madras Government
Under date the 18th February 1871.
Read the following

From the Actg Consulting Engr for Railways

H. E. No. 65 / 10th Feb 1871.

Ordered that this letter be forwarded for the information of the Government of India with reference to their letter dated 22nd Decr/70 No. 2059/3.

Docket No. 500 dated 18th Feb/71

Copy of the above forwarded to the Govt. of India.

To Cons: Engr for Railways
Desp 20/2/71

Desp 20/2/71

Rec 12th January 1791 ch 171-172

Docket

Forwarding copy of the letter from the Mayor &c Rep[t]. stating that he has informed the Agent Fort St. George Rep[t] that the E.I. Ship Lord Camden carriage turn tables &c. &c. would be wanting that the Chief Engr is against increasing the diameter of the picking Table used at the Cochin Station.

No 633

Govt. of {1871} Madras.

PUBLIC WORKS.

To The Consulting Engr. for Railways and To the Secretary to the Govt of India

Dated

No. 1

G O. 18 Feby 71 No. 499 & 500

Nos. 411-412 & 413

Raichore Station. Passing orders on the Deller from the Engr for Rys stating that he has informed the Agents of the Madras Ry that the East I. Ry Co have carriage turn tables for disposal & requesting that the Chief Engr is advised pecuniary the passing of diameter of the Deller at the Raichore Station.