M.R.O. 1—77,006—8-6-37.

(1) Number of pages_____

(2) Date of repair_____

(3) Initials of the Referencer_____

MADRAS RECORD OFFICE.

Government of Madras.

Public Works **DEPARTMENT.**

G.O. No. 380 to 390	3004		Press / ~~Mis.~~
Dated	18-	12.	1872.

Not to be folded or roughly handled

Read the following papers :—

No. 380. From the Acting Superintending Engineer, 1st Division.
(Here enter No. 2,767, dated 5th November 1872.)

No. 381. From do. do. 2nd do.
(Here enter No. 70, dated 13th August 1872.)

No. 382. From do. do. 3rd do.
(Here enter No. 1,069, dated 15th August 1872.)

No. 383. From do. do. 4th do.
(Here enter No. 3,210, dated 25th October 1872.)

No. 384. From do. do. 5th do.
(Here enter No. 149, dated 14th October 1872.)

No. 385. From the Officiating do. do. 6th do.
(Here enter No. 612, dated 1st November 1872.)

No. 386. From do. do. 7th do.
(Here enter No. 168, dated 26th October 1872.)

No. 387. From do. do. 8th do.
(Here enter No. 2,816, dated 23rd September 1872.)

No. 388. From the Special Executive Engineer, Wynaad.
(Here enter No. 497, dated 26th October 1872.)

No. 389. From the Officiating President, Municipal Commission.
(Here enter No. 1,659, dated 24th October 1872.)

No. 390. ORDER THEREON, 18th December 1872, No. 3,007.

ACCOUNT, No. 34.

IN his letter under date the 11th June 1872, No. G.-72, the Inspector-General of Ordnance and Magazines brought to the notice of Government that forty stink traps, specially procured for the Public Works Department under Extract Minutes of Consultation, No. 2,254, of the 4th December 1856, were in store in the Grand Arsenal, and requested sanction for their transfer to the Public Works Stores at the Presidency.

2. In Proceedings of the 2nd August last, No. 1,823, the Inspector-General's letter was referred to the President of the Madras Municipality and all Superintending Engineers to report as to whether they had need of any of the stink traps. The papers above recorded are the replies to that reference.

3. The only division in which stink straps are required is the 7th, where it is reported that twelve can be turned to good account "for trapping the drains in the Wellington Barrack Square." The Superintending Engineer of the 4th Division will accordingly arrange for the despatch of that number to Wellington, and he will adopt measures for taking over the remainder (twenty-eight) from the Grand Arsenal into the Presidency Public Works Stores.

4. In accordance with existing rules and practice, the General Superintendent of Public Works Stores will debit "Stock" with the value of the forty stink traps, corresponding credit being afforded to the Military Department in the Public

Works books. No specific allotment is immediately necessary for the adjustment of this transaction.

5. On the debit and credit referred to above being raised, Mr. Grainger will, by transfer, charge the Neilgherry Range with the value of the twelve stink straps required at Wellington, and this debit will be cleared by the allotment which will be made on the estimate of Rupees 1,500 referred to in Colonel Farewell's letter recorded at the head of these Proceedings.

(True Extract.)

Colonel, R.E.,
Secretary to Government.

To the Inspector-General of Ordnance and Magazines.
" District Engineers, Presidency and Neilgherries.
" Controller of Public Works Accounts.

SUPERINTENDING ENGINEER'S OFFICE, 1ST DIVISION.
DOWLAISHWARUM, 5th November 1872

No. 2767
From

Lieutenant-Col. P. R. Fischer R.E.
Superintending Engineer
1st Division

To

Colonel G. W. Walker R.E.
Secretary to Government D. P. W.
MADRAS

SIR,

Adverting to para 2 of G.O. No. 1823: dated 2d August last, I have the honor to report that none of the Range Officers in this Division are in need of Stink traps.

I have the honor to be
Sir
Your Most Obed.t Serv.t

J. Thacker Asstt Engr
for Superintending Engineer 1st Div.

No. 70.

From Superintending Engineer
2nd Division
Madura 13th August 1872

To Lieut. Colonel C. W. Malcolm R.E.
Secretary to Government
Public Works Department

Sir,

I have the honor to be
Sir
Your most obedient
Servant
Superintending Engr. 2nd Div.

P. W. 1872. Depart.

From Ur. A°. 5524.
The Superintending Engineer,
First Division.

To
The Secretary to Government
Department Public Works
MADRAS

Dated 5th December 1872
Received. 12 Do

No. 767

ENCLO.

Subject.

Reports that none of the Range Officers in the 1st Division are in need of stink traps

A°. 3007-18 Dec. 72.

No 380

C 22 Nov 72

No. 1069. Superintending Engineer's Office.
3rd Division.
Camp Gadamapudy, Gadamapudy Taluk
Cuddapah District.
The 15th August 1872.

From,

The Superintending Engineer
3rd Division.

To,

The Secretary to Government
Public Works Department
Fort St. George

Enclosures.

Sir,

With reference to G. O. No. 1823 of the 2nd Instant, I have the honor to inform you that none of the Stink traps referred to are required in this Division.

I have &c
Lawrence Bertie Capt R.E.
Offg. Superg. Engineer 3rd Div.

P. R. 1872 Dept.
Received 17th Aug. 1872.
No. 3394.
Public Works Department
Secretariat
To Government
Dated 13th August 1872
Received 15th —
No. 70
Report that
Stink traps
are not required
at present
in this Division

No. 3894-18 Aug. 1872

Copied

No 3210.

Superintending Engineer's Office 4th Div.
Madras 25th October 1872.

From

Colonel F. F. Kendall R.E.
Superintending Engineer
4th Division

To

Colonel G. Hall R.E.
Secretary to Government P.W.D.

Sir

I have the honor to report that no stink traps are required in this Division.

I have the honor to be
Sir
Your most obedient Servant
F. F. Kendall Col. R.E.
Superintending Engineer 4th Div.

Rec'd 2nd Augt 72 No 18 C 20

P. W. 1872-73 Dept.

From, No. 4079.

The Superintending Engineer
3rd Division.

To,

The Secy: to Govt:
P.W. Department
Fort St George

No. 1069

Dated 1st August 1872
Received 2nd

Informing with reference
to G.O. No 1823 dated 12th inst.
that no Stink traps
are required in this
Division.

No 3009-18 Dated 2nd

No 382.

Entered in Book
Entered in Book

No. 149. Supg. Engrs. Office 5th Div.
Camp Koorinjpady 14th October
1872.

From,

The Superintg. Engineer
5th Division,

To The Secretary to Government
P. W.

Sir,

With reference to G.O. No. 1823
of the 2nd August 1872, I have the honor
to state that none of the Stink
Traps in the Grand Arsenal are
required in this Division.

I have the honor to be
Sir,
Your most obt. Servt.

E A Wd Col. R.E.
Supg. Engineer 5th Div

No 6120

Defences Landing Squadron & Guns
Canada 1st Romandale 1872

From

Major J. O. Nasted R.E.
Offg. Superin.g Engineer 6th Dist.

To

Colonel C. W. Chaffers R.E.
Secretary to Government
P.W. Department.

Ottawa

Nil

Reference to G.O.
No 1823, dated 2nd August 1872. I have
the honor to inform you that no
Stink traps are required in this
Division.

Charlotte Romandale
Lieut
for Superintending Engineer

Ottawa. 18th Dec 1872.

Public Works 1872 Dept.
No 5062.

From The Supg. Engineer
5th Division,

To The Secretary & Govt.
D.B.W.

Dated 11th
Read 17th October 1872

No 149.

Stating that none
of the Stink Traps
in the Arsenal are
required in the 5th Dn

No 384.

No 3004. 18th Dec 1872

6 22 Nov 72
Lieut Romandale R.E. Asst Engr

No 168

Copy

Engineer's Office,
Fifth Division
Cincinnati Oct 26th 1872

Sir,

The Asst Engineer, in charge

To,

The Secretary to Government,
D.W. Washington

With reference to G.O. No 123
Hdqrs. Engineer, and your Memo No 70
of 23rd October 1872, I have the honor
to inform you that 12 Skids Pile
will be required for Capping the
Abutments at Coldwater Barracks Ky.
for which Work and for Materials employed
the Average, an Estimate accompanies
of $1000 has been forwarded
for the approval of Lt Col Comdg
the Engineers of this Division
Relative, will be submitted to Govt
for sanction. — I have the honor to be
Sir
Your most Obt Servt

W.E. Merrill
Lt

Rec'd Nov 8/72 No 18621

P. W. 1872 Depart.

Now

No 5389.

The Offg. Asst. Engineer
6th Division

To,

The Secretary &c
Government
P. W. D.

No. 612.

Dated 1st November 72.
Received 5 "

States that no stink
traps are required
in this Division —

No 385 —

No 3007-68 10 11/72

622 Nov/72

No. 2816.

Superintg: Engineer's Office S. D.
Madura 23rd September 1872.

9

From

Lieut: Colo: R. A. Roberts R.E.
Superintending Engineer S. D.

To

Colonel G. W. Walker R.E.
Secretary to Government N.W.P.

Sir.

In reference to G. O. of the 2d August 1872, I have the honor to report that no stink traps of the kind adverted to in that G. O. are required for use in this Division.

I have the honor to be
Sir
Your Most Obdt Servant
R. A. Roberts Lieut Colo. R.E.
Superintending Engineer
S. D.

Compd
S.E.

P. R. 1872 Recd
Forty Rupees
Per Dak Engineer
J. Division

To The Secretary to Govt N.W.P.
Allahabad
Dated 30th Recd 28th Octr 1872.

No. 3885.

Superintg Engineer
Madura
Intimating that
will be required for
Engineering the Barracks
in the Wellington
Barrack Square

No. 3885.
Dated 30th Octr 1872.

No 497

Asstt Executive Engineer
Office, Wynaad, Gudalore P.O.
Dt. October 1872.

From, The Asstt Executive-Engineer
Wynaad

To, The Secretary to Government
Department Public Works
Madras

Subject, Reference G.O. No 1823 dated 2nd August 1872 and Memo: No 170 dated 23rd Instant.

With reference to above Memo: the honour to state that there are no of any kind straps for use in Wynaad.

I have the honour to be,
Sir,
Your most Obedt Servt

Asstt Executive Engineer
Wynaad

Rd 2nd Augt 1872

P. W. 1872 Depart.
No 2816.

From No 4672.
The Supt Engineer
S. D.

To The Secretary to Govt
P.W.D. Madras.

Dated 23d
Received 26th Septr 1872.

Reports that no stink traps are required for use in this Division.

No 3007 - 18 Octr 1872

No 1659 Municipal Commrs Office
Madras 24th Octr 1872

To
The Secretary to Govt
Public Works Deptt
Madras

Sir,

With reference to the Order of Government No 1823 dated 2nd August last, I have the honor to inform you that we do not require any of the Stink Traps therein mentioned.

I have the honor to be
Sir
Your most Obedt Servt

Asst President Municpl
Commrs

No 1659 dated 24 Octr 1872 Ackd
Dewan Peishcar Chingleput
Executive Engineer Do
Madras
Do 26 Do Do
Do 28 Do Do
Secretary to Government
Public Works Department
Fort St George
Sir
I have the honor to acknowledge the receipt of your letter No 1659 dated 24th instant and in reply to inform you that I have no objection to the Stink Traps mentioned therein being removed.
I have the honor to be
Sir
Your most obedient Servant

Note by Chief Engineer
The Estimate of Rs 1605 early
provides for 2 departmental workers.
Shirt Kaiks annulments as Brn
:Dno, already basic for, and
which is very elementary to
utilize (see Draft recommendation
further) are unable to cut off
the Effluvia which runs under
at times from Drain inlets,
:ent to empty off early Rain Water
:by, two wide which often
months fluids its way - Office
Rs 1020 charges for the Staff
Rs 720 are simply executive
Store accounts Storks,
the remaining Rs 300 only. We
:ing the charge for Conveyance &
fitting -
Rs 440 ; the cost of hence:
:ching higher to carry away the
refuse from Kitchen, Baths, Clos
of the Barracks, cannot rec
Sweeper visit the Enfilade or
storm-water drains, etc. etc.
it under current present effect:
:ion -
The charges for Suspension:
:eleven cent Sweeping are -Rs:

P.W. 1872 Despatch
No 5184.
From Secy to Govt
Public Works
To Secy to Govt
Dated 26th
Received 28th } August
No 1659 R
Subject Estimate
for Drainage
Referred to Ex. Engr
No 1823 dated
Required by Exec
Municipality
No 3007-18 Sept

No 389

622 Nos 7 in
Public Works Dept Despatches

Public Works Department.

Proceedings of the Madras Government.

Read the following.

From. 300

The Ag Supg Engr 1st Dn. { No. No. 2767 5th Nov 1872
" " 2nd " { No. No. 90 of 13th August 1872
" " 3d " { No. No. 1069 of 15th August 1872
" " 4th " { No. No. 3210 of 25th Oct. 1872
" " 5th " { No. No. 149 of 14th Oct. 1872
" Offg. 6th " { No. No. 612 of 1st Nov 1872
" " 7th " { No. No. 1685 of 26th Oct 1872
" " 8th " { No. No. 2816 of 23rd Sept 1872
" " Spl. Engr. do. Mysore { No. No. 497 of 26th Oct. 1872
Offg. President Municipal Comr. { No. No. 1659 of 24th Oct 1872

In his letter

under date the 11th June

1872 No. G. 72, the Inspector General of Ordnance and Magazines brought to the notice of Government that forty Stink traps, specially procured for the Public Works Department under Extract Minutes

M.1.a

Minutes of Consultation
№ 2254, of the 4th December
1856, were in store in
the Grand Arsenal,
and requested sanction
for their transfer to the
Public Works stores at
the Presidency.

In Proceedings
of the 2d August last
№ 1823, the Inspector
General's letter was referred
to the President of the
Madras Municipality
and all Supg Engineers
to report as to whether
they had need of any
of the Stink traps. The
papers above recorded
are

are the replies to that
reference. 14

The only Division
in which stink traps
are required is the
Seventh, where it is
reported that twelve
can be turned to good
account for trapping
the drains in the Wel-
lington Barrack Square.
The Superintending En-
gineer of the 4th Dn
will accordingly arrange
for the dispatch of
that number to Wel-
lington, and he will
adopt measures for
taking over the
remainder

remainder (28) from the Grand Arsenal into the Presidency Public Works Stores.

4 In accordance with existing rules and practice, the General Superintendents of P.W. Stores will debit "Stock" with the value of the forty Stirk traps, corresponding credit being afforded to the Military Dept. in the Public Works Books. No specific allotments is immediately necessary for the adjustments of this transaction.

5 On the debit and credit

Credit referred to above being raised, Mr. Grainger will by transfer, charge the Neilgherry Range with the value of the twelve Stirk traps required at Wellington, and this debit will be cleared by the allotment which will be made on the Estimate of Rs 1850 referred to in Col Farquhar's letter recorded at the head of these Proceedings. —

Encl.

180

To
The Inspector Genl of Ordnance
" Supdt Magazines
" Supdt Laboratory
" Supdt Powder Factory
" Supdt Engr. P.W.D.
" Controller P.W.A.
" All other Supdt Engineers

Dept 21/12/72

Ch. 5524, 3974, 4079, 5790, 6066, 5389, 5213, 4672, 5222 + 5184

Govt. of [1872] Madras.

PUBLIC WORKS.

V

To

3007

18.12.1872

Dated

Recd.

Encl.

G. O. 18 December 1872, No. 3007.

Nos. 3800390.—

R. Brass. Securing

Instructions relative to the disposal of the Shrink ages in store in the Arsenal.

6 22 Nov 1