M.R.O. 1—77,608—3-6-37.

(1) Number of pages _____ _____

(2) Date of repair _____

(3) Initials of the Referencer _____

# MADRAS RECORD OFFICE.

## Government of Madras.

_____ DEPARTMENT.

G.O. No. _____ Press Mis.

Dated _____ 18 .

***Not to be folded or roughly handled***

*Proceedings of the Madras Government, Public Works Department, 4th March* 1872.

No. 56. Read the following endorsement of the Acting Superintending Engineer, 5th Division, dated Cuddalore, 21st February 1872, No. 257 :—

From the Executive Engineer, Salem Range, to the Acting Superintending Engineer, 5th Division, dated Salem, 15th February 1872, No. 1,316.

One estimate and one specification report for the Andapoorem tank forwarded by book post on the 14th instant.

With reference to your endorsement No. 469, dated 11th January 1872, on the Proceedings of Government, No. 25, dated 5th idem, forwarding a report of the Collector on the subject of a recent heavy flood in the Carpotenaur in Namkul Taluq, I have the honour to state that the amount of damage was over estimated by the Taluq Overseer, the probable cost of repair being, I think, about Rupees 5,500 for all works as detailed below :—

| | Rs. |
|---|---|
| Salem and Trichinopoly Road ... ... ... ... ... ... | 2,500 |
| Andapoorem Tank ... ... ... ... ... ... ... | 2,270 |
| Other repairs ... ... ... ... ... ... ... ... | 730 |
| | 5,500 |

2. The Andapoorem Anicut which is under repair suffered very little damage and can be completed within the estimate for Rupees 4,100 submitted by me.

---

Submitted to Government with reference to G. O., No. 25, of the 5th January 1872.

(Signed) J. VERTUE, Captain, R.E.,
*Acting Superintending Engineer, 5th Division.*

---

No. 57. Order thereon, 4th March 1872, No. 586.

ESTABLISHMENT, No. 7.

Communicated to the Revenue Department, with reference to the orders in that department, dated 16th December 1871, No. 2,117.

(True Extract.)

Colonel, R.E.,
*Secretary to Government.*

To the Revenue Department.
,, Superintending Engineer, 5th Division.

Exd. E. C. Shunker.

No. 1316.

Salem Range Office
Salem 15th February 1872.

From
The Executive Engineer,
Salem Range.

To
The Acting Supdg. Engineer,
5th Division.

Sir,

Enclosures 2
1 Estimate and 1 Specification - Report for the Audaphoram Tank forwarded by book post on the 14th instant.

With reference to your Endorsement No. 1869 dated 11th January 1872, on the Proceedings of Government No. 25 dated 5th idem forwarding a Report of the Collector on the subject of a recent heavy flood in the Karpotanam in Namakkal taluq, I have the honor to state that the amount of damage was jointly estimated by the Taluq Peishcar, the probable cost of repairing it stands at about Rupees 5,500 for all works as detailed below.

| | | |
|---|---|---|
| Salem and Trichinopoly Road | Rs. | 2,500 |
| Audaphoram Tank | | 2,270 |
| Other Repairs | | 730 |
| | | 5500 |

The Andaspoodem Annicut which is under Repair suffered very little damage, and can be completed within the Estimate for Rupees 1100 submitted by and.

Shaw the Foreman &c.

Signed A.C. Lawford
Executive Engineer.

No 257

Suffly Engrs Office, 5th Div.
Cuddalore, 21st February 1872.

Submitted to Government with reference to G.O. No 25 of the 8th January 1872.

James Hall Capt. R.E.
Actg Suffly Engineer, 5th Div.

To
The Secretary to Government
Public Works Department

Pro 5 January /72 No 25 Mi

P. W. 1872 Depart

No. 971.

From,
The Offg: Supg: Engr.
5th Division,

To The Secretary to Govt.
P.W.

Dated 21st } February
Recd 26 } 1872.

Enc: 2 No 257

Forwarding copy of report from the Executive Engineer, Salem Range, regarding the probable amount of damage caused by the recent heavy flood in the Namakal Talook, Salem District--

No 5-86/14 "Read" with an order

Comm^d to the Rev. Depe with reference to the order in that Depo of 13 Dec/71, No 3117.
No 580

To Rev Dep
5/3/72

Govt. of Madras. 1872

PUBLIC WORKS.

To The Revenue Dept.

Dated

Rcvd. Encl.

G. O. No. 586. Dated 1872.

Nos. 5857

Damages - Tellicherry

Damages Caused by the recent inundation in Tellicherry