

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencee _____

MADRAS RECORD OFFICE

Government of Madras

Public works

DEPARTMENT

G.O. No.	12406	Press
B.P. No.		Mis.
326-327.		
Dated	23. 5.	1873.

Not to be folded or roughly handled

N^o 259.

Letter to District Engineer Kistna N^o 33
dated 20th December 1872

— " from — do. — do. — N^o 38 — do. 24th Dec.

— " to — do. — do. — N^o 170 — do. 13th March 1873.

— " from — do. — do. — 7 — do. 14th April

Enclosures 6.

Submitted for the consideration and orders of Government.

2. It will be seen that the arrangements referred to at the end of the 2nd Clause of para 1 of G.O. 2nd April 1873 N^o 1011, involving the division of the Kistna Delta into 4, instead of 2, Ranges, had been suggested to the District Engineer as the most likely to work well with the staff available, and as Major Wasted is of opinion that, under the circumstances it should be adopted, it may be advisable to carry out the changes, and the alterations

alterations therewith connected as
detailed in that Officer's letter of
the 14th April, at an early date.

3 The changes will involve an
increase of Rupees 7 a month for Office
establishments, which can probably
be met from savings -

Fort Saint George
25th April 1873

Colonial Engineer

Chief Engineer for Irrigation.

To the Secretary to Government
Public Works Department.

P.W. April 73 Nos 25-26

P.W. 1873 Dept
No 2741

The Chief Engineer for
Irrigation

The Secretary to
Government
D. P. W.

Date 25th April
Received 21st May 1873

Enclosures 6.

No. 259.

Submitted for the con-
sideration and orders of
Govt. correspondence
in the subject of the divi-
sion of the Fistna Delta
into 4 instead of two
Rangs.

10326

Recd to Govt 3 May 1873

No 1406-23 May 73

103 A.P. Hob. P. H. A.
Pres. of the Madras Govt.

Read the following:-

From the Chief Eng. for Mysore (R.E. No. 259 of 25th April/30)

W.S.

The redistribution of
the Ranges of the Kistnah
District detailed in the
District Engineer's letter
and recommended by
the Chief Engineer for
Irrigation commends
itself to the approval of
Government, not only
by its adaptation to
the system of executive
Ranges worked, partly
by Officers, partly by
upper subordinates,
under

under close supervision
of District Engineers
and to the existing strength
and organization of the
Public Works Department
in the Madras Presi-
-dency, but also by the
constitution of the
Repalli Talook as a
separate Range and
obviating any incon-
-venience that might
otherwise have resulted
from the decision ar-
-rived at in Financial
Order No 533 of 25th
April abandoning the
proposal to transfer
the Repalli Talook to
the Guntur Local
Fund

103
Fund Circle.

It will therefore be
carried into effect
from such date as
may be arranged between
the District Engineer
and Controller; the
small extra cost being
met from Savings-

G.M.M.

To the Chief Eng^r & Co. Discharge of Work & Control:
" D. E. [unclear]
" Controller of P. W. & S.
" Financial Dept.
Dated 26-7-70.

Cp. 2741

Sept. 1873

PUBLIC WORKS.

The Chief Engineer.

Encl.

Encl.

Encl.

23rd Aug. 1406.

226 1873

Changes in the Victoria Dis-
trict. Passing orders on
Correspondence, submitted
by the Chief Eng. for signature,
on the subject of the re-
distribution of the lands
in the Victoria D.C.