

- (1) Number of pages \_\_\_\_\_  
(2) Date of repair \_\_\_\_\_  
(3) Initials of the Referencer \_\_\_\_\_

# MADRAS RECORD OFFICE

Government of Madras

Public works

DEPARTMENT

|          |      |       |
|----------|------|-------|
| G.O. No. | 1479 | Press |
| B.P. No. |      | Mis.  |
| 41-42    |      |       |
| Dated    | 3 6  | 1873  |

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,  
3rd June 1873.*

No. 41. Read the following letter from Captain J. PENNYCUICK, R. E., District Engineer, North Arcot, to Colonel G. W. WALKER, R. E., Secretary to Government, Public Works Department, dated Vellore, 15th May 1873, No. 562:—

With reference to G. O., No. 198, dated 23rd ultimo, passed on the Abstract of Objectionable Items for December 1872, I have the honour to report that the Officer in charge of the Vellore Range having been engaged on some urgent works damaged by the cyclone of 2nd May last, the estimates for repairing Nelway and Thootheeputt tanks were not finally submitted until 22nd March 1873. These were forwarded to the Collector for his approval and sanction, and when returned the sanction will be communicated to the Range Officer.

2. Allotments of Rupees 1,000 and 1,300 respectively for the works referred to were however sanctioned by the late Superintending Engineer, 4th Division, in No. 3,071, dated 19th October 1872.

No. 42. ORDER THEREON, 3rd June 1873, No. 1,479.

IRRIGATION, No. 2.

ORDERED to be recorded. The District Engineer should have recorded his opinion of the sufficiency of the excuse made by the Range Officer for delay in supplying estimates.  
(True Extract.)

Colonel, R.E.,  
Secretary to Government.

To the District Engineer, North Arcot.  
" Controller of Public Works Accounts.  
" Chief Engineer for Irrigation.

Ed. S. T. Austin.

No. 562

North Arcot,

DISTRICT ENGINEER'S OFFICE

Vellore 15 May 1873.

From

The DISTRICT ENGINEER,  
NORTH ARCOT.

To

The Secretary to Government.

Public Works Department.

Sir,

Madras.

Enclosure None.

With reference to G. O. No. 198  
dated 23<sup>rd</sup> ultimo, passed on the Abstract  
of objectionable items for December 1872,  
I have the honour to report that the Officer  
in charge of the Vellore Range having been  
engaged on some urgent works, damaged  
by the Cyclone of 2<sup>nd</sup> May last, the Esti-  
-mates for repairing Kelway and  
Shoothappett Tanks were not finally  
submitted until 22<sup>nd</sup> March 1873. These  
were forwarded to the Collector for his  
approval and sanction, and when return-  
-ed, the sanction will be communi-  
-cated to the Range Officer.

2.

Allotment of Rupees 1000  
and 1300 respectively for the works  
referred to were however sanctioned  
by the late Superintending Engineer  
4<sup>th</sup> Division in No. 3071 dated 19<sup>th</sup> October  
1872.

I have the honour to be,

Sir,

Your Most Obedt Servt

John Penny - Captain R.E.

District Engineer S.A.

From *A<sup>o</sup> 2978.*  
The District Engineer,  
North Arcot.

To  
The Secretary to Govt.  
P. O. W. Department  
Madras.

Dated 15<sup>th</sup> May 1973

Received

No. 562.

Enclosure Stone.

**Subject.**

Reports regarding the  
sanction & allotment of  
the Estimates for re-  
-pairing Melway and  
Shootherp with Lanka

With an order.

From

*To*

*Dated*

Received

Enclosure Stone.

**Subject.**

Reports regarding the  
sanctions & allotment of  
The Estimates for re-  
-pairing Melway and  
Shootherpett Tanks

With an order.

1419

Ordered to be recorded - the District

known to have  
infused both its products & been of the opinion

At the deficiency of the space made by  
the Range Officer for delivery in duplicate

Estimados -

b:41-42

Started to Copy 17 May 1973

Wm  
J. B. H. - Ernst &  
Caryer &  
The Engineer for Engineers  
Dec 8/10 - b-73

Ch 2978  
Cob. of 1873 Madras.

PUBLIC WORKS.

To The District Engr  
North Arcot

Date

Recd.

Encl.

G. O. 3<sup>rd</sup> Decr 1873, N/1479.

5034/1442

Shelray and Shrooke-

hett Tanks, N. Arcot

St. Letter from the

St. Engr explaining

the cause of the irreg-

lar expenditure on

the tanks, recorded.