M.R.O. 1—10,006—38-2-50

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No. 2387 Press ~~Mis.~~

~~B.P. No.~~
427, 428

Dated 29.9.1873 ~~105~~

Not to be folded or roughly handled

Proceedings of the Madras Government, Public Works Department, 29th September 1873.

No. 427. Read the following memorandum from Lieutenant-Colonel J. MULLINS, R.E., Chief Engineer for Irrigation, to Colonel G. W. WALKER, R.E., Secretary to Government, Public Works Department, dated Camp at Oodamulpetta, 26th August 1873, No. 554 :—

THE remarks against the orders as per margin in the list of unanswered references of the Salem District referred to in G. O., 12th August 1873, No. 70, are, I think, quite correct, and I would recommend the postponement of investigations of all projects which have not been sanctioned for execution and partially carried out, until the district establishments have time for such duties.

No. 1,565, 12th May 1869.
,, 2,642, 11th Aug. ,,

2. Of the works entered in the Collector's statement printed in G. O. of the 12th May 1869, No. 1,565, the restoration of the Kadamboor Tank was rejected in G. O., 22nd January 1869, No. 202; some two or three others are, I believe, under execution, though it is rather difficult to identify works from the defective description given; the Poolamputty Anicut across the Cauvery appears to be the same as the Nerinjeepett Project, the investigation of which was completed some time ago, but I have not been able to examine it as yet, and I doubt my being able to go into it until the hot weather of 1874; the project for the improvement of the Badatalab Tank in the Kistnagherry Taluq has also been partially investigated.

3. In G. O. of the 25th June last, No. 1,652, paragraph 9, it was considered advisable not to grant sanction for temporary survey establishments for Salem at the present time unless upon special application supported by full information.

No. 428. ORDER THEREON, 29th September 1873, No. 2,387.

IRRIGATION, No. 30.

CONSIDERING the present state of the District Establishments which can be fully and profitably occupied on work already in hand, His Excellency the Governor in Council resolves to authorize the postponement of all new Irrigation Projects which have not been sanctioned for execution and partially carried out in the Salem District. For the orders noted below this order may accordingly be substituted in future Unanswered Reference Returns :—

G. O., No. 1,565, dated 12th May 1869.
,, ,, 2,642, ,, 11th Aug. ,,

(True Extract.)

Colonel, R.E.,
Secretary to Government.

To the District Engineer, Salem.
,, Chief Engineer for Irrigation.
,, Revenue Department.

Exd. E. C. Shunker.
Spare Copies.

Treasurer-ad-interim

1 The terms as to payment &c
prescribed as per margin in the
list of unanswered references
of the Lahore District, referred
to in G.O. 12th August 1873 No 70
are, I think, pretty correct, &
I would recommend the post
presented of Rs 1000 to each Deputy
all posts to which leave not
less than 1 year is granted for execution
2 partly earned out, and
if the District established
would take time for such
duties.

2 If the works entered in
the collected statement printed
in G.O. of the 12th May
1869 No 1865 the restoration
of the Kadamboo Tank was
rejected in G.O. 22nd January
1869 No 282; since two or three

are

are, I believe, under execution
though it is rather difficult
to identify works from the
defective description given: the
Poolumpatty anicut across the
Cauvery appears to be the
same as the Nerinjeepatt
project, the investigation of
which was completed some
time ago, but I have not
been able to examine it
as yet, and I doubt my
being able to go out to it
until the hot weather of
1874; the project for the
improvement of the Bada-
talab tank in the Kistna-
gherry taluq has been par-
tially investigated.

3. In G.O. of the 25 June
last N-1652, para 9, it was
considered advisable not to
grant sanction for temporary

survey

estimates for la-
bour at the present time, un-
less upon special application,
supported by full information.

Chief Secretary to Govt. P.W.D.

have not been sanctioned
for execution and heartily
carried out in the Sabarmati
District. The orders noted
below may accordingly
be cancelled. Submitted
herewith Reference
Returned.

G.G. 1865 of 12th May 1869
—"— 2642 — 11th Sept. " —

Signed

The District Engineer
Sabarmati
Chief Engineer for Irrg
Work
P.C. 22-5-69

B-427.28.

Also a few shoots
from the same cane
as the Sugarcane
C.P. 1 Seedling with
two additional shoots
818

Gov. of Mass.
PUBLIC WORKS.

Dated 29 Sept. 1887.

No. 229428

Indorsed Reference

Lieut. Paskus orders
as Brevet Brig. Gen. Chief
Engr. Virginia &c.
Sundry Lieut of the
A. Engrs. of Salem.