M.R.O. 1—77,006—8-6-81.

(1) Number of pages_____

(2) Date of repair_____

(3) Initials of the Referencer_____

MADRAS RECORD OFFICE.

Government of Madras.

Public Works **DEPARTMENT.**

G.O. No. 159-159A-160	82 – 83	Press / Mis.
Dated	10 – 1 –	1873.

Not to be folded or roughly handled



Proceedings of the Madras Government, Public Works Department,
10th January 1873.

Read the following papers:—

No. 159. From the Superintending Engineer, 8th Division, to the Chief Engineer for Irrigation, dated Cokracolum, 27th November 1872, No. 3,941.

I HAVE the honour to submit for the sanction of Government the following proposal in regard to the strength of the establishment required for the permanen working of the Streevigoontum Anicut Project.

2. The establishment which I would recommend is as follows:—

		Rs.
2 Maistries,	at Rupees 30 each per mensem	60
17 Sluicemen,	,, 5 ,, ,, ...	85
2 Watchmen,	,, 5 ,, ,, ...	10
		155
	Or per annum...	1,860
3 Extra sluicemen for 3 months,	at Rupees 5 each per month ...	45
	Grand Total per annum...	1,905

3. As regards the two Maistries, one would be employed on the north and the other on the south channel.

4. The 17 sluicemen would be employed one on each of the following works:—

1. South head-sluice.
2. South channel, Autur head-sluice, and Cadamba tank head-sluice.
3. Autur channel.
4. Cadamba tank-sluices, Parur head-sluice and channel.
5. Ammenpuram tank-sluices and Seenimavady tank-sluices.
6. Nellur, Arumuganeri and other small tank-sluices.
7. Tuluken channel and tank-sluices.
8. Carnum channel sluices.
9. Ellappanaiken and Avoodiar tanks and sluices.
10. North head-sluice.
11. Keelapidagai head-sluice and sluices in north channel.
12. Korkey head-sluice and bridge and calingulah at Yeral.
13. Arumugamangalam tank-sluices and double dam.
14. Paykulam tank-sluices, Marathony and Pottakolum tank-sluices and calingulahs.
15. Chinnasamy Naiken tank-sluices up to Opar Oday dam.
16. Do. up to Tuticorin road.
17. Opar Oday dam.

5. The two watchmen are required for the charge of the long tank embankment on either side of the Opar Oday dam.

6. As regards the three extra sluicemen they are required from the 15th October to the 15th January in each year to live at the Opar Oday dam for the purpose of raising or lowering the shutters in the event of floods coming down the Oday.

7. The above is the strength of establishment which Lieutenant-Shepherd, R.E., Mr. Rundall, and myself consider will be necessary for the conservancy and permanent working of the water-supply from the anicut-channels.

8. For the present year, as the works are still under progress, temporary arrangements are being made for the water-distribution, but I have the honour to request that the sanction of Government may be obtained for the entertainment of the establishment above detailed from the 1st June 1873.

Tabular Statement of proposed Establishment for the Conservancy and Permanent working of the Water-suppl from the Streevigoontum Anicut Channels.

Extract from Home Department of Government of India. No.	Date.	Office to which the Proposition refers.	Nature of Charge. Present Scale.	Nature of Charge. Proposed Scale.	Rs.	Proposition. Permanent. Increase per Month.	Proposition. Permanent. Decrease per Month.	Proposition. Temporary. Period.	Proposition. Temporary. Increase per Month.	Proposition. Temporary. Decrease per Month.	Proposition. Temporary. Period.	Grounds of Proposition.	Local Government's Recommendation.	Orders of the Government of India. P. W. Dept. Remarks.	Orders of the Government of India. Financial Department. Remarks.	Orders of the Government of India. Financial Department. Orders.
				2 Maistries, at Rs. 30 ...	60											
				17 Sluicemen, at ,, 5 ...	85											
				2 Watchmen, at ,, 5 ...	10											
					155	155	...	Three months in each year from 15th Oct. to the 15th Jan.	15							
				3 Extra Sluicemen, at Rs. 5	15											

(Signed) J. MULLINS, Lieut.-Colonel, R.E,
Chief Engineer for Irrigation.

FORT ST. GEORGE,
4th December 1872.

Proceedings of the Madras Government, Public Works Department,
10th January 1873.

No. 304.

No. 159A. *Note by the Chief Engineer for Irrigation.*

A CONSERVANCY Establishment is certainly required for the Streevigoontum Anicut irrigation, the works for which have been under execution from Loan Funds for some years past, and are now approaching completion. The scale of establishment proposed by the Superintending Engineer, 8th Division, has been drawn up by officers well acquainted with the works, and it does not appear to exceed what is really required.

FORT ST. GEORGE,
4th December 1872.

(Signed) J. MULLINS, Lieut.-Colonel, R.E.,
Chief Engineer for Irrigation.

No. 160. ORDER THEREON, 10th January 1873, No. 82.

ESTABLISHMENT, No. 13.

ORDERED that this application be submitted to the Government of India for sanction.

(Here enter No. 83, dated 10th January 1873.)

(True Extract.)

Lieut.-Colonel, R.E.,
Joint Secretary to Government.

Exd. F. R. Bantleman.

PUBLIC WORKS DEPARTMENT,
FORT ST. GEORGE, 10*th January* 1873.

No. 161.

No. 83.

To

THE SECRETARY TO THE GOVERNMENT OF INDIA,

PUBLIC WORKS DEPARTMENT.

ESTABLISHMENT, No. 14.

SIR,—I am directed to submit for the sanction of the Government of India a tabular statement of Conservancy Establishment* required from and after the 1st April next for the conservancy and management of the Streevigoontum Anicut Works in Tinnevelly.

* Annual cost Rupees 1,905.

2. The works were sanctioned by the Government of India in the orders as per margin; they are now approaching completion, and are already in use. It is, therefore, considered advisable that the temporary arrangements now in force should terminate with the present season, and that a permanent establishment should be entertained in time to admit of its becoming acquainted with its duties before the irrigation of 1873-74 commences.

No. 53-I., dated 11th February 1869.

I have the honour to be,
Sir,
Your most obedient servant,

Lieut.-Colonel, R.E.,
Joint Secretary to Government.

Exd. F. R. Bantleman.

Public Works Depart.

No 92

Proceedings of the Madras Government

Read the following

From The Chief Engr. for Irrigation } W. E. No. 304 dated 4th Decr 1872.

Ordered that this application be submitted to the Government of India for sanction.

No 83

To The Secretary to the Government of India

Sir,

I am directed to submit for the sanction of

From Exd. 83 No. 3941

The Supt. Engineer 8. Division

To The Chief Engineer for Irrigation

dated 27 November 72

Recd. 3 Decr 72

111. P. Pr. 5988/72.

Submits for the sanction of Govt. a list of the Establishment required for the permanent working of the Sheingunderum Anicut Project.—

Statement in Triplicate herewith for submission to Govt of India/Sanction

To Govt No 304 4 Decr/72.

of the Government of India
a tabular statement of
Conservancy Establishment
required from and after
the 1st April next for
the Conservancy and ma-
-nagement of the Shrigun-
-tum Anicut Works in
Trinicolly.

2. The works were
sanctioned by the Govern-
-ment of India in the
orders as per margin;
they are now approaching
completion, and are al-
-ready in use. It is there-
-fore considered advisable
that the temporary arrang-
-ments, now in force, should
terminate with the present
season

× Annual cost Rs 1,905.

No 53 I dated 11th Feby 1869

C. P. W.

113

season, and that a per-
-manent establishment
should be entertained
in time to admit of
its becoming acquainted
with its duties before
the irrigation of 1873-74
commences.

Lly. 4/12

Lyttn.

25

Despatch with 7 Copies
P & C 6 No 82/72 - 14/1/73.

C/o 5988

Govt. of [1872] Madras.

PUBLIC WORKS.

To The Secretary to the Govt of India

Dated

Recd. Encl.

G. O. 10 January 1882 No. 82-83-

Nos. 159 & 160

Srivaigantam Anicut Works. Tinnevelly Dt.-

Application for conservancy Establishment required from and after 1st April: Copy for the Srivaigantam Anicut Works ordered to be forwarded for the sanction of the Govt of India.

Forward for sanction application for conservancy Establt for the Srivaigantam Anicut Works Tinnevelly Dt.-