M.R.O. 1—10,006—28-2-50.

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No. 160 Press
~~B.P. No.~~ ~~Mis.~~
40-41-42

Dated 9-1-1874 ~~195—~~.

Not to be folded or roughly handled

Read the following letters:—

No. 40. From Lieutenant-Colonel J. F. FISCHER, R.E., District Engineer, Godavery, to Colonel G. W. WALKER, R.E., Secretary to Government, Public Works Department, dated Dowlaishweram, 4th November 1873, No. 2,364.

In continuation of my letter, No. 2,241, dated 21st October 1873, I have the honour to report that one of the boilers having been fitted into the steamer *Poineer*, which was sent to the Kistna works, I consider one-third of the charge, viz, Rupees 333-5-4, should be debited to those works; and in this case the distribution I propose to make of the cost of the two boilers is as follows:—

	Rs.	A.	P.
Extraordinary Works "Extension of Irrigation in the Eastern Delta," Estimate Rupees 10,80,800	466	10	8
Revenue Account Irrigation	66	10	8
Ordinary Revenue Account	133	5	4
Total...	666	10	8

2. I regret I am unable to specify the particular works under head "Ordinary" to which the charge is debitable, as the steamers into which the boilers were fitted are engaged generally for towing stone boats for all the deltas and for works under all the heads of service. I therefore entered herein the principal heads which are for the most part immediately benefited by the charge.

No. 829.

No. 41. *Note by the Chief Engineer for Irrigation.*

I hardly understand the recommendations of the District Engineer, Godavery, either in his letter of the 21st October 1873, No. 2,241, recorded in Government Order, 7th November, No. 2,724, or in his subsequent letter of the 4th instant, No. 2,364. Government Order of the 22nd August 1873 laid down the manner in which charges for Tools and Plant, Ordinary, are to be adjusted, and with reference thereto, and to the fact that one of the three boilers on which the charge of Rupees 1,000 was incurred was recently fitted to a steamer transferred to the Kistna, the adjustment should be effected by debiting Irrigation, Tools and Plant, Ordinary—

	Rs.	A.	P.
Godavery Delta	666	10	8
Kistna do.	333	5	4

With reference also to the new form of Budget the expenditure should appear under the sub-head navigation.

Part VI.

(Signed) J. MULLINS, Lieut.-Colonel, R.E.,
Chief Engineer for Irrigation.

Camp, Kistna District,
24th November 1873.

Proceedings of the Madras Government, Public Works Department, 7th January 1874.

No. 42. ORDER THEREON, 7th January 1874, No. 16.

IRRIGATION, No. 4.
Account.

ORDERED to be adjusted accordingly, the sum, Rupees 1,000, made available for the purpose being divided between the Godavery and Kistna Districts in the proportion shown.

(True Extract.)

Colonel, R.E.,
Secretary to Government.

To the District Engineer, Godavery.
" " Kistna.
" Officiating Controller of Public Works Accounts.
" Chief Engineer for Irrigation.

Exd. S. T. Austin.
Spare Copies

District Engineers Office Godavery
Dowlaishweram 4th November 1873

No 2364

From

Lieutenant Colonel J. H. Fischer R.E.
District Engineer Godavery

To

Colonel G. W. Walker R.E.
Secretary to Government P.W.D.
Madras.

Sir,

In continuation of my letter No 2241 dated 21st October 1873 I have the honor to report that one of the boilers having been filled into the steamer "Pioneer" which was sent to the Kistna works, I consider 1/3 of the charge viz Rupees 333-5-4 should be debited to those works, and in this case the distribution I propose to make of the cost of the 2 boilers is as follows.

Extraordinary works "Extention of Irrigation in the Eastern Delta - Estimate Rs 1,089,800	Rupees 466-10-8
Revenue Account Irrigation	66-10-8
Ordinary Revenue account	133-5-4
Total Rupees	666-10-8

I regret I am unable to specify the particular works under head Ordinary to which the charge is debitable as the steamers into which the boilers were fitted are engaged generally for towing stone boats for all the Dockyard and for works under all the heads of service. I therefore entered herein the principal heads which are for the most part immediately benifited by the charge.

I have the honor to be
Sir
your Most Obedient Servant

Lieut Col R.E.

District Engineer Godavery

P.W. 1873 Depart.
From
No. 6181.

The District Engineer
Godavery

To

The Secretary to
Government P.W.D.
Madras

Dated 4th November 1873
Recd 5th
Received 11th

No 2364

Proposes distribution of the charges incurred on account of three boilers lately sent to this District.

P.W. 6627/73

Rs 40
Despd to Cocanada 11 Nov 73

No. 829 Note by the Chief Engineer for Irrigation.

I hardly understand the recommendations of the District Engineer Godavery either in his letter of the 21st October 1873 No. 2241 recorded in Government Order 7th November No. 2724, or in his subsequent letter of the 4th Instant No. 2364 - Government Order of the 22nd August 1873 laid down the manner in which charges for Coal and Plant Ordinary are to be adjusted, and with reference thereto, and to the fact that one of the three boilers on which the charge of Rupees 1,000 was incurred was recently fitted to a steamer transferred to the Kistna, the adjustment should be effected by debiting

Irrigation - Coal and Plant - Ordinary -

Godavery Delta - Rupees — 666 - 10 - 8

Kistna ——do——————— 333 - 5 - 4

Part VI. with reference also to the new form of Budget the expenditure should appear under the sub-head Irrigation.

Office of the Chief Engr for Irrigation
Camp Cuttack 24th Novr 1873

Lt Colonel Recd Engrs
Chief Engineer for Irrigation

To
The Secretary to Govt
P.W.D.

P.W. 1873 Departt.

No. 829-

Fo. 6627.

From

The Chief Engineer
for Irrigation

To The Secretary to
Government
P.W.D.

Dated 24th November
Dispd 4th Decemr } 1873
Recvd 8th —do— }

Ans: /.

Points out how the charges under Tools & Plant incurred by the Dist. Engr. Godavery in getting up three boilers for Steamers should be adjusted.

With an Order

Copy 6131 to 6627

Govt. of Madras. 1873 4

PUBLIC WORKS.

To The District Engr
Godavery

Dated

Recd. Encl. /

G. O., 7 Dec 1874 No. 16.

Nos. 40 & 42

Funds. Prepared adjustment of the charge incurred on account of fitting up boilers to a steamer recently transferred to the Vizianagram Estate, sanctioned.

Rec'd Dec 1873

Copy of Order No. 16 dated 7th December 1874 passed by the Govt. of Madras, Public Works Department, to the District Engineer, Godavery, in reply to his letter No. 829 dated 24th November 1873, regarding the adjustment of charges incurred by the Executive Engineer and Assistant Engineer, Cocanada, in fitting up three boilers for steamers.

Read Letter from the District Engineer, Godavery, No. 829 dated 24th November 1873, reporting that the charges incurred by the Executive Engineer and Assistant Engineer, Cocanada, in fitting up three boilers for steamers should be adjusted.

Ordered, that the expenditure be adjusted as follows:

Dr. 1/3 to Steamer Establishment
Dr. 1/3 to Steamer Repairs
Dr. 1/3 to Steamer Contingencies
Cr. 1 to Tools & Plant

Ordered also, that the Executive Engineer, Cocanada, be informed that the charges for the two boilers being divided between the Godavery and Vizianagram Districts, the adjustment should be made between those Districts.

(Sd) Fullerton
Secy to Govt.

Dy No. 1131 - 24/11/73