

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public works. DEPARTMENT

G.O. No.	144	Press
~~B.P. No.~~		Mis.
344-5346		
Dated	26-1-1874.	195 .

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
26th January 1874.*

Read the following papers :—

No. 344. From Lieutenant-Colonel J. GODDARD, R.E., District Engineer, Presidency, to Colonel G. W. WALKER, R.E., Secretary to Government, Public Works Department, dated Fort St. George, 22nd December 1873, No. 4,529.

IN obedience to G. O., No. 3,077, dated 20th December 1873, I have the honour

to submit a plan and estimate, amounting to Rupees 5,100, for constructing additional coach-houses, verandah, etc., at Government House, duly countersigned by the Military Secretary to His Excellency the Governor in token of his approval.

REFERRED to the Inspecting Engineer for Buildings for early check and return.

(Signed) G. W. WALKER, Colonel, R.E.,

27th December 1873.

Secretary to Government, P.W.D.

No. 345. Endorsement of the Inspecting Engineer for Civil and Military Buildings, dated Bellary, 17th January 1874, No. 73.

From Lieutenant-Colonel J. GODDARD, R.E., District Engineer, Presidency, to Colonel E. A. FOORD, R.E., Inspecting Engineer for Civil and Military Buildings, dated 10th January 1874, No. 4,730.

WITH reference to your letter No. 9, dated 6th January 1874, remarking upon the plan and estimate for additional stables at Government House, Madras, I have the honour to state that the batten doors referred to in paragraph 1 are intended for the coach-houses, and measure 8 feet $\times$ 9 feet as shown in the plan and estimate. The specification has been altered accordingly.

2. The sum of Rupees 40 (Item *b*) for refixing the end hipped roof provides for putting up new teakwood high rafters and covering over 384 square feet with one-third new flat and pantiles, palmyrah rafters and teak reepers.

$$\begin{array}{r} 8' \times 24' = 192 \\ 2 \\ \hline \end{array}$$

Square feet... 384

3. Item *c* provides for bond stones at every 3 feet high for connecting the old and new walls; this item has been struck out of the estimate as requested.

$$\begin{array}{r} \text{Window } 6 \times 4 \times 1\frac{1}{2} = 36 \\ 3 \\ \hline \end{array}$$

Cubic feet... 108

108 Cubic feet masonry, at 0-2-5 per foot ... 16 1 0

144 Square feet plastering with two coats of stone lime at 4-4-0 per square ... 6 1 11

22 2 11

4. Item *d*, Rupees 20, for removing the three old windows and blocking up the same has been retained, as 108 cubic feet of masonry as per margin will be required.

5. Item *e*, troopers' stables, 11 feet verandah. The dimensions were determined by the Military Secretary to His Excellency the Governor personally on the spot in consultation with me.

6. Item *f*, Rupees 30, has been struck out of the estimate.

7. Item *g*, Rupees 50, is for fixing saddle racks, harness pegs, and 27 wooden blocks, with hooks, set in masonry, for fixing gear boxes for each of the 27 stalls.

Proceedings of the Madras Government, Public Works Department,
26th January 1874.

8. The plan and estimate received with your letter under reply are herewith returned.

1 Plan.
1 Estimate.
1 Specification.
1 Letter from District Engineer, Presidency,
No. 4,529, dated 22nd December 1873.

THE plan and estimate of Rupees 5,100 (now altered to Rupees 5,000) received with the accompanying endorsement, dated 27th December 1873, are herewith forwarded duly checked.

(Signed) E. A. FOORD, Colonel, R.E.,
Inspecting Engineer for Civil and Military Buildings.

No. 346.

ORDER THEREON, 26th January 1874, No. 174.

CIVIL WORKS, No. 24.

THE plans and estimates, amounting to Rupees 5,000, for additional stable accommodation at Government House, Madras, are sanctioned for immediate execution. A sum of Rupees 2,000 is provided for expenditure during the present year by the transfers shown below, and the balance (Rupees 3,000) of the estimate will be entered in the Provincial Budget for 1874-75.

District Munsif's Court at Yellamanchelly.—Budget Item No. 13 ...	RS. 1,200
Do. do. at Vizianagram.—Do. do. .. 14 ...	800
	<u>2,000</u>

True Extract.)

Colonel, R.E.,
Secretary to Government.

To the Military Secretary to His Excellency the Governor.
.. District Engineer, Presidency.
.. Inspecting Engineer for Buildings.
.. Officiating Controller of Public Works Accounts, with Abstract Estimate.
.. District Engineer, Vizagapatam.

Exd. S. T. Austin.
Spare Copies

W. 4529.
From

M. Col. J. Goddard R.E.
Dist. Engr. Presidency.

Colonel G. W. Waller R.E.
Chief Engineer & Sec. to Govt.

Sir,

In obedience to Go. No. 3077 dated
Encl. 20 Decr 1873, I have the honor to submit
1 Plan.
1 Estimate (abt) of Plan, and Estimate amounting to Rs 5100.
1 Specific Report. for constructing additional coach-houses, verandah &c. at Govt. House duly countersigned by the military secretary to the Governor in token of his approval.

I have the honor to be
Sir,

Your most obedient servant.

[Signature]

Don't Li. George
22^d December 1873

Dist. Engr. Presidency

51

The District Engineer
Presidency

The Inspecting Engineer
for Civil & Military Buildings

With reference to your letter N: 9,
dated 6th January 1874 remarking upon
the plan and estimate for additional
stables at Government House, Madras,
I have the honor to state that the batter
doors referred to in para 1 are intended
for the Coach houses, and measure 8' x 9'
as shown in the plan and estimate. The
specification has been altered accordingly.

2. The sum of Rs. 140 (item b) for
refixing the end, hipped roof provides
for putting up new teak wood, high rafters
and covering over 38 1/2 Square feet with
1/3 new flat and pantiles, palmira
rafters and teak reapers.

3. Item C provides for bond staves at

$8' \times 24' = 192$
Sq. feet 384

Wm. W. Wood & Company
Jan'y 7th 1893
The District Engineer

Erithura

to
The Chief Engineer
A. B. M.

Aut. 23 Dec/93
Recd. 23rd
Em. 3. 27.4529

Subsidiary plan and
estimate only. \$730.50
for additional creek-towns
No. at Fort. Stone
masonry —

Referred to the discharging
committee for consideration
check & return.

Amsterdam 1663

Recd. for
1888

27 Dec / 93.

Dec 27 1893

P. M. 353/647

1344

at every 3 feet high for connecting the old and new walls, this item has been struck out of the estimate as requested.

4. Item d Rs. 20 for removing the 3 old windows and blocking up the same, has been retained, as 108 Cubic feet of masonry as per margin will be required.

5. Item e Troopers stables 11 feet verandah. The dimensions were determined by the Military Secretary to His Excellency the Governor personally on the spot in consultation with me.

6. Item f Rs. 30 has been struck out of the estimate.

7. Item g Rs. 50 is for fixing saddle racks, harness pegs, and 27 wooden blocks with hooks set in masonry for fixing gear boxes for each of the 27 stalls.

8. The plan and estimate received with your letter under reply are herewith returned.

I have etc
 10th January 1871
 Signed, J. Goddard M.C.E.
 District Engineer,
 Presidency.

Window
 64 1/2 x 1 1/2 = 96 3/4
 108 sq ft masonry
 at 2 1/2 ft
 271 1/2 sq ft
 this sq ft planting
 with 2 coats of
 stone lime at
 1/2 lb per sq ft
 135 7/8 lb
 22 2/11

Enclosures 4
 1 Plan
 1 Estimate
 1 Specification
 1 Letter from
 Lt Col Pres
 W 4529 dated

The plan & estimate of Rs 5100 (now altered to Rs 5000) received with the accompanying endorsement dated 27 December 1873, are herewith forwarded duly checked.

Office of the Inspr Genl
 for Civil & Milg. Bldgs
 Bellary 17 January 1874
 Edward Collett
 Inspr Engineer for Bldgs

To,
 The Secretary to Government
 D. H. Septe

No 2145

No 194-26 Aug 1945

1000 (Govt & Honorary) Madras
1000 (Govt & Honorary) Madras
1000 (Govt & Honorary) Madras

(Bancroft)

March 1945 } June 1894

1895

Head of Police

for forwarding to

for forwarding to

for forwarding to

for forwarding to

for forwarding to

No 436 of 1973/74
Specification report to accompany an Estimate
for additional alterations to Government Coach House
at Madras

Amount of Estimate Rupees 5000.00

Your additional compartments to be added
18 ft 3 on the east and one on the west of the existing block
to be built of brick in mortar.

The foundations to be 5' deep & to consist of
1 foot of concrete over which will be brick in chunam,
14 feet deep and 2 1/4 feet broad. walls above 11 1/2 feet high
and 1 1/2 feet thick. The rear portions of the coach house
are to be terraced with teakwood sash brick on edge in
chunam, 3" thick, 3 courses of flat tiles, plastering
3 coats of stone lime, and the front to be covered with
palmyrah couples with 2 collar pieces teakwood rafters,
flat & span tiles and chunam borders.

Walls to receive 2 coats of stone lime plastering.
The floor to be laid with 6" latite. Selly and
well rammed.

The platform in front of the building to be
paved with granite set in chunam similar to the exist-
ing platform.

4 Battens 8x9 to be supplied and
painted same as existing wood work, beams and joists
to receive 3 coats of wood oil, palmyrah 2 coats tar.

for open Colonnade verandah measuring

7 1/2 x 11 feet broad to be built in front of the troopers
stables, supported on 7 columns 1.6" diameter and 7
feet high, raised on a foundation of 3 feet deep and
2 1/2 feet thick built of brick in chunam; to consist
over, floor of concrete over which will be brick in
chunam.

The roof to be covered with palmyrah
rafters, teakwood rafters flat & pan tiles and
chunam borders.

The beams to be 8 inches by 10
inches scantling.

The ends of rafters to rest on a post
7 1/2 feet long 10 inches high & 8" inches thick sup-
ported on wooden posts of 13 feet long 8" x 8" inches
broad.

General Notes

27. Teakwood boxes to be fitted one to
each pair of the hunting stalls for lime gear.

28. Running flat teakwood saddle racks & pegs 8"
to be supplied for harness room.

Per Mark

John Goddard Esq
Dist. Engr. Presidency

20th Dec/73
Compd. R

of the estimate will
be

Presidency District.

Enclosure in a Letter
No 73 dated 17th Jan^y/74.

P. W. 353/74

Specification Report
to accompany Estimate
for Improving the Coach
Houses and Stables &c at
the Government House
at Madras.

Estimate Rs 5,000.

174. P. W.
Pis of the Madras Govt

Read the following

From the Secy. Presidency (H. E. No 6529 of 22 Dec/73)
" Insp. Genl. Buildings [---] 7th 17 Jan/74

The Plans and
Estimates amounting
to Rs 5,000 for addi-
-tional stable accom-
-modation at Govt
House Madras are
sanctioned for imme-
-diate execution. A
sum of Rs 2,000 is
provided for expen-
-diture during the
present year by the
transfers shown below
and the balance (Rs 3,000)
of the estimate will
be

mb
23/1

be entered in the
Provincial Budget
for 1874-75.

District Moosiff Court
at Yellamanchetty B.S. No. 13. 12.00

District Moosiff Court
at Vizianagram B.S. No. 14. 8.00
2.000

C.M.W.

M.S. despatch to D. Secy. No. 26/1/74.
Plum returned to D. Secy. 11/2/74
P.C. despatch to all 16/2/74.

To.

My Lady Office Excellency
the Governor.

D. E. Presidency

J. E. for B. Secy.

Cont. B. Secy. Accts. with B. Secy.

D. Secy. Vizianagram

40

5

22. Aug 74

35386954
Govt. of 1874 Madras.
PUBLIC WORKS.

The Military Secretary
to His Excellency the
Governor

Dated

17th

17th

G. O. 26 Aug 74, No.

Nov. 3441 @ 3446

Additional Stable ac.
Commodation at Fort House,
Madras. Reimburse for
addl. Stabling at Fort House
sanctioned for immediate
execution and Rs. 2000
provided by transfers for
the work during the current
year.

On 22 Aug 74

8/8/74