

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public works DEPARTMENT

G.O. No.	2256	Press
~~B.P. No.~~		~~Mis.~~
302304		
Dated	15-8-1844	195-

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
15th August 1874.*

Read the following papers:—

No. 302. From T. MOSS, Esq., Officiating Controller of Public Works Accounts, to Lieutenant-Colonel J. MULLINS, R.E., Joint Secretary to Government, Public Works Department, dated Madras, 21st July 1874, No. 3,350.

With reference to G. O., No. 1,877, of the 13th instant, relative to valves and piping supplied by Mr. F. G. Stoney, I have the honor to suggest the issue of such orders as will admit of the charges on account of the valves, etc., being debited to some recognized head of service. If the valves and piping cannot be charged to any particular work at present, it would perhaps be best to debit their value to the head "Stock" in the range or ranges in which they are to be used experimentally. Hereafter, when the articles are brought into permanent use, stock may be credited and the particular work or works debited with the value.

2. The two remittances of £100 each, mentioned in the Chief Engineer's note (paragraph 4) printed with the above quoted Government Order, represent Rupees 2,142.5-10 held on the stock purchase and sales account of the Presidency Range pending final adjustment. The same range has been required to hold in the Miscellaneous Advance Account, pending final adjustment, the payment ordered in G. O., No. 1,768 of the 1st instant, and, therefore, any orders that may issue with reference to the suggestion contained in the 1st paragraph of this letter, will have to be communicated to the District Engineer, Presidency.

No. 537-C.

No. 303. *Note by the Chief Engineer for Irrigation.*

THE head sluice valves will probably within a short time be utilized at the head of the main canal, Western Delta, Kistna, and their value will be included in the estimate now under preparation.

Vide paragraph 5 of Note printed in Proceedings, Madras Government, No. 1,877, 13th July 1874.

2. The deep tank equilibrium valve is not likely to be brought into permanent use for some time to come, but it is intended to try it experimentally at the Red Hills Tank.

Ditto.

3. The suggestion contained in paragraph 1 of the Controller's letter may, it is thought, be carried out.

OOTACAMUND,
25th July 1874.

(Signed) JOHN MULLINS, Lieut.-Colonel, R.E.,
Chief Engineer for Irrigation.

No. 304. ORDER THEREON, 15th August 1874, No. 2,256.

IRRIGATION, No. 20.

Account.

In accordance with the suggestion of the Controller of Public Works Accounts, the charges on account of Mr. Stoney's head sluice and deep tank equilibrium valves will be debited to stock in the ranges to which they

Proceedings of the Madras Government, Public Works Department,
15th August 1874.

may be issued, and they will continue under that head until permanent positions for them have been determined upon. It is observed, from the Note by the Chief Engineer for Irrigation, above recorded, and from that printed in Proceedings, Madras Government, No. 1,877, of the 13th July 1874, that the head sluice valve will shortly be utilized in the Kistna, Western Delta, but that the deep tank valve will be experimented with at the Red Hills Tank, in order to test its working and its suitability to be hereafter used at some tank where such a sluice valve may be required.

(True Extract.)

Lieut. Colonel, R.E.,

Joint Secretary to Government.

To the District Engineer, Presidency.
.. Superintending Engineer, Chingleput.
.. " " Kistna.
.. Chief Engineer for Irrigation.
.. Officiating Controller of Public Works Accounts.

Ed. S. T. Austin.

Spare Copies

Office of the Controller of
Public Works Accounts
No 3350 Madras 21st July 1874.

From
The Offg Controller of
Public Works Accounts
The Joint Secretary to Government
Public Works Department
Fort St George.

With reference to G.O.
No 1877 of the 13th Instant relative
to valves and piping supplied by
Mr. H. E. Storey, I have the honor
to suggest the issue of such orders
as will admit of the charges on
account of the valves &c being debited
to some recognized head of service.
If the valves and piping cannot be
charged to any particular work at
present, it would perhaps be best
to debit their value to the head
"Stock" in the Range or Ranges
in which they are to be used ex-
perimentally. Hereafter when the
articles are brought into permanent
use

no, stock may be credited and the particular work or work debited with the value.

2. The two remittances of £100 each mentioned in the Chief Engineer's note (para 4) printed with the above quoted G.O. re. present Rupees 2142 "5" 10 held on the stock purchase and sales account of the Presidency Range pending final adjustment. The same Range has been required to hold in the Miscellaneous Advances Account, pending final adjustment the payment ordered in G.O. 1768 of the 1st instant and, therefore, any orders that may be issued with reference to the suggestions contained in the 1st para of this letter will have to be communicated to the District Engineer, Presidency.

I have the honor to be,

Sir

Your most obedient servant

W. J.

Off. Controller of V.B. Accounts.

R. W. 1874 Sept.
No: 4523

The Controller of
St. Louis
Missouri

To
The British Secretary to
Government
St. J. &
Fort George

Dated 21st
Rec'd 22nd July 1874

13350

L. O. No: 2256. 15. 8-74.

Suggest to the same
of such or more will ad-
mit of the charges in account
of the values supplied
by Mr. L. G. Stoney having
debited to same
recognized head of
service.

Mr. 1904/74

OK 309

12/10/1874

12/10/1874 No: 5370

Note by the Chief Engineer for Irrigation

The head sluice valves will probably
within a short time be utilized at
the head of the main canal, Western
Delta, Victoria and their value will
be included in the estimate now un-
der preparation

2. The deep tank equilibrium valve
is not likely to be brought into per-
manent use for some time to come,
but it is intended to try it experimen-
tally at the Red Hills Tank.

3. The suggestion contained in para
1 of the Controller's letter may it
is thought be carried out.

Potacamund, Chundumlin L. H. R. S.
25th July 1874
Chief Engineer for Irrigation

To
The Secretary to Govt. P. H. &

P. W. 1874 Sept:
P. W. 1874 Sept:
No: 4904

From

The Chief Engr.
for Irrigation

Dated 25 July 1874
Recd 5 August

E. I

No: 537C.

El. No. 2256. 15-8-74

Note on
letter from the
Controller regarding
the accounting for
the cost of the sluice
valves obtained from
Mr. Stoner -

Mr. 313-

11/20/1874 22 Aug 1874

Public Works Department
Proceedings of the Indian Government
Show the Controller 2256 Read the following
of Mr. Stone (H. C. 3350 dated
24 July 1874)
Chief Engr. for Gen (H. C. 3350 dated 24 July
1874)

In accordance with
the suggestion of the Con-
troller of S. Accounts,
the charges on account
of Mr. Stone's head
sluice and deep tank,
equilibrium valves
will be debited to
Stock in the Range
to which they may be
issued, and they will
continue under that
head until permanent
positions

Mr. 317

positions for them have
been determined upon.
It is observed, from
the notes by the Chief
Engineer for Irrigation,
already recorded, and
from that printed
in Proceedings Madras
Govt. No. 1877 of the 13th
July 1874, that the
head sluice valve will
shortly be utilized in
the Kistna Western
delta, but that the
deep tank valve will
be experimented with
at the Red Hills tank
in order to test its working
and

its suitability to be
hereafter used at some
tank where such a
sluice valve may be
required.

Wm. 27/7/74
P.M.

To
The R.L. Presidency ✓
Sd/- Dy. Commr. ✓
Kistna ✓
Ch. Engr. for M. ✓
Contr. M. ✓
S. Copies des. 29/7/74.

4904
4523
Govt. of 1874 Madras.
PUBLIC WORKS.

To
The Dist. Insp.
Presidency.

Dated

By

Encl. /

G. O., 15 Aug 1874, No. 224

No. 302-304.

Sluice Valves obtained
from Mr. Stoney

The charges in account of
the sluice valves ordered to be
debited to stock in the
Ranges to which they may
be issued and to continue
under that head until
permanent positions for
them have been determined
upon—

302-304.

See 301/14, 1874/14