

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	2286	Press
B.P. No.		Misr
Dated	18-8-	C874 195

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
18th August 1874.*

No. 363. Read the following letter from Captain R. F. TAYLOR, Acting District Engineer, Kurnool, to Colonel G. W. WALKER, R.E., Chief Engineer, Public Works Department, dated Camp at Cumbum, 22nd July 1874, No. 71 :—

I HAVE the honor to enclose indents for three breach-loading rifles, Government pattern, with 60 rounds of ammunition for each weapon.

2. There is a considerable amount of new work to be carried out by Mr. Bell and his Overseers on the Nandy and Mantral Canama Ghauts. As these roads are often infested with dangerous animals, I think serviceable rifles should be placed at the disposal of the Range Officer and his subordinates.

No. 364. ORDER THEREON, 18th August 1874, No. 2,286.

ACCOUNT, No. 28.

His Excellency the Governor in Council sanctions the issue of two rifles with necessary ammunition for the use of the Overseers in the Cumbum Range, strict attention being paid to their condition, which should be noted on the periodical returns of "Tools and Plant" by the subordinates to whom they are issued. The indent will be transferred to the Commissary of Ordnance for compliance.

2. The Range Officer should provide his own weapons.
(True Extract.)

Colonel, R.E.,
Secretary to Government.

To the District Engineer, Kurnool.

„ Commissary of Ordnance, with Indent.

„ Officiating Controller of Public Works Accounts.

„ Military Department.

Exd. S. T. Austin.
Spare Copies

No. 71

District Engineer's Office,
Camp Kambau, Kambau Tank

Indent on the Public Works stores for the supply of
rifles for the use of Kumbum Range Kurnool District

Articles	In hand	No. required	Admitted				Remarks
			No.	No.	No.	No.	
Snider rifles with 60 pounds of ammunition each	"	2	For the use of the Public Works Stores Kurnool District Kumbum Range				

No 301 Kumbum Range Office }
Camp Kumbum 21st July 1874 }
W. H. L. Esq. Captain
District Engineer
Kurnool District
W. H. L. Esq. Captain
District Engineer

No. 74

District Engineer's Office,
Camp Kambam, Kambam Taluk

Part V. of Budget.
Detailed Estimate for stores required by the Officer
in charge of Cumlum Range Kuruvol District
for the year 1874/75.

Range.	New supplies.			Repairs and		Grand Total	Remarks
	Guides rifles	Tools	Total	Carriage	Total		
No 3 of <u>Cumlum Range.</u>							

To 300 Cumlum Range Office }
Camp Cumlum 24 July 1874 }
J. S. S. Assistant Engineer
Capt. J. S. S. District Engineer

Rs. 318 Cumlum 1/14
In Rs. 363 1/4
1874/75

No. 74

District Engineer's Office,
Camp Kambau, Kambau Tank

Indent for the Public Works stores for the supply
of a rifle for the use of Cumlum Range,
Thurnool District for 1874/75.

Articles	In hand	Required	Work for which Admitted	Remarks
Snider rifle.		1	For the use of Cumlum Range.	

No 308 Cumlum Range office
Camp 21st July 1874
J. H. Lee
Assistant Engineer
W. T. Leysen Capt. of Artillery

Mr. 4756/74

Mr. 3710/74

Aug 1/75

No. 74

*District Engineer's Office,
Camp Kambam, Kambam Tank*

List of stores required by Co. III of Cumtium Range
Thurnool District for the use of Local Fund Oversees.

Articles	<u>Required for 1874/75</u>	<u>Approved</u>			
	Quantity		Total mate- rial value \$ each	Amount Total	Remarks.
	Range.				

Snider rifle
with 60 rounds
of ammunition.

No 301. Cumbum Range Office
~~Camp~~ Cumbum. 21st July 1874.

J. M. Lee.

W. H. M. Assistant Engineer
Capt. J. G. Dist. Eng.

No. 74

District Engineer's Office,
Camp Kambam, Kambam Taluk

Part V of Budget.
Detailed Estimate for stores required by the officers
in charge of bumhun Range Kurnool District for 1874/75.

Range	Iron supplies		Repairs and carriage	Grand Total	Remarks
	Snides rifles	Tools Total			

No III of
bumhun Range

No 301 bumhun Range Office
Camp bumhun 21 July 1874
J. M. of C. E.
Assistant Engineer
Capt. M. S. S. S. S.

Mr 4356/74

Rs. 27.18
Rs. 18.24.36

The 22^d July 1874,

The District Engineer, Kurnool,

The Chief Engineer, D. P. H.

Madras.

Sir, I have the honor to enclose indents for 3 breach loading rifles J. B. pattern with 60 rounds of ammunition for each weapon.

2. There is a considerable amount of new work to be carried out by Mr Bell and his Overseers on the Sandy and Mautrial Canama Jhats, as these roads are often infested with dangerous animals I think serviceable rifles should be placed at their disposal of the Range Officer and his Subordinates.

I have the honor to be
Sir,

Your Most Obedt Servant
W. F. Taylor Captain
Adj District Engineer.

P. M. 1874
 From, *Cambridgeport*
 The District Engineer
 Turnout

To,

The Chief Engineer

Westport

No. 74

Date 22nd

Received 31

July 1874.

ENCLOSURES. 1

Encloses under
 for 3 beach battery
 rifles government
 pattern with 60

rounds of ammunition
 for each battery

for the use of the 1st
 Range of the 1st
 Division

has signed the

His Excellency the Governor
 contains the issue of two rifles
 with necessary ammunition

for the use of the 1st
 and 2nd Range, strict attention
 being paid to their condition, which
 should be noted on the periodical
 returns of state and I want
 by the subordinate whom they
 are issued. The receipt with the
 transfer to the Commander of
 Ordnance for compliance.

The Range Officer should
 provide his own means.

48

J. G. Warrall

Company of Art.

with 1st and 2nd

Order of Art. 1st

P. M.

Aug 13th 1874

363-364

Aug 4th 1874

Aug 16th 1874

Mr. 4756 ✓
Govt. of 1874 Madras.

PUBLIC WORKS.

To Dist. Ingr.
Mural

Dated.

Recd.

Encl. 5.

G. O., 18 Aug. 1874, No. 2286

Nos. 63-764.
Fire-arms. The issue

of two Rifles with necessary
ammunition for the use
of the Overseers in the Cum-
buri Range, sanctioned
with remarks: ~~present~~ ^{indent} for
the the Rifles transferred to
the Company of Ordnance
for compliance; the Range
Officer to provide his own
weapons.