M.R.O. 1—10,006—28-2-50.

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No. 3377 Press
B.P. No. Mis.

Dated 1-12-1874 195 .

Not to be folded or roughly handled

No. 13. Read the following letter from T. MOSS, Esq., Officiating Controller of Public Works Accounts, to Colonel G. W. WALKER, R.E., Secretary to Government, Public Works Department, dated Madras, 7th November 1874, No. 7,071:—

In accordance with the rule prescribed in paragraph 9 of G. O., No. 2,860, of the 27th September 1865, I have the honor to submit, for the orders of Government, the accompanying office contingent bill of the Officer in charge of the Nundial Range, Kurnool District, for September 1874, in which the charges noted in the margin are included on account of the conveyance of office records.

1 Contingent Bill with District Engineer's Memorandum, No. 21, dated 6th Oct. 1874.

	RS.	A.	P.
Paid to bandyman for carrying office records from Nundial to Tungatoor...	1	2	0
Do. do. from Tungatoor to Banaganapully	1	0	0
Paid for one pair of bullocks for bandy from Nanaveram to Muddoor	0	12	0
Do. do. from Muddoor to Woodamalapoor...	0	12	0
Paid to bandyman for conveying office records from Banaganapully to Nundial	1	8	0
Total...	5	2	0

2. The District Engineer explains that the charges were incurred owing to a necessity which existed of conveying to Tungatoor and Banaganapully records connected with the Rampur Pass road and certain Taluq Cutcherries, and to constant rain rendering it necessary to employ extra bullocks for the transport of the record carts over cotton soil.

No. 14. Order thereon, 1st December 1874, No. 3,377.

ACCOUNT, No. 3.

His Excellency the Governor in Council cannot admit the necessity of any extra charge for conveyance of the records alluded to.

(True Extract.)

Colonel, R.E.,
Secretary to Government.

To the District Engineer, Kurnool.
,, Controller of Public Works Accounts, with two enclosures.

Exd. S. T. Austin.
Spare Copies

Office of the Controller of

No. 7071 Public Works Accounts.

Madras November 18th

From

The Officiating Controller of
Public Works Accounts.

To

The Secretary to Government
Public Works Department
Fort Saint George

Sir

In accordance with the rule prescribed in para 9 of G.O. No. 2860 of the 27th September 1865 I have the honor to submit for the orders of Government the accompanying Office Contingent bill of the Officer in charge of the Nundial Range Kurnool District for September 1874 in which the charges noted in the margin are included on account of the conveyance of Office records.—

2. The District Engineer explains that the charges were incurred owing to a necessity which existed of conveying to Tungatoor and Banaganapully records connected with the Rampur Pass road and certain

To Bandyman for carrying records from Nundial to Tungatoor	Rs	1.	2. —
Do from Tungatoor Banaganapully		1	— —
For one pair of Bullocks for from Nanaveram to Muddoor		—	12 —
Do from Muddoor Tamalapoor		—	12 —
To Bandyman for conveying records from Banaganapally Nundial		1.	8 —
Total		5	2 —

certain Taluk Cutcherries, and to constant rain rendering it necessary to employ extra bullock for the transport of the record carts over cotton soil.

I have the honor to be
Sir,
Your most Obedient Servant,

Offg Controller of
Public Works Accounts

No. 1187 1874 Despatch.
From Secretary to Govt
No. 7018.
The Offg Controller of
Public Works Accounts
To
The Secretary to Government
Public Works Department
Fort St George

Dated 7th November 1874
Rec'd 9th

Enclosures 2

No. 7071

Forwards for orders
a Contingent Bill of the
Sundial Range containing Charges for the conveyance
of Office records.

13-14.

Bill 21-11-74

Certified to Coomoor 9th Nov 74

Left 7018

Govt. of Madras.

PUBLIC WORKS.

To

The Dy. Supr.
Kurnool

Dated

Read. Encl.

G. O. 1st Dec 1874, No. 5377

Rec. 15-14

Office Records

Intimating that the necessity of any extra charge for conveyance of Office records incurred by the Officer in charge of the Rundial Range of the Kurnool Dn. cannot be admitted