

- (1) Number of pages _____
(2) Date of repair _____
(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	98-9	Press
B.P. No.		Mis.
195-196		
Dated	15-1-1974	195-

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
15th January 1874.*

No. 195. Read the following memorandum from Lieutenant-Colonel, J. MULLINS, R.E., Chief Engineer for Irrigation, to Colonel G. W. WALKER, R.E., Secretary to Government, Public Works Department, dated Dowlaishweram, 28th October 1873, No. 46:—

THE subjoined statement, which has been compiled from the returns received from the Collectors of Kurnool and Cuddapah, showing the areas in those districts for which applications for water supply from the Madras Irrigation and Canal Company's Canal had been received up to the end of September, is submitted for the information of Government.

			B. IRRIGATION ORDINARY AND SUGAR-CANE.		C.	D.	Total.
			Irrigation Ordinary.	Sugar-cane.	Flooding.	Exceptional supplies.	
			ACRES. 1st Crop.	ACRES.	ACRES.	ACRES.	ACRES.
<i>Kurnool.</i>							
Up to August 1873	...	...	2,527.70	...	5.83	...	2,533.53
In September 1873	...	...	1,610.13	...	124.12	...	1,734.25
Total...			4,137.83	...	129.95	...	4,267.78
<i>Cuddapah.</i>							
Up to August 1873	...	...	84.51	...	213.16½	...	297.67½
In September 1873	...	...	47.11	...	89.79	...	136.90
Total...			131.62	...	302.95½	...	434.57½
Totals for Districts...			4,269.45	...	432.90½	...	4,702.35½

2. From the papers forwarded with this office No. 45, dated 23rd October 1873, it will be seen that up to August the Company's Officers had received applications for the irrigation of 4,433 acres against the total of 2,831.20½ acres shown in the above statement. The discrepancy appears to need explanation. It would seem to show that the prescribed applications to the village Revenue Officers are, in Cuddapah at any rate, not a popular method of obtaining water.

No. 196. ORDER THEREON, 15th January 1874, No. 98.

IRRIGATION, No. 13.

COMMUNICATED to the Collectors of Kurnool and Cuddapah through the Revenue Department for such remarks as they may have to offer regarding the discrepancy referred to with reference to G. O., No. 2,841, of 24th November 1873.

(True Extract.)

Colonel, R.E.,
Secretary to Government.

To the Chief Engineer for Irrigation.
 „ Revenue Department.
 „ Chief Engineer for the Madras Irrigation and Canal Company.
 Exd. E. C. Shunker.
 Spare Copies

The subjoined statement, which has been compiled from the returns received from the collectors of Kurnool and Cuddapah, showing the areas in those Districts for which applications for water supply from the Madras Irrigation & Canal Company's Canal had been received up to the end of September is submitted for the information of Government.

	B		C	D	
	Irrigation ordinary and sugar cane.			Exception.	Total
	Irrigation Ordinary Acres	Sugar Cane Acres	Standing Acres	al supplies Acres	Acres
Kurnool	1 st Crop				
Up to August 1873	2527.70	"	5.83	"	2533.53
In September	1610.13		124.12		1734.25
Total	4137.83		129.95		4267.78
Cuddapah					
Up to August 1873.	84.57	"	213.16½	"	297.67½
In September	47.11	"	89.79	"	136.90
Total	131.62		302.95½		434.57½
Totals for Districts	4269.45		432.90½		4702.35½

2. From the papers forwarded with this Office No 45 dated 23 October 1873, it will be seen that up to August, the Company's officers had received applications for the irrigation of 432.90½ acres against the total of

2131 2072
4702.35 1/2 acres shown in the above statement.
The discrepancy appears to need explanation.
It would seem to show that the prescribed
applications to the village Revenue officers are,
in Cuddapah at any rate, not a popular method
of obtaining water.

Office of the Chief Eng^r } John Luntius Esq^r C.E.
for Irrigation }
Towlatshwaram 28 Oct 73 } Chief Engineer for Irrigation

To The Secretary to Govt P.W.D.

Received by the Chief Engineer for Irrigation
Towlatshwaram 28 Oct 73
John Luntius Esq^r C.E.
Chief Engineer for Irrigation

Received by the Chief Engineer for Irrigation
Towlatshwaram 28 Oct 73
John Luntius Esq^r C.E.
Chief Engineer for Irrigation

Received by the Chief Engineer for Irrigation
Towlatshwaram 28 Oct 73
John Luntius Esq^r C.E.
Chief Engineer for Irrigation

P.M. 1873 Richard

from Chief Clerk

for inspection

to the Secretary

& Comptroller

to the Secretary

& Comptroller

to the Secretary

& Comptroller

to the Secretary

& Comptroller

to the Secretary

& Comptroller

to the Secretary

& Comptroller

to the Secretary

& Comptroller

98

Communicated to the Collector

of the

of the 9th and 10th of the month of the

Revenue Dept. for the month of the

they may have to offer regarding

the discrepancy referred to with

reference to the Q. R. 1873 of the 1st of the

48

4

to the Secretary

& Comptroller

Chief

to the Secretary

to the Secretary

C/pe 150
Govt. of 1874 S. Madras.

PUBLIC WORKS.

The Chief Engineer for
Irrigation

Dated

Recd.

Encl.

G. O. 15th May 1874 A. 98.

No. 1957/96

Mr. St. John's Canal

Water from the Canal
had been received
up to end of Sep/73,
Cm^r to the Member,
Kurnool & Godavari
with instructions.

Memo by Mr. J. H. Sagar
for the submitting
Statement of lands
in the Godavari
Kurnool for which
application for