Proceedings of the Madras Government, Public Works Department,
19th December 1874.

No. 426. Read the following letter from Captain J. PENNYCUICK, R.E., District Engineer, North Arcot, to Lieutenant-Colonel J. MULLINS, R.E., Chief Engineer for Irrigation, dated Vellore, 14th November 1874, No. 2,279 :—

I HAVE the honor to bring to notice that in G. O., No. 2,576, dated 10th September 1874, Rupees 700 has been sanctioned for the new surplus weir to Kaganum Hissa tank, instead of Rupees 770, mentioned in clause 2 of paragraph 1 of your Note No. 589-D, dated 18th August 1874, recorded in the Government Order above referred to. This appears to be a clerical error, and is brought to notice with a view to its correction.

No. 427. ORDER THEREON, 19th December 1874, No. 3,587.

IRRIGATION, No. 30.

THE correct amount of the estimate for the Kaganum Hissa tank surplus weir is Rupees 770, and not Rupees 700, as erroneously entered in G. O., No. 2,576, of the 10th September 1874.

(True Extract.)

(Signed) G. W. WALKER, Colonel, R.E.,
Secretary to Government.

To the District Engineer, North Arcot.
,, Controller of Public Works Accounts.
,, Chief Engineer for Irrigation.

Exd. S. T. Austin.
Spare Copies

No. 2279.

North Arcot,
DISTRICT ENGINEER'S OFFICE,
Vellore 14th November 1874.

From

The DISTRICT ENGINEER,
NORTH ARCOT.

To,

The Chief Engineer
For Irrigation
Madras.

Sir,

I have the honour to bring to notice that in G. O. No. 2576 dated 10th September 1874, Rupees 700 has been sanctioned for the new surplus weir to Kaganum Heifer tank, instead of Rupees 770 mentioned in clause 2 of para 1 of your note No. 589D dated 18th August 1874, recorded in the G. O. above referred to. This appears to be a clerical error, and is brought to notice with a view to its correction.

I have the honor to be,
Sir,
Your most obedient Servant,

Captain R.E.
District Engineer, North Arcot.

Irrg. P. W. Dept.

Proceedings of the Madras Government
Read the following.

From
The District Engineer
North Arcot
} C.E. No. 2279 dt 14th Nov. 1874

3887

The correct amount of the estimate for the Kaganoor Hipsa Tank surplus weir is Rupees 770, and not Rupees 700 as erroneously entered in G.O. No. 2576 of the 10 September 1874.

Sd. 3/12/74

Asst.

34
4

To The Dt. Asst.
— " Controller Pricd. Vs.
— " Chf. Engr. for Irrn. Vs.
Recpt. to all 22/12/74.

Irrg. P. W. Dept.
Proceedings of the Madras Government
Read the following.

From
The District Engineer
North Arcot
(5)

To
The Chief Engineer
for Irrigation
Dated 14th November 1874.
Received 16th " "
No. 2279.
Enclosure
Subject.
Irrigation Works
Report on Kaganoor Hipsa Tank surplus weir estimate
Requesting the necessary Rupees 700 may be granted for the same.

Asst.

7698

Govt. of {1874} Madras.

PUBLIC WORKS.

To

The Dist. Supr.
N. Arcot.

Dated

"

Recd. — Encl.

G. O. 19 Dec 1874, No. 3587

Nos. 426-427.

Nagaram Reisc
Tank surplus weir

Intimating that the correct amount of the Estimate for the surplus weir is Rs. 770 and not Rs. 700—