

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	1361	Press
B.P. No.		Mis.
Dated	12-5-	195

Not to be folded or roughly handled

1 ✓

*Proceedings of the Madras Government, Public Works Department,
12th May 1875.*

No 284 Read the following endorsement of the Consulting Engineer for Railways,
dated Madras, 8th May 1875, No 263 —

From W S BETTS, Esq, Agent of the South Indian Railway, to Lieutenant-Colonel
J H M SHAW-STEWART, R E, Consulting Engineer for Railways, dated
Negapatam, 4th May 1875, No 568

I HAVE the honor to forward, for your information, copy of the Consulting Physi-
cian's report on the stations of the South Indian Railway for the quarter ending 31st
March 1875

—

Report on the Stations of the South Indian Railway for the Quarter ending 31st March 1875

Negapatam —The ladies' waiting room and the latrines on the platform were in fair order
The workmen's privy was in tolerable order

Sichle —Everything was in good order

Keevalore —The platform was undergoing alteration at the time of my inspection The
latrines were in very good order

Trivalore —The platform and latrines were in very good order The ladies' waiting room
was in fair order

Kulhery —The latrines were in very fair order, but the dry earth in that for men was quite
unpowdered

Kordachary —The ladies' waiting room was in fair order The latrine and platform were in
very good order

Needamungalum —Everything was in fair order

Annapettah —The latrines and the platform were in very good order

Saliamungalum —The latrines were in good order

Tanjore —The ladies' waiting room was in fair order The latrines were in good order, but
at the time of my inspection the dry earth on the floors of the latrines for natives was very deficient
in quantity

Boodalore —Everything was in good order, but the dry earth in the latrines was imperfectly
powdered

Teroovembore —Everything was in good order

Trichinopoly —The waiting rooms were in fair order The latrines were in good order, but
the floors of those for natives appeared to require a little making up The compound was
in tolerable order

Ellamanore —The latrines and platform were in good order

Kuhtalay —The platform and latrines were in fair order

Lalapettah —Everything was in good order

Cuttalay —The latrines and the platform were in very good order

Caroor —Both the waiting rooms were in fair order The latrines were all in good order,
but the floors of those for natives appeared to want a little doing up The compound was clean,
but rather rough and untidy

TANJORE, April 1875

(Signed) J M HOUSTON, M D,
Consulting Physician, South Indian Railway

—

SUBMITTED for the information of Government

(Signed) W H COAKER, Lieutenant, R E,
for Consulting Engineer for Railways

Proceedings of the Madras Government, Public Works Department,
12th May 1875.

No 285.

ORDER THEREON, 12th May 1875, No 1,361.

RAILWAY, No 34

ORDERED to be recorded

(True Extract)

Major, R E,
Officiating Joint Secretary to Government

No. 568 ~~GREAT SOUTHERN OF INDIA RAILWAY.~~

AGENT'S OFFICE,

NEGAPATAM, 4th May. 1875.

From

THE AGENT,

~~Great Southern of India Railway,~~

To

The Consulting Engineer for Railways.

SIR,

I have the honour to forward
for your information copy of
the Comr. Engineer's Report on the Status of the
South Indian Railway for
the quarter ending 31st March
1875.

I have the honour to be
Sir, your obedt. Servt.

William B. H.
Agent.

Report on the Stations of the South Indian Railway for the Quarter ending 31 March 1875.

Nagapattanam. The Ladies waiting room and the latrines on the Platform were in fair order.

The Waiting room was in tolerable order.

Pekkle. Every thing was in good order.

Keevalore. The Platform was undergoing alterations at the time of my inspection. The latrines were in very good order.

Thuvai. The Platform and latrines were in very good order. The Ladies waiting room was in fair order.

Kulthang. The latrines were in very fair order, but the dry earth in that for men was quite unpowdered.

Kordachery. The Ladies waiting room was in fair order. The latrines & Platform were in very good order.

Keddammungalam. Every thing was in fair order.

Annapettah. The latrines and the Platform were in very good order.

Kalamungalam. The latrines were in good order.

Kanpur. The Ladies waiting room was in fair order. The latrines were in good order, but at the time of my inspection the dry earth on the floor of the latrines for ladies was very deficient in quantity.

Needalore. Every thing was in good order, but the dry earth in the latrines was imperfectly powdered.

Troovembore. Every thing was in good order.

Tuchinopoly. The waiting rooms were in fair order. The latrines were in good order, but the floor of those for ladies appeared to require a little roughing up. The compound was in tolerable order.

Elamanoor. The latrines & Platform were in good order.

Kulitalay. The Platform and latrines were in fair order.

Lalapettah. Every thing was in good order.

Custalay. The latrines and the Platform were in very good order.

Caroor. Both the waiting rooms were in fair order. The latrines were all in good order, but the floor of those for ladies appeared to want a little roughing up. The compound was clean, but rather rough & untidy.

Tanjore, 27th April 1875

(Sd) J. M. Houston. M.D.
Consulting Physician S. I. R.
William H. Belter
April 28/75

Attest
J. M. Houston
M.D.
Consulting Physician S. I. R.
April 28/75
for the Quarter ending 31 March 1875
J. M. Houston
M.D.
Consulting Physician S. I. R.
April 28/75

RAILWAY DEPARTMENT

1874

№ 3078

From

**The Consulting Engineer
for Railways,**

To

The Secretary to Government,
P. W. Department,
Fort St. George

Dated 8th

Received

Encls 2

No. 263-

Forwarding
Cons: Physicians
report for the
quarter ended
31st March 1872
to Sir:

Birth Order

52 Dec 25-5-75

5/0

57C deafe 25-5-75

Printed by

Order received 2/12/95

Amos

№ 284/5

3078

Govt. of 1875 Madras.

PUBLIC WORKS.

To

Philosophy

Dated

Recd

Encl

G O.

12 May

1875

No 1351

Nos. 784 - 285

South Indian Railway.

Letter from the Consulting
Engineer forwarding
the Consulting Physician's
report on the Stations,
for the quarter ended
31st March 1875; recorded