

(1) Number of pages 1

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	170	Press
B.P. No.		Mis.
Dated	20-1-195	

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
20th January 1875.*

No. 350. Read the following endorsement of the Chief Engineer for Irrigation, dated Camp at Authur, 15th December 1874, No. 1,057:—

From Colonel C. V. WILKIESON, R.E., Superintending Engineer, Coimbatore, to Lieutenant-Colonel J. MULLINS, R.E., Chief Engineer for Irrigation, dated Coimbatore, 8th December 1874, No. 116.

ADVERTING to G. O., No. 3,357, dated 27th November 1874, I have the honor to inform you that designs and estimates for the regulating sluices at the heads of Irgoor, Vellaloor, Singanelloor, and Periacolum channels will be prepared, but as it is impossible to get plans, etc., ready at once, I request you will be so good as to enter, say, Rupees 20,000 for the works in question in the Budget for 1875-76. The plans and estimates, etc., shall be sent at an early a date as possible.

SUBMITTED for the consideration of Government.

2. Under existing orders no entry of works for which neither Approximate nor Regular Estimates have been approved can be made; but in the present case, as important interests are at stake and as, if no provision be made in the outgoing Budget and no entry made, the commencement of the head sluices to the Noyel river channels will be postponed until after the 1st April 1876, it may be considered advisable to make an exception to the rule, and to provide Rupees 5,000 for each of the four sluices required.

(Signed) JOHN MULLINS, Lieut.-Col., R.E.,
Chief Engineer for Irrigation.

No. 351. ORDER THEREON, 20th January 1875, No. 170.

IRRIGATION, No. 39.

It being particularly desirable that all Irrigation Works commanding the railway should be brought under regula-

tion, the entry of head sluices for the—

Irgoor	...	} Channels from the Noyel
Vellaloor	...	
Singanelloor	...	
Periacolum	...	

is authorized, and provision to the extent of Rupees 5,000 for each sluice will be made, these amounts being liable to modification, if necessary, when the sum available for expenditure in 1875-76 may be known.

(True Extract.)

(Signed) G. W. WALKER, Colonel, R.E.,
Secretary to Government.

To the Chief Engineer for Irrigation.

Superintending Engineer, Coimbatore.

Exd. E. C. Shaker.

Spare Copies.

No 116

Superintending Eng'rs Office
Pombatore 8 December 1874

From,

Colonel C. V. Wilkieson R.E.,
Superintending Engineer
Pombatore.

To,

Lieut. Colonel J. Mullins R.E.,
Chief Engineer for
Irrigation

Sir,

Adverting to G.O. No 3357 dated
27 November 1874, I have the honor
to inform you that designs and
Estimates for the regulating
sluices at the heads of Irugoor,
Vellaloor, Singarelloor and
Periacolum channels will be
prepared, but as it is
impossible to get plans ~~very~~
ready at once, I request
you will be so good as
to enter say Rs 20,000 for the
works in question in the
Budget for 1875-76 - The Plans

and estimates ^{via} shall be
sent at an early date as
possible.

I have the honor to be
Sir,

Your most Obedt Servt

Commission Colonel R.

Supy Engr, Birsabore

No 1057 of 15 Dec 74

20 Jan 75

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

15 Dec 74

No 1057

Submitted for the consideration of Government

Under existing orders no entry of works
for which neither approximate nor regu-
lar estimates have been approved can
be made, but in the present case, as
important interests are at stake and
as, if no provision be made in the out-
going budget and no entry made, the
commencement of the head sluices to
the Royal river channel will be post-
poned until after the 1st April 1876,
it may be considered advisable to make
an exception to the rule, and to provide
Rupees 5000 for each of the 4 sluices re-
quired.

up at
thurs. 15th
December 1874

Colonel R. Lintt Col. R.
Chief Engr for Irrigation

To, The Secretary to Government.
D.P.W.

Dec 26. 1874

Dec 26

Recommend that
Rs. 20000 be entered
in the Budget of
1875-76 for regulating
channels at the heads
of Irigoor, Vellalloor,
Singanelloor, and Periacolam
and the
channels in the
Cumbaloor District
No. Dec. 170. 20. 1874

Recd. 15th
Recd. 23 Dec. 74
Encl. 1

To the Secy to Govt
Mr. Dops.
No. 1057.
D. N. 1874. D. N.
No. 8653
The Chief Engineer
for Irrigation

2336

170

17 Sept 71

Proceedings of the Madras Government
Read the following

From

The Chief Engineer } (H. E. No. 1057) 15th Dec. 74
for Irrigation

It being particularly
desirable that all irriga-
tion works commanding
the Railway should be
brought under regula-
tion, the entry of head
sluices for the

Irigoor — } Channels
Vellalloor — } from the
Singanelloor } Noyel
Periacolam }

MB
28/12

is authorized, and provision
to the extent of Rupees 5000
for each sluice will be
made, these amounts being
liable

liable to modification,
if necessary, when the sum
available for expenditure
in 1875-76 may be known.

Wm. 16/12/74

Wm.

To the Chief Engr. for Iron ✓
" S. C. Combinations ✓
" Cast Engr. for Pipe ✓
Sept 23/1/75.

Wm.

8053

Govt. of 1874 Madras.

PUBLIC WORKS.

To

The Chief Engineer
Madras

Dated

Recd.

Encl.

G. O. 20 June No. 170

Nos. 350-351.

Head Sluices The

entry of head sluices for
certain channels from the
Noyah in the Comptoir
is authorized, & provision
to the extent of Rs 5000 for
each sluice to be made,
the amount being liable to
modification, if necessary,
when the sum available for
expenditure in 1875/76 may