

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	1785 A	Press
B.P. No.		Mis.

Dated 25-6-1955 6875

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
25th June 1875.*

No. 527-A. Read the following letter from Colonel E. A. FOORD, R.E., Superintending Engineer, Bellary, to Lieutenant-Colonel J. MULLINS, R.E., Officiating Chief Engineer, Public Works Department, dated Bellary, 17th June 1875, No. 407 :—

With reference to your endorsement No. 494, dated 7th May, on the order of Government of the same date, No. 1,294, I have the honor to report that Mr. C. H. T. Norfor arrived at Ghooty on the 13th and has received orders to proceed to Anantapoor. In the *Gazette* of the 15th, just received, I find Mr. Norfor is transferred to the Cuddapah District, I request I may be informed whether he should now be ordered to proceed to Cuddapah. In that case a Supervisor will be required for the Anantapoor Sub-division, besides an Executive or Assistant Engineer for the Hospett Range.

No. 527-B. ORDER THEREON, 25th June 1875, No. 1,785-A.

ESTABLISHMENT, No. 34A.

THE transfer of Mr. C. H. T. Norfor to the Cuddapah District having been made by mistake will be cancelled.

(True Extract.)

(Signed) J. O. HASTED, Major, R.E.,

Offg. Joint Secretary to Government.

To the District Engineer, Cuddapah.

„ Superintending Engineer, Bellary.

„ Controller of Public Works Accounts.

Exd. S. T. Austin.

Spare Copies

N. 407

Supg. Engr. Office

Bellary 17th June 1875

From

The Superintending Engineer
Bellary

Public Works Department.

Ootacamund 25th June 1875.

Notification.

25/6

25-6.

The Notification of the 15th
June 1875 transferring Mr. C. H. J. Norpor to
the Cuddapah District is cancelled and
he will remain in the Bellary District.

25/6

Volundulins Lt. Col. R. R.
W. J. Say to Govt. P. W. D.

whether he should now be ordered to proceed
to Cuddapah. In that case a Super-
visor will be required for the Cuddapah
Sub-division besides an Executive or
Assistant Engineer for the Woree Range.
I have seen

N. 407

Sapag: Engr: Office
Bellary 17th June 1875.

From

The Superintending Engineer
Bellary

To The Chief Engineer

P. W. D.

Sir

Madras

With reference to your endorsement N. 494 dated 7th May on the order of Government of the same date N. 1294 I have the honor to report that Mr. C. H. J. Norfor arrived at Gooty on the 13th and has received orders to proceed to Anantapur. In the Gazette of the 15th just received I find Mr. Norfor is transferred to theuddapet District. I request I may be informed whether he should now be ordered to proceed touddapet. In that case a Supervisor will be required for the Anantapur Sub division besides an Executive or Assistant Engineer for the Koppet Range.

Yours &c

E. A. M. D. Colles
Sapag: Engr: Office

Recd
17th June 1875

4001

GOVT. OF MYSORE
PUBLIC WORKS.

The Dy. Insp.
Cuddapah

25 June 1905

527A-527B

Mr. C. H. Vorper.— The
transfer of — to the
Cuddapah District having
been made by mistake,
cancelled.