M.R.O. 1—10,006—28-2-50.

(1) Number of pages

(2) Date of repair

(3) Initials of the Referencer

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No. B.P. No.	1831	Press Mis.
Dated	1-7-1875 ~~195~~	

Not to be folded or roughly handled

Proceedings of the Madras Government, Public Works Department,
1st July 1875.

Read the following papers :—

No. 3. From Colonel F. J. MOBERLY, R.E., Superintending Engineer, Chingleput, to Lieutenant-Colonel J. MULLINS, R.E., Officiating Chief Engineer for Irrigation, dated Guindy, 8th June 1875, No. 894 :—

One Statement.
Superintending Engineer's No. 2,529, dated 24th October 1874.
Collector's No. 515, dated 9th December 1874.
Superintending Engineer's No. 3,264, dated 12th December 1874.
Collector's No. 533, dated 16th December 1874.
Superintending Engineer's No. 3,381, 5th January 1875.
Collector's No. 8, dated 15th January 1875.

REFERRING to Memorandum, No. 553, dated 22nd May, I have the honor to bring to your notice that the spaces between stones of calingulahs of the tanks named in the enclosed statement were closed before the 1st December, and were breached probably in consequence of the obstruction to waterway.

2. These were seen by members of the Public Works Department and reported to the Revenue Department. I dare say many more were similarly closed and damaged, but we have no personal knowledge.

3. In District Gazette of 7th February 1874 a notice was published forbidding the construction of any dam between 1st December and 31st March. These dates were fixed by the Revenue Officers in modification of those proposed by me, *viz.*, 1st December and 15th January.

4. After 15th January no water is likely to enter the tank, or to be of any service; but, if gaps are closed during May, the tanks are liable to be endangered by cyclonic storm.

5. There is, I think, great risk in putting up any obstruction before 1st December.

6. But the Revenue Officers are unwilling to abide by even the dates fixed by themselves. I beg to enclose a correspondence for the notice of Government showing how the subject is viewed by us.

Statement showing the tanks which have been breached owing to the existence of obstructions between upright stones in 1874-75.

Taluqs.	Names of Tanks, &c.
Ponnary	Arnee tank.
	Chinnambedu tank.
	Cattavur tank.
	Guduvanchary tank.
	Arasoor tank.
Trivellore	Rashanagaram tank.
	Thunneercolam tank.
	Ponthavakum tank.
	Therookundalum tank.
	Poothur tank.
	Athambakam tank.
Sydapet	Poonamallee tank.
	Pooliarany tank.
	Thamarum tank.
	Poothandalum tank.
	Koonnur tank.
	Avady tank.
	Umbathur tank.

Taluqs.	Name of Tanks, &c.
Chingleput	Gooruvambedu tank. Thementchur tank. Paranur tank. Gundur tank. Terutany tank. Anur tank. Karumbakum tank. Chellepunniem tank. Paukum tank.
Madranticum	None.
Conjeveram	

(Signed) F. J. MOBERLY, Colonel, R.E.,
Superintending Engineer, Chingleput.

GUINDY,
8th June 1875.

From Colonel F. J. MOBERLY, R.E., District Engineer, Chingleput, to R. W. BARLOW, Esq., Collector of the Chingleput District, dated Guindy, 24th October 1874, No. 2,529.

I HAVE the honor to report that I observed on the 15th instant the calingulah of Parandore tank, and on the 10th that of the Woyalur Kadapery, Chingleput Taluq, blocked up, contrary to order published in Circular of 7th February 1874, District Gazette, page 41.

2. Mr. Lowry informs me that on the 10th instant he brought to the notice of the Sub-Collector the closing of the Gundur tank in the immediate neighbourhood of the town of Chingleput, but that up to the 16th no notice had been taken of his report. This calingulah was cleared by the Overseer a short time before, but was dammed up again by the villagers. The roads to Sadras and the South India Railway are both immediately under it.

3. Chembaukum tank calingulah was also opened by Overseer Lord about 21st September. We found it closed again on the 19th instant. This tank is close to the road from Chingleput to Tirporur.

4. Poonamallee tank calingulah is also closed.

From C. S. CROLE, Esq., Acting Sub-Collector of Chingleput, to R. W. BARLOW, Esq., Collector of Chingleput, dated Camp at Karanguli, 29th November 1875, No. 658.

WITH reference to Mr. Stokes' docket, dated 27th ultimo, No. 1,660, I have the honor to enclose two arzis, with their enclosures, received from the Tahsildars of Conjeveram and Chingleput, dated respectively, 10th instant, No. 642, and 14th idem, No. 425.

2. It will be seen from them that the calingulahs of Parandore tank were not dammed as stated by Colonel Moberly, though the statement of the Curnam makes this point somewhat doubtful. The villagers pray that the calingulahs should be kept closed, as otherwise the crops will perish for want of water.

3. It will further be seen that Olalur Kadapery calingulah, which was partially dammed, was then and there cleared as per orders of the Overseer. The village officials state that is usual to bund up the calingulah.

4. It appears that the Chembaukum tank calingulah was not closed.

5. The Gundur tank was opened on the 21st ultimo.

No. 515.

FORWARDED to the District Engineer, Chingleput, with reference to his letter, No. 2,529, dated 24th October 1874.

(Signed) R. W. BARLOW,
Collector.

SYDAPETT,
9th Decemb

From Colonel F. J. MOBERLY, R.E., Superintending Engineer, Chingleput, to R. W. BARLOW, Esq., Collector of the Chingleput District, dated Guindy, 12th December 1874, No. 3,264.

REFERRING to your endorsement, No. 515, dated 9th instant, on the Sub-Collector's No. 658, dated 29th ultimo, I have the honor to point out that I informed you in my No. 2,529, dated 24th October, that I had seen the closed calingulahs of Parandore and Olalur tanks in *Chingleput* taluq.

2. I know nothing of the village in Conjeveram taluq; the calingulah I am speaking of is close to the southern road.

3. Further I informed you that, on the 19th, I found the Chembaumkum tank calingulah closed, and described its position.

4. I cannot, therefore, but express my surprise at the flat contradiction given to my statements by the Sub-Collector.

5. It appears that eleven days were allowed to pass before the *second* clearing of the Gundur tank was made after Mr. Lowry reported it.

6. This tank lies between the town and Mr. Lowry's house; its water stands back to the southern road; its surplus flows to the Sadras road and the railway.

7. The Government have in Order No. 1,766, of 9th July 1873, refused to allow any discretionary power to villagers; they cannot have any reason for such a claim as Mr. Crole makes in paragraph 2 in such a season as the current ones.

8. I trust that Mr. Crole will reconsider his letter, and that some action will be taken to stop the injury caused by this continued disobedience of orders.

From R. W. BARLOW, Esq., Collector of the Chingleput District, to Colonel F. J. MOBERLY, R.E., Superintending Engineer, Chingleput, dated Sydapett, 16th December 1874, No. 533.

IN acknowledging the receipt of your letter of the 12th instant, No. 3,264, I have the honor, with reference to paragraph 7, to observe that, though the villagers have no discretion, the Revenue officials have. You are aware that Mr. Crole was all along opposed to hard and fast dates being fixed as was done by me, regarding the opening or closing of calingulahs; and, if he thought that in any case special treatment was necessary to avoid loss of revenue, he was right to bring it to my notice; though under the positive opinion expressed by you to the contrary, I shall not sanction his proposal.

From Colonel F. J. MOBERLY, R.E., Superintending Engineer, Chingleput, to R. W. BARLOW, Esq., Collector of the Chingleput District, dated Guindy, 5th January 1875, No. 3,381.

REFERRING to your No. 533, dated 16th instant, I have the honor to point out that the Revenue Board in paragraph 6 of No. 869, dated 26th May 1873, suggested that Revenue officials, with those of the Department Public Works, should have discretionary power regarding closing of tank calingulahs, and the Government over-ruled it in Order No. 1,766, dated 9th July.

2. My report stated facts which the Sub-Collector flatly contradicted. I do not understand that he has made any proposal, or what you intend to disallow.

3. I shall be obliged by your re-perusing the previous papers.

From R. W. BARLOW, Esq., Collector of the Chingleput District, to Colonel F. J. MOBERLY, R.E., Superintending and District Engineer, Chingleput, dated Camp at Chenilmedu, 15th January 1875, No. 8.

IN reply to your No. 3,381, dated 5th instant, I have the honor to point out that my No. 533, of the 16th ultimo, was only in reply to *paragraph* 7 of your No. 3,264 which refers to discretionary power as to closing calingulahs. Paragraphs 3, 4, and 5 of the same referred to thereto, and in submitting them he will take care that the explanations of the Revenue Officers are full and complete, especially as to the way in which the neglect of the villagers may have been dealt with.

3. Orders will be issued in the Revenue Department for the transmission by Collectors to the heads of all tank villages of a notice requiring the clearance without fail of all calingulahs at least a fortnight before the usual date of the setting in of the periodical rains, and warning them that remissions will be withheld if this duty be neglected.

(True Extract.)

Major, R.E.,
Offg. Joint Secretary to Government.

To all Superintending Engineers and District Engineers.
To the Chief Engineer for Irrigation.
„ Revenue Department.

Exd. A. Grubert.
Saro Copies

No 2529.

District Engrs Office Ching
Guindy 24th October 187

From
The District Engineer
Chingleput

To
The Collector of the
Chingleput District

Sir,

I have the honor to report that I observed on the 15th instant the calingula of Parandore tank and on the 10th that of the Noyalur Kadapery, Chingleput taluq blocked up, contrary to order published in Circular of 7th February 1874 District Gazette page 41.

Mr Lowry informs me that on the 10th instant he brought to the notice of the Sub Collector the closing of the Gundur tank in the immediate neighbourhood of the town of Chingleput but that up to the 16th no notice had been taken of his report. This calingula was cleared by the Overseer a short time before, but was dammed up again by the villagers. The road to Sadras and the South India railway are both immediately under it.

Chembakam tank Calingula was also opened by Overseer Lord about 21st September, we found it closed rain on the 19th instant. This tank is close to the road from Chingleput to Tripasur.

Poonamallee Tank Calingula is also closed.

I have &c
(Signed) J. J. Moberly Colonel R.E.
District Engr Chingleput

No 658.
Chingleput Sub Collector's Office
Camp Carangule.
29th November 1875

From
C. S. Crole Esqr
Ag Sub Collector of Chingleput

To
R. W. Barlow Esqr
Collector of Chingleput

Sir,

With reference to Mr Stokes docket dated 27th Ultimo No 1600 I have the honor to enclose two arzis with their enclosures received from the Tahsildars of Conjeveram and Chingleput dated respectively 10th instant No 642 and 14th idem No 425.

2. It will be seen from them that the Calingulas of Parandore tank were not dammed as stated by Colonel Moberly, though the statement of the Kurnam makes this point somewhat doubtful.

this

The villagers pray that the Calingula should be kept closed as otherwise the crops will perish for want of water.

3. It will further be seen that Olalur Kadapery Calingula which was partially dammed was then and there cleared as per orders of the Overseer. The village officials state that it is usual to bund up the Calingula.

4. It appears that the Chembakam Tank Calingula was not closed.

5. The Gundur Tank was opened on the 21st ultimo.

I have &c
(Signed) C. S. Crole
Ag Sub Collector.

(True copy)

No 515.

Forwarded to the District Engr Chingleput with reference to his letter No 2529 dated 24th October 1874.

(Signed) R. W. Barlow
Collector.

Sydapett
9th December 1874

No 3264.

No 3264 Supg Engrs Office Chingleput
Guindy 12th December 1874

From
The Superintending Engineer
Chingleput

To
The Collector of the
Chingleput District

Sir,

Referring to your endorsement No 515 dated 9th instant on the Sub Collector's No 658 dated 29th ultimo I have the honor to point out that I informed you in my No 2529 of 24th October that I had seen the closed Calingulas of Parandore and Ohalur tanks in Chingleput talug.

I know nothing of the village in Conjeeveram talug; the Calingula I am speaking of is close to the Southern road.

Further I informed you that on the 19th I found the Chembakam tank Calingula closed and described its position.

I cannot therefore but express my surprise at the flat contradiction given to my statements by the Sub Collector.

It appears that 11 days were allowed to pass before the second clearing of the Gundur tank was made, after Mr Lowry reported it.

This tank lies between the town and Mr Lowry's house. its water stands back to the Southern road. its surplus flows to the Madras road and the railway.

The Government have in order No 1766 of 9th July 1873 refused to allow any discretionary power to villagers. they cannot have any reason for such a claim as Mr Crole makes in para 2 in such a season as the current ones.

I trust that Mr Crole will reconsider his letter and that some action will be taken to stop the injury caused by this continued disobedience of orders.

I have &c
(Signed) J. J. Moberly Col R.E.
Supg Engr Chingleput

No 533. Chingleput Dt Collector's Office
Sydapett 16th December 1874

From R. W. Barlow Esqre.
Collector of the Chingleput Dt

To
Colonel J. J. Moberly R.E.
Supg Engineer Chingleput

Sir,

In acknowledging the receipt of your letter of the 12th instant No 3264 I have the honor, with reference to para 7, to observe that though the villagers have no discretion, the

Revenue Officials have. You are aware that Mr Crole was all along opposed to hard and fast dates being fixed, as was done by me, regarding the opening or closing of Calingulas, and if he thought that in any case special treatment was necessary to avoid loss of revenue, he was right to bring it to my notice; though under the positive opinion expressed by you to the contrary, I shall not sanction his proposal.

I have &c

(Signed) R. W. Barlow
Collector

No 3381.

Supg Engr's Office Chingleput
Guindy 5th January 1875

From
The Superintending Engineer
Chingleput

To
The Collector of the
Chingleput District

Sir,

Referring to your No 533 dated 16th instant I have the honor to point out that the Revenue Board in para 6 of No 869 dated 26th May 1873 suggested that Revenue officials with those of the D.P.W. should have discretionary power regarding

closing

closing of tank calingulas and the Government overruled it in Order No 1766 of 9th July.

My report stated facts which the Sub Collector flatly contradicted. I do not understand that he has made any proposal or what you intend to disallow.

I shall be obliged by your reperusing the previous papers.

I have &c

(Signed) F. J. Moberly Col. R.E.
Supg Engr Chingleput

No 8.

Chingleput Dt Collector's Office,
Camp Cheiulmedu 15th January /75

From
R. W. Barlow Esqre
Collector of the Chingleput Dt

To
Colonel F. J. Moberly R.E.
Supg and District Engr Chingleput

Sir,

In reply to your No 3381 of 5th instant I have the honor to point out that my No 533 of the 16th ultimo was only in reply to para 2 of your No 3264 which refers to discretionary power as to closing Calingulas. Paras 3, 4 and 5 of the same referred to Mr Crole's contradictions, and on these I did not then touch. On reperusal, I see nothing further in my letter calling for explanation.

2. Adverting to para 1 of your under reply, I must observe that though the Board in communicating the G.O. simply direct that Collectors shall see that Calingulas are closed before the first burst of the Monsoon, yet neither the Government nor the Board have prescribed any date; further the redamming of the stones after the Monsoon is again left discretionary as regards time, and must depend upon the character of the season. I have fixed after communication with you certain dates for the opening and closing of Calingulas, but it may be necessary to modify them hereafter. Mr Crole is I believe, already of this opinion, and considers that the strict enforcement of the notice will lead to loss of revenue as the seasons vary so much.

I have &c
(Signed) R. H. Barlow
Collector

(True Copies)

F. Anstruther
Colonel R.E.
Supg. Engr. Chingleput

Enclosure in Supg Engr
Chief Engr No 894 d/8/6/75

CE 11/6/75

No 1253
2/6/75

NO. 894

SUPERINTENDING ENGINEER'S OFFICE,
GUINDY, 8th June 1875.

From
THE SUPERINTENDING ENGINEER,
Chingleput District.

To
THE Chief Engineer
for Irrigation

Enc: 2
1 Statement -
Supg Engrs No 2529 d/24 Octr/74
Collrs No 515 d/ 9th Decr/74
Supg Engrs No 3264 12 Decr 1874
Collrs No 533 d/ 16th Decr/74
Supg Engrs No 3381 15th Jany/75
Collrs No 8 d/ 15 Jany/75 -

Sir,

Referring to Memo No 553 dated 22nd May I have the honor to bring to your notice that the spaces between stones of Calingulas of the tanks named in the enclosed statement were closed before the 1st December, and were breached probably in consequence of the obstruction to water way.

2. These were seen by members of the Public Works Department and reported to the Revenue Department, I dare say many more were similarly closed and damaged, but we have no personal knowledge.

3. In District Gazette of 7th February 1874, a notice was published forbidding the construction of any dam between 1st December and 31st March

These dates were fixed by the Revenue Officers in modification of those proposed by me viz: 1st December and 15th January.

4. After 15th January no water is likely to enter the tank or to be of any service but if gaps are closed during May, the tanks are liable to be endangered by cyclonic storm.

5. There is I think great risk in putting up any obstruction before 1st December.

6. But the Revenue Officers are unwilling to abide by even the dates fixed by themselves. I beg to enclose a correspondence for the notice of Government shewing how the subject is viewed by us.

I have the honor to be
Sir
Your most obedient Servant

Colonel R.E.
Supg. Engr. Chingleput

To Govt P.W.D. No 636 of 12 June/75

C.E.'s No. 1114 Recd

From
The Supg Engineer
Chingleput
To
The Chief Engineer
for Irrigation
Dated 8 } June 1875
Recd 9 }
Encls 2

No. 894 11/6

Forwards a statement of Tanks the spaces between stones of whose Calingulahs were closed before the 1st December and were breached probably in consequence

B.P. 4222 / 3/75.

Cir: 15-6-75 Wd 25/6/75
O.L. Sheet 19 June

---

19 3

Statement showing the tanks which have been breached owing to the existence of obstructions between upright stones in 1874-75.

Taluqs	Names of Tanks &c
Ponnary	Arnee Tank.
	Chinnambedu Tank.
	Cattavur Tank.
	Guduvanchary Tank.
	Arasoor Tank.
Trivellore	Rashanagaram Tank.
	Shunneercolam Tank.
	Pouthavakum Tank.
	Sherookundalum Tank.
	Poothur tank
	Athambakam tank.
Sydapet	Poonamallee tank
	Pooliarany tank
	Hainaram tank
	Poothandalam tank.
	Koonnur tank.
	Avady tank.
	Umbathur tank.
Chingleput	Goorumbedu tank.
	Shementchur tank.
	Paranur tank.
	Gundur tank.

Chingleput	Terutang tank Anur tank Karumbakum tank Chellepunnium tank
Madhurantacum.	Paukum tank
Conjeveram	None.

Coll R.E.
Supdg Engineer Chingleput.

Supdg Engrs office
Chingt.
Guindy 4 June 1875

Enclosure in Supg Engr
Chingt No. 894 d/ 8/6/75

MW 6233/75

G.O. 1 July/75 No. 1831

Irrigation -

No. 636

Memorandum.

Enclosures 3.

The correspondence submitted by the Superintending Engineer Chingleput, shows that the order of the 7th July 1873 No. 1766, regarding the clearing of tank Calingulahs before the setting in of the monsoon have not been properly carried out in the Chingleput District and that the Revenue Officers, even in particular cases in which inattention to the order was brought to their notice, did not take the measures necessary for the imperative enforcement of the order although danger was imminent. Instead of the full authority of the Superior and talug Revenue Officers being brought promptly to bear on the Village Officers for the preservation of the tanks from injury, the Sub

No. 658 - 29th Nov/75 -

Collector Mr C. S. Crole questions the correctness of facts witnessed by the

Superintending Engineer by the Pennadore Tank, and immediately adds remarks which show that he had not any reliable evidence to justify this improper proceeding. The Collector apparently is not disposed to force his subordinate in order and does he appreciate the importance of the clearance of Calingulahs. There is no risk whatever of loss of revenue by this clearance; such loss may be incurred by delay in closing them subsequently, but there is great risk of loss of revenue and of waste of water as well in the repair of unnecessary damage by the omission to attend to the orders on the subject.

2. The Superintending Engineer has transmitted a list of breached tanks the Calingulahs of which are known to have been closed, and he believes that many others were similarly unclosed, though necessarily personal knowledge

of

of the state of more than a few was out of the question. The order of Government may be expected to be almost entirely disregarded so long as the Revenue Officers are allowed to consider its enforcement optional.

Lieut Col R.E.
Offg: Chief Engineer

Ootacamund
12th June 1875.

To
The Offg: Secretary to Government
P.W.D.

Chingleput Dt Gazette 7th Feby 1874
G.O. 5 May 1875 No. 137-138

P. W. 1875 Dept.
No: 4233

Same

The Offg. Chief Engineer

Dd 12 June } 1875.
Rd 21 " }
L.2 No: 636.

Memo. on letter from ~~the~~ Supg. Engr. Chingleput regarding closed Calingulahs &c

G.O. No: 1831. 1-7-75

P. W. Dept 27

Proceedings of the Madras Government

Read the following:-

From the Offg. Chief Engineer (H.L. No. 636 d/12th June 1875)

G.O. No: 1831 of 1st July/75

These papers will be communicated to the Revenue Department for disposal.

2. The Superintending Engineer will not pass estimates for repair of tanks which may have been breached through the omission to clear the Calingulahs without obtaining the sanction of Government thereto, and in submitting them

I think the conduct both of Mr. Cole & Mr. Barlow should be noticed with disapprobation. Mr. Cole disregards a formal order of Govt on an important question, involving heavy expenditure & Mr. Barlow his superior shows much he will take care that the explanations of the Revenue officers are full and complete, especially as to the way in which the neglect of the villagers may have been dealt with.

3. Orders will be issued in the Revenue Departt. for the transmission by Collectors to the heads of all Tank villages of a notice requiring the clearance without fail of all Calingulahs at least a fortnight before the usual date of the setting in of the periodical rains, and warning them that remissions will be withheld if this duty be neglected.

exactness. If these officers thought the orders of Govt. regarding clearing Calingulahs inappropriate to the tanks in the Chingleput district, they shd. have addressed the Bd. of Revenue of Govt. RK

I cannot understand Col. M's letter. The Gazette of 8th Sept. [illegible] things of a change. of the paper can be obtained in the Govt. office. I don't suppose Mr. Cole really meant to question Col. M's accuracy of that letter [illegible] be rebuked for doing so.

There can be no doubt that Col. M. said that Chingleput Dt. was most [illegible] viz: Calingulahs checked on 10th 15th & 19th October. the N.E. Monsoon being fairly due abt. 15 Oct.

There is no excuse for the Collr. & Sub Collr. for committing such disobedience of orders.

More information is needed apparently of the instructions & arrangement. The date for clearing may have been fixed as late as the 1st Dec. Better get the Distt. orders 7/11

To all Supg. Engrs. & Dt. Engrs. — 135
Chief Engr. for Irrign. — 4
" Rev. Departt. — 100
S.C. Despd. 13-7-75

be will take care that the explanations of the Revenue officers are full and complete, especially as to the way in which the neglect of the villages may have been dealt with.

3. Orders will be issued in the Revenue Depart^t for the transmission by Collectors to the heads of all Santi villages of a notice requiring the clearance without fail of all Calingulahs at least a fortnight before the usual date of the setting in of the periodical rains, and warning them that remissions will be withheld if this duty be neglected.

[illegible]. If these officers thought the orders issued regarding clearing Calingulahs inappropriate to the tanks in the Chingleput district, they sh^d have addressed the B^d of Revenue before. [illegible]

Demurs - Let it at least understand Col. M^s letter. The Gazette Ext^y [illegible] things [illegible]. Copies can be obtained in the Gov^t Office - I don't suppose the Coll^r really meant to question Col. M^s accuracy of stat^t but he sh^d be rebuked for doing so.

There can be no doubt that Col. M. said that Chingleput Dist^t was most condemnable. viz. Calingulahs blocked on 10th 15th & 19th October. The N.E. Monsoon being fairly due ab^t 15 Oct.

There is no excuse for the Coll^r & Sub Coll^r permitting such disobedience of order.

To all Sup^g Eng^rs & D^t Eng^rs —
Chief Eng^r for Irrig^n. — 4
" Rev. Depart^t. — 100

SC Desp^d - 13-7-75

More information is needed apparently & [illegible] arrangem^t - the date for clearing may have been fixed as late as the 1st Dec. [illegible] [illegible] the [illegible] [illegible] orders [illegible]

4233.

Govt. of (1875) Madras.

PUBLIC WORKS.

To

All Supg. D. Engrs.

Dated

Issued

Recd. Encl.

G. O. 1 July 1875, No. 1831

Nos. 3 - 4

Tanks in the Chingleput
istrict breached in con-
equence of closed Calingulahs
osing orders on Memo.
y the Chief Engineer on
tter from the Superintending
Engineer Chingleput,
egarding

4233.

Govt. of 1875 Madras.

PUBLIC WORKS.

To

All Supg D Engrs.

July

Dated 1

Issued

Recd. Encl.

G. O. 1 July 1875, No. 1831

Nos. 3 - 4

Tanks in the Chingleput
District breached in con-
sequence of closed Calingulahs
Passing orders on Memo.
by the Chief Engineer on
letter from the Superintending
Engineer Chingleput,
regarding