

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works

DEPARTMENT

G.O. No.	2467	Press	<i>Original</i>
B.P. No.		Mis.	
Dated	27. 8	1875	
		195	

Not to be folded or roughly handled

12

*Proceedings of the Madras Government, Public Works Department,
27th August 1875.*

No. 501. Read the following letter from W. C. FURNIVALL, Esq., Under Secretary to the Government of India, Public Works Department, (Railway,) to Major-General G. W. WALKER, R.E., Secretary to the Government of Madras, Public Works Department, (Railway,) dated Simla, 18th August 1875, No. 2,074 R.:—

I AM directed to acknowledge the receipt of your letter, No. 2,136, dated the 26th July 1875, forwarding an indent by the Agent of the Madras Railway Company as noted in the margin; and in reply to convey the sanction of the Government of India to its transmission to the Board of Directors for compliance.

For silicate of soda and chloride of calcium required for use at the Soornamookey bridge, 1st Division, North-west Line ... Do do. do. at the new Central Station ...	rs. 242 1,328	Total ... 1,570
--	-------------------------	-----------------

2. This sanction has been registered as No. 16 M. R. of 1875-76, and the indent is herewith returned.

No. 502. ORDER THEREON, 27th August 1875, No. 2,467.

RAILWAY, No. 60.

COMMUNICATED to the Consulting Engineer for Railways with reference to G. O., No. 2,135, dated 26th July 1875.

(True Extract.)

Major-General, R.E.,
Secretary to Government.

To the Consulting Engineer for Railways.
„ Examiner of Railway Accounts.

Encl. S. T. Austin.
Spare Copies

Engg. stone and work shop a/c D.O. balance
at 30th April 1875.
Rs 741 630-8-0

ABSTRACT. MADRAS RAILWAY.

Indent for Stores required for use by the Engineering Department.

480 lbs of Silicate of Soda	
~~500 lbs of Silicate of Soda~~	
To protect Brickwork in Sornamooky	Rs 242
Bridge 82 nd mile 1 st Division	
2,570 lbs of Silicate of Soda	
3,630 lbs of Chloride of Calcium	
To protect Brickwork in Boundary	Rs 1328
walls New Central Station Madras,	
from action of weather	

Submitted for approval and sanction of Government on the
1875

J. H. Mellis.
for the Agent and Manager.

Chief Engineer to Govt

Secretary to Govt

No 158.

INDENT for STORES required for use by the Engineering Department, Madras Railway, to be delivered at *Madras*

DESCRIPTION OF STORES.	Approximate Estimate of the cost.	Explanation as to the necessity of the Stores.	Period for which the supply is required.	Total of the Stock in hand.	The average yearly consumption.	REMARKS.
4,800 lbs of Silicate of Soda 600 lbs of Chloride of Calcium	Rs 242	To protect Brick work in Sornu masonry Bridge 82 ¹ / ₂ mile 4 th Division Andhra	Permanently	None	Variable	Messrs Ransome of Spewich have a patent for the application of this compound.
2,570 lbs of Silicate of Soda 3,630 lbs of Chloride of Calcium	Rs 1528	To protect Brick work in Boundary walls at New Central Station Madras from action of weather.				

MADRAS RAILWAY,
CHIEF ENGINEER'S OFFICE,
Madras, 10th July 1875.

J. H. Nellis.
for the Agent and Manager.

Alfred Anderson
Chief Engineer.

24 Aug 1875
 11/11/75
 11/11/75

11/11/75
 11/11/75
 11/11/75

f.o. 26 July 75 Nos 677-679
 25

26 July 1875
 27 Aug 75
 12 3/3
 16
 12 3/3
 16

No 2467
 Communicated to the Government Engineer
 for drawing with reference to No 2135 dated

Rtr. 1875 Rpt.
 No 5581

Govt of India

Date 18th Aug 75.

Recd. 27th Aug 75
 Recd. 30th Aug 75
 No 2074

Launching the trans-
 mission to Board of
 Directors Madras Pkg.
 for completion, an
 incident for Liberate of
 Cows and Cholera
 of Calcutta.

With Order

O.L. Sheet 21 Aug

1875/57
Sale of 1875 ~~Public~~
PUBLIC WORKS.

To

Coughlin

Dated

Issued

Recd.

For

o. o. 27 Aug. 1875, No. 2467

Nos. 501 - 502

Indent for Salts of Soda
and Chloride of Calcium.
~~for use at the school building~~
Letter from the Com. of Ind.
concerning the transmission
to the Board of Directors, &c.
for compliance the
Com. to the Com. for the