

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	257	Press
B.P. No.		Mis.
Dated	29 - 1 -	195

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
29th January 1875.*

No. 529. Read the following letter from Captain J. W. HINDLE, Officiating District Engineer, Vizagapatam, to Colonel G. W. WALKER, R.E., Secretary to Government, Public Works Department, dated Waltair, 31st December 1874, No. 1,912:—

I HAVE the honor to submit herewith, for the favorable consideration of Government, copy of a letter received from the Special Executive Engineer of Jeypore Ghaut Range, recommending his Draughtsman to be exempted from the usual examination.

From K. F. NORDMANN, Esq., Executive Engineer, Jeypore Ghaut, to Captain J. W. HINDLE, Officiating District Engineer, Vizagapatam, dated Vizianagram, 28th December 1874, No. 364.

WITH reference to the enclosed three disallowance lists received from the Controller, I have the honor to request that you will be so good as to solicit the further orders of Government on the subject of examinations required for appointments in Jeypore.

2. G. O., No. 3,393, dated 3rd instant, exempts the Clerk and Accountant from passing the usual test, and I now ask that the same indulgence may be extended to the Draughtsman and Estimator.

3. The present acting incumbent, who is employed on probation, was sent up by the Principal of the Civil Engineering College, with the understanding that he should receive Rupees 70 per mensem, besides travelling batta, although he has only a 3rd-class certificate as a draughtsman (but he has besides passed as a 3rd-class Surveyor). It is only on these terms I have been able to get a man at all to fill the vacancy.

4. I trust, therefore, that the Government will permit Venkata Row to draw the full pay and batta of the appointment during the period of his probation; and also afterwards in case his services are approved of.

No. 530. ORDER THEREON, 29th January 1875, No. 257.

ESTABLISHMENT, No. 33.

EXEMPTION granted as a special case.

(True Extract.)

Colonel, R.E.,
Secretary to Government.

To the District Engineer, Vizagapatam.
,, Controller of Public Works Accounts.

Exd. S. T. Austin.

Spare Copies

No. 364

Special Executive Engineer's Office
Udumalagaram 28 December 1894

From

The Executive Engineer
Seydore Ghaut.

To

The Officiating District Engineer
Udumalagaram

Sir,

With reference to the enclosed 3 Disallowance Lists, received from the Controller, I have the honor to request that you will be so good as to solicit the further Orders of Government on the subject of examinations required for appointments in Seydore.

2. G.O. No. 3393, dated 3rd instant, exempts the Clerk and Accountant from passing the usual test; and I now ask that the same indulgence may be extended to the Draughtsman and Estimator.

3. The present Acting incumbent, who is employed on probation, was sent up by the Principal of the C. E. College, with the understanding that he should receive Rs. 70 per mensem, besides travelling batta; although he has only a 3rd Class certificate as a draughtsman (but he has besides passed as a 3rd Class Surveyor). It is only on these terms

L1.

I have &c
 (sd) W. J. Wordinn
 Executive Engineer

Mr 4/75

True Copy

In Witness Whereof Captain
J. B. Scott Engineer
Vizagapatam.

P. W. 1895 Def. V.
 From ~~Mr. Gladstone~~ ^{Mr. Gladstone} No. 41
 The off. District Engineer,
 Vizagapatnam
 To The Secretary to Govt. P.W.D.
 Madras

Dated 31st
Decr. 6. } December 1874.
Bang. 175.

E. I. Apr 1912

Submitting for the favorable
consideration of Government
Copy of a letter received from the
Special Executive Engineer Jeyapore
Chaut Range recommending his
Draughtsman to be exempted
from the usual examination.

With an order

1111

Special Cases

Sign.

23.
Description of the same as a bill

[illegible]

Q 11-1-75 R. 12 Jan 75

4.
Govt. of 1874 Madras

PUBLIC WORKS.

To

Dated

Recd.

Encl.

G. O. 25 Jan 1875 No 25

Nos. 525-530

Ventura la Row - draught

Considering the draught
man & Estimator employ-
ed in the Secpore Shant-
Range from passing
the usual test as a
special case —