

*Proceedings of the Madras Government, Public Works Department,
19th November 1875.*

No 448 Read the following endorsement of the Consulting Engineer for Railways,
dated Madras, 15th November 1875, No. 623 —

From D. LOGAN, Esq, Acting Agent of the South Indian Railway, to Lieutenant-Colonel J H M. SHAW-STEWART, R E, Consulting Engineer for Railways, dated Trichinopoly, 11th November 1875, No. 976

With reference to your No 760, of the 3rd instant, I have the honor to enclose herein copy of the Consulting Physician's report on the sanitary condition of the stations from Trichinopoly east and south, for the quarter ending 30th September 1875.

2 Dr. Thomas says that he cannot furnish a report for the quarter ending 30th June, as Dr Houston had not left a copy of the same on his departure

Report of the Consulting Physician on the Stations for quarter ending 30th September 1875

Negapatam	..	...	...	..	Latrines clean, waiting and bath-rooms properly attended to
Sickle	.	...	..	..	The latrines in all these stations were clean, dry-earth was used, and the passengers have learnt to accommodate themselves in the proper sites
Keevalore	..	...	..	..	
Trivalore	..	...	..	..	
Kulkery	..	..	..	..	
Koradachary	..	..	..	..	
Needamungalum	..	..	..	..	Compound and latrines very orderly.
Ammapettah	..	..	..	..	
Salamungalum	..	..	..	..	Compound tidy Latrines attended to
Tanjore	..	..	..	..	
Boodalore	..	..	..	..	The premises and latrines in all the stations are well attended to, and from the rush made at each station to the latrines there is no doubt of their great popularity and usefulness
Teroovembore	..	..	..	..	
Trichinopoly Junction	..	..	..	..	
Do Fort	..	..	..	..	Station not completed.
Kolattur	..	..	..	..	
Manarparai	..	..	..	..	No station built
Vaiyampatti	..	..	..	..	
Aiyalur	..	..	..	..	Station and latrines being built
Vadamadura	..	..	..	..	
Dindigul	..	..	..	..	Latrine occupies a prominent position, but is screened by lattice work.
Amayanayakanur	..	..	..	..	
Sholavandan	..	..	..	..	
Madura	..	..	..	..	

NEGAPATAM,
6th November 1875

(Signed) J B THOMAS,
Consulting Physician, S I R

SUBMITTED for the information of Government
(Signed) J. H M. SHAW-STEWART, Lieut -Colonel, R E,
Consulting Engineer for Railways

Proceedings of the Madras Government, Public Works Department,
19th November 1875.

No 449. ORDER THEREON, 19th November 1875, No. 3,310.

RAILWAY, No 53

ORDERED to be recorded.

(True Extract)

Major-General, R.E.,
Secretary to Government

To the Consulting Engineer for Railways.

No. 971

South Indian
GREAT SOUTHERN OF INDIA RAILWAY.

Agents Office,
Tiruchopoly, 11th November 1875.

From

Acting
THE AGENT, South Indian
Great Southern of India Railway,

To

The Consulting Engineer for Railways
Madras

SIR,

With reference to your No 460 of the 3rd Inst I have the honour to enclose herewith copy of the Consulting Physician's report on the sanitary condition of the stations from Tiruchopoly East and South for the quarter ending 30th September 1875.

Dr Thomas says that he cannot furnish a report for the quarter ending 30th June, as Dr Houston had not left a copy of the same on his departure.

I have the honour to be,
Sir,
Your Most Obedt Servant
Francis Smith

f Acting Agent

2781 77 5
No 623.

RECEIVED
SUBMITTED FOR THE information OF GOVERNMENT.

Mentworth

CONSULTING ENGINEER'S OFFICE,
Madras, 15 November 1875.

L. H. R. E.,
Consng. Engineer for Railways

To
The Secretary to Government,
Public Works Department,
Fort Saint George

12/25/75 P. 286-285

Edwin Cope

19 Sept 75

11/33/10

Recorded

Smith

Recd - 29-11-75

N. 448/7

cin 17-4-75

P. W. 1875 Dept
RAILWAY DEPARTMENT.

From 1875. No 7341
The Consulting Engineer
for Railways,

To
The Secretary to Government,
P. W. Department,
Fort St. George.

Dated 15th Nov 1875
Received 16th Nov 1875

No. 623.

Enclosures. 2.

Forwarded

Cms: Physicians
report on the
sanitary condition
of the stations of the
P. & F. for the quarter
ended 30th Sept 1875
With order

4012-May/75 P. 286-285

P. W. 1875

Govt. of 1875 Madras.

PUBLIC WORKS.

To *Chief Engineer*
22/11/75

Dated

Issued

Recd

Encl

G O. 17 Nov. 1875, No 23/10

Nos. 448-449

P. W. 1875 - Letter from
the Chief Engineer forwarding
the Chief Physician's report
on the sanitary condition
of the stations of the —
for quarter ended 30th
Sept/75, recorded.