

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	341	Press
B.P. No.		Mis. —
Dated	6 - 2 - 195	1875

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
6th February 1875.*

No 172 Read the following letter from Colonel F. J. MOBERLY, R E,
Superintending Engineer, Chingleput, to Colonel G. W. WALKER, R E,
Secretary to Government, Public Works Department, dated 5th January
1875, No. 3,382 —

IN reply to G. O., No 3,552, 17th ultimo, I have the honor to observe that no
provision is made in the estimate for channels from Chembrumbakum Tank

2 The irrigation under Red Hill and Cholaveram requires to be regularly
systematized At present the drainage is intercepted and dams raised across the
channels for minor supply in the most reckless manner.

3 An establishment has been sanctioned for survey purposes, which will be
employed as soon as the state of the country will allow.

No 173 ORDER THEREON, 6th February 1875, No. 341.

IRRIGATION, No 8.

RECORDED with the remark that
the absence of special provision for new
distribution channels under the Chem-
brumbakum Tank renders it none the less necessary that the Superintending
Engineer should ascertain what facilities, if any, are needed for bringing the lands,
the irrigation of which has been provided for by the increased capacity of the tank,
under its influence, and that the detailed arrangements for extending the irrigation
under the Red Hills and Cholaveram tanks ought to have been settled long ago.

(True Extract.)

(Signed) G. W. WALKER, R E, Colonel,
Secretary to Government.

To the Superintending Engineer, Chingleput.
„ Chief Engineer for Irrigation.
„ Revenue Department. ✓

Exd S. T. Austin.
Spare Copies.

No 3382

Supg
CHINGLEPUT DISTRICT ENGINEER'S OFFICE,
Gundy, 5th January 1875.

FROM

Supg
THE DISTRICT ENGINEER,

Chingleput.

TO

The Secretary of Government
Public Works Department

SIR,

In reply to G. O. No. 3552, 17th
Ultimo I have the honor to observe
that no provision is made in the
Estimate for channels from Chembaram
= lakum tank

2. The irrigation under Red Hill
and Cholanatham requires to be regu-
= larly systematized. at present
the drainage is intercepted and
dams raised across the channels
for minor supply in the most reckless
manner -

3. An establishment has been
sanctioned for survey purposes which
will be employed as soon as the
state of the country will allow -

I have the honor to be,

Sir,

Your most obedient Servant,

H. M. S. B. S.

Colonel, R. E.,

Supg
District Engineer Chingleput.

S.H.D. Engr.

Proceedings of the Board of Land.
Read the following:

From the Superintendent } 341
Shinglepat } (H.E. No. 3382 of 5th Jan'y/55)

Recorded with the remark
that the absence of special
provision for new distribution
channels under the Chem-
-brumbahum Tank renders
it now the less necessary that
the Superintending Engineer
should ascertain what fa-
-cilities, if any, are needed
for bringing the lands, the
irrigation of which has been
provided for by the increased
capacity of the tank, under
its influence, and that the
detailed arrangements for
extending the irrigation under
the Red Hills and Chola-

= ver am

Mb
est

1875
From
THE SUPERINTENDING ENGINEER

CHIEF CLERK

THE SECRETARY
10th Dec 1875

Recd 5th Jan'y 1876

No 3382

ENCLOSURE

Reference to the necessary
survey and design will
be taken for the
formation of the
irrigation channels
under the Red Hills
and Chola-
as soon as the state
of the country will
allow.

St. No. 341. 6. 2-25

1875-1-76
C. H. M.

Cholaveram tanks ought
to have been settled long ago.

W. 12/17-

Amr

The Suptg Engr Chingleput
- Chief Engr for Irrigation
Rev Department of

Decr 9-2-75

Cholera tanks ought

69

Act of 1875: Madras
PUBLIC WORKS.

The Superintendent
Chingleput

Dated

Recd

Encl

G. O. 6 Feb 1875. No. 34/

172-173.

Red Hill and Chola:

Veram Tanks - Letter
from the Superintendent

Chingleput reporting that
necessary surveys and
plans will be taken for the
construction of irrigation
channels under the Red
Hill & Choleveram Tanks
soon as the state of the
country will allow. Records
to remarks -

76-28a