

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	347-48	Press
B.P. No.		Mis.
Dated	8-2-	195

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
8th February 1875.*

No. 185.

Under date the 8th February 1875, No 347.

ACCOUNT, No. 11.

In continuation of G O, No 3,621,
dated 29th December 1874, the Govern-
ment resolve to make available for the
repair of floating plant in the Godavery Delta a further sum of Rupees 5,800 out
of the amount, Rs. 11,960, held at the disposal of Government in the Budget.

(Here enter No. 348, dated 8th February 1875.)

(True Extract.)

(Signed) G. W. WALKER, Colonel, R.E.,
Secretary to Government.

To the Chief Engineer for Irrigation.
Controller of P.W.D.

Exd S. T. Austin.
Spare Copies

PUBLIC WORKS DEPARTMENT,
FORT ST GEORGE, February, 8th 1875.

No 186

No 348.

FROM

COLONEL G. W. WALKER, R E,
*Secretary to the Government of Madras,
Public Works Department,*

TO

THE SECRETARY TO THE GOVERNMENT OF INDIA,
Public Works Department.

ACCOUNT, No. 12

SIR,—In applying for a supplemental grant of Rupees 15,000 under Tools and Plant Repairs, I am directed to transmit, for the information of the Government of India, a copy of the Proceedings as per margin, and to state that the inefficient condition of the floating plant employed in the Godavery Delta has

17th August 1874, No 2,271
29th December „ „ 3,621
8th February 1875, „ „ 317

for a long time past engaged attention, but that, owing to its being so fully employed as to render it difficult to ascertain its exact condition and to other causes which need not here be gone into in detail as they have been remedied, it was not known until recently how greatly this plant had deteriorated, and how emergently necessary prompt and decisive measures for its restoration to efficiency had become. A detailed examination of as much of the plant as could be withdrawn from work for this purpose has resulted in demonstrating that more than

• Rupees 8,000

four times the provision* made in the current year's Budget for its repair are emergently required out of the sum of Rupees 11,960 retained at the disposal of Government, Rupees 10,800 have been devoted to this work, and the money available has thus been exhausted, so that the supplemental grant of Rupees 15,000 now asked for is required to enable the work to be done this year, and estimated to cost altogether Rupees 33,331 to be carried out. It will be observed that, with the expenditure proposed for the current year, it will take until the end of 1875-76 to get the floating plant into proper order, and I am to point out that His Excellency the Governor in Council has deemed it to be so essential that no delay whatever should be allowed to occur in rendering the plant efficient, that authority has been given for the vigorous prosecution of the repairs in anticipation of the sanction of the additional grant now applied for.

I have the honor to be,

Sir,

Your most obedient servant,

(Signed) G. W. WALKER, Colonel, R E,
Secretary to Government.

Exd S. T. Austin.
Spare Copies

P. W. D.

Proceedings of the Madras Government,

Under date the

187 .

And the following

347

In continuation of
Co. No. 3621 dated 29th Decr '74
the Government resolve to
make available for the re-
pairs of floating plant in
the Godavery Delta a further
sum of Rupees 5,800 out of
the amount, Rupees 11,960,
held at the disposal of
Government in the Budget

C. W. D.

to
The Chief Eng^r for disignation
" Controller of P. W. D.
" D. L. for Lavery of 2-75
Chief 12-2-75

(Q. 7th)

(12)

P. W. D.

Proceedings of the Madras Government,

Under date the

187 .

Read the following:—

To ³⁴⁸ The Secretary to the
Govt. of India

Sir,

In applying for a
supplemental grant of
Rs 15,000 under Tools and Plant
Repairs, I am directed to trans-
mit for the information of the
Govt of India a copy of the
Proceedings as per margin, and
to state that the inefficient
condition of the floating plant
employed in the Godavery
Delta has for a long time
part engaged attention, but
that, owing to its being so
fully employed as to render
it difficult to ascertain its

17th Aug 1871. No 2271-B
29th Dec 1871. No 3621-5
8th Feb 1875. No 347-5

By order

Exact condition and to other
causes which need not here
be gone into in detail as they
have been remedied, it was
not known until recently
how greatly this plant had
deteriorated, and how im-
-mediately necessary prompt
and decisive measures for
its restoration to efficiency
had become. A detailed
examination of as much
of the plant as could be
withdrawn from work for
this purpose has resulted
in demonstrating that more than
four times the provision *Rupees 8000
made in the current year's
budget for its repairs are
urgently required out of
the sum of Rupees 11,960
retained at the disposal
of Government, Rupees 10,800
have been devoted to this
work, and the money
available

available has ^{been} exhausted,
so that the supplemental
grant of Rupees 15,000 now
asked for is required to enable
the work to be done this year,
and, estimated to cost alto-
-gether Rupees 33,331. to be
carried out. It will be ob-
-served that, with the ex-
-penditure proposed for the
current year, it will take
until the end of 1875-76 to
get the floating plant into
proper order, and I am to
point out that His Excellency
the Governor in Council has
deemed it to be so essential
that no delay whatever
should be allowed to occur
in rendering the plant ef-
-ficient, that authority
has been given for the
vigorous prosecution of the
repairs in anticipation of
the

the sanction of the ad-
ditional grant now applied
for.

1872

Godavery Bill
during the current
Year.

Decr. 12-2-75 with the follo
1901
H. 2271-17-8-74
3621-29-12-74
347-8-2-75.

Govt. of 1875 Madras
PUBLIC WORKS

to Mr C. Ingr. for Ingr.
Mr. C. Ingr. for Ingr.

Dated

Recd.

Encl

o o. 8 Feb. No. 347
348

185
HCL 186.

Floating Plant -
Godavery R.

A further sum of
Rs. 5,800 sanctioned
for the repair of the
Plant -

Applying for a
supplemental grant
of Rs. 15,000 under Tool
& Plant for the repair
of the Floating Plant in