

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Work

DEPARTMENT

G.O. No.	1377	(2)	Press
B.P. No.			Mis.
Dated	2-6-		1876.

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
2nd June 1876.*

No. 43. Read the following letter from Major J. O. HASTED, R.E., Superintending Engineer, Kistna, to Lieutenant-Colonel J. MULLINS, R.E., Chief Engineer for Irrigation, dated Camp at Pamurroo, 27th April 1876, No. 10 :—

REFERRING to paragraph 2 of my letter printed in G.O., No. 1,085, dated 17th April 1875, I have the honor to forward herewith an estimate, amounting to Rs. 315, for the conservancy of the Pedda Kuncherla tank during 1876-77, and to request sanction to the same under "Capital," as the last year's estimate, Rupees 720, was taken by the Examiner of Public Works Accounts under that head—*vide* paragraph 1

of Government Order above quoted—and the unspent balance* thereof will be worked out for the first 5½ months of this year out of Capital, Ordinary, Minor New Works, lump grant Rupees 3,500 in Irrigation Budget (Preliminary Issue).

* Rupees 166-14-0.

No. 44. ORDER THEREON, 2nd June 1876, No. 1,377.

IRRIGATION, No. 6.

HIS GRACE the Governor in Council considers it undesirable to sanction another conservancy estimate for the Pedda Kuncherla tank. It appears that a balance of the sanction accorded in G.O., 17th April 1875, No. 1,085, sufficient for conservancy purposes for 5½ months of the current year remained available on the 1st April; and these Proceedings will be communicated to the Revenue Department with a view to the Collector of the Kistna being instructed to place the tank under the care of the village officers from the 1st September next.

(True Extract.)

Colonel,
Offg. Under Secy. to Govt., P.W.D.

To the District Engineer, Kistna.
„ Chief Engineer for Irrigation.
„ Revenue Department.

Exd. S. T. Austin.
Spare Copies

make note

Letter from the Superintending Engineer, Krishna, N^o 10, dated 27 April 1876.

FOR ORDERS.

Circulated for orders.

It appears to be time that the villagers should be required to take charge of the tank and see that their cattle do not injure it, and trifling repairs such as those provided for in the Superintending Engineer's estimate should be attended to

by them from time to time. There was

I wish after the below is reported to be the state of the village and the tank. I am, Sir, very respectfully,
Yours faithfully,
M. H.

Supra but the villagers must have a law to make them to manage

a balance of Rupees
166.14.0 on the 1st
April from the sanc-
tion of Rupees 720
given in G. O. 14th

April 1875, No 1085, and
this will suffice for
some months, and
will allow time for
the Collector to ar-
range for the charge
of the tank being
transferred to the
village officers.

The Intending
Engineer mentions
in his administration
report that only 50
acres ^{of paddy} have been
cultivated during
the last season
and the expectations,
therefore, expressed

that the amount
mentioned
22/5 ...

I agree - but I
do not understand as
to the large amount
of the tank. It is the
requirement shown to
the village officers
from the Government
that the tank is
to be used for the
purpose of irrigation
and not for the
purpose of drinking
water.

in addition to some water
irrigated from the tanks
instead of from wells

in G. O. No. 1085
of the 25th Novem-
ber 1875, have not
been realized.

Colonel
Joint Secretary to Govt.

P.W.D.

FOR ORDERS.

No 1377. Public Works Department.

PROCEEDINGS of the MADRAS GOVERNMENT.

Under date the 2nd June 1876

Read the following:—

From
The Supy. Eng. Kistna (H.E. No 10 of 27th April 1876)

His Grace the Governor in Council considers it undesirable to sanction another Conservancy Estimate for the Padda Kuncherla Tank. It appears that a balance of the sanction accorded in G. O. 17th April 1875, No 1085, sufficient for Conservancy purposes for 5½ months of the current year

remained available
on the 1st April,
and these Proceedings
will be communicated
to the Revenue
Department with a
view to the Collector
of the District being
instructed to place
the tank under the
care of the village
Officers from the
1st September next

29/5

N^o 43/4

S. E. Kiching ✓
C. E. for ✓
Rev. Sept. ✓

Desd 15/11/12

4012 CH



Govt. of 1876 Hyderabad.

PUBLIC WORKS.

To

The N. E. Hydro

Dated

Issued

Recd

Recd

G. O. 2nd June 1876. No 1377

Nos. 43 44

*sent no 43
17-8-76*

Padu Hancherla Tank

Resoln S- Considering
it undesirable to sanction
another Procurement Estimate
for the — of some part of
the Proceedings to the Res
Dept with a view to the follo
being instructed to place the
Tank under the care of the
Village officers from 1st Sept
1876—

1/20/76 / 1/20/76 / 1/20/76 / 1/20/76 / 1/20/76