

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works

DEPARTMENT

G.O. No.	1650	(9)	Press
B.P. No.			Mis.
Dated	30-6-	1876	

Not to be folded or roughly handled

11

*Proceedings of the Madras Government, Public Works Department,
30th June 1876 No 1,650*

No 618 Read the following letter from Colonel F J MOBERLY, R E,
Superintending Engineer, Chingleput, to Lieutenant-Colonel J MULLINS,
R E, Chief Engineer for Irrigation, dated Mount, 16th April 1876,
No 489 —

WITH reference to G O, No 2,571, dated 8th September 1875, I have the honor

1 Estimate
1 Statement

to reforward the estimate for restoring
damages done to Kesavaram anicut and
head wall during the floods of October

1874, with an abstract showing distinctly the several items of work to be done, &c

2 I submit a list of tanks which receive a supply from the Kuam, with the
irrigated area under each I presume that their returns may be credited to the
Kesavaram anicut in some degree

*Statement showing the Tanks of Villages benefited by the Anicut across the Cortelliar at Kesava-
ram throwing Water into the Kuam and the Areaage under ea h*

Name of Village	Acres	Assessment	Remarks
<i>Sydapet Taluq</i>			
		RS A P	
Chembrumbaukum Tank	9,668 26	47,875 15 3	
Therommooshy do	518 72	2,374 11 3	
Thunnanoor do	528 95	1,871 9 3	
Goodapakum do	254 25	884 0 4	
Namum do	1,605 73	7,897 14 7	
Panthipattoo do	549 26	1,728 7 6	
Parivakam do	154 69	464 7 11	
Korattoor do	1,009 24	2,926 14 10	
<i>Tiruvellore Taluq</i>			
Cassanganallattur ..	220 84	762 6 10	
Cadambattoor ..	175 00	778 2 2	
Salay ..	241 50	1,047 14 2	
Pareacooppam ..	281 71	1,049 0 9	
Pooleyancooppam ..	434 8	1,492 4 6	
Thanneerocolum ..	250 99	890 12 4	
Poothoor ..	395 13	1,609 0 4	
Thodur ..	215 00	855 0 0	
Agaram ..	6,835 81	26,632 10 9	
<i>Government Tanks</i>			
Pinjivakam ..	677 53		These being, Zemindary Tanks, the assessment under them is not known
Atheegathoor ..	944 73		
Yagatboor ..	516 38		
Theroovoor ..	1,294 73		
Arenvoil ..	757 0		
Poongathoor ..	508 68		
<i>Zemindary Tanks</i>			
	4,699 65		

(Signed) F J MOBERLY, Colonel, R E,
Superintending Engineer, Chingleput

Mount,
16th May 1876,

*Proceedings of the Madras Government, Public Works Department,
30th June 1876 No 1,650*

No 618-A Memorandum from the Chief Engineer for Irrigation, 23rd May 1876,
No 34 C N

No 618-B From Colonel F. J. MOBERLY, R E, Superintending Engineer,
Chingleput, to Lieutenant-Colonel J. MULLINS, R E, Chief Engineer for
Irrigation, dated Chingleput, 18th June 1876, No 962

In reply to your No 34 C N, 23rd May, I have the honor to observe that G O,
No 2,571, 8th September 1875, was
passed on papers regarding the Kesava-
ram anicut, not only the Chembrumbau-
kum tank

1 Estimate
1 Statement

2 The acreage under the former work was then given as 16,165 acres, from
more accurate examination it turned out that it should have been 16,704

3 When I examined the details I found several omissions which were corrected
before I prepared my return of 16th May 1876

4 I am not aware that any contribution has been levied from Zemindar, but
have applied to the Collector for information

5 I regret that I do not understand your last paragraph

No 618-C From Captain L. CONWAY-GORDON, R E, Examiner of Public
Works Accounts, to Major-General G. W. WALKER, R E, Secretary to
Government, Public Works Department, dated Fort St George, 29th May
1876, No 55 W.

With reference to G O, No 1,107, of the 4th May 1876, I have the honor to
inquire—

1st—Whether the intention of Government is that the share chargeable to the
Chembrumbaukum tank shall be debited to "Revenue, Maintenance and
Repairs," and the balance to "Ordinary Agricultural, Repairs"

2nd—To what head or heads of account, and in what proportions the expendi-
ture is to be charged, pending the determination of the shares

2 The determination of these shares is hardly likely to be arrived at for several
years more, and in the mean time it seems necessary to have some definite ruling as to
the treatment not merely of expenditure against the estimate now sanctioned, but of
all outlay on the Kesavaram anicut

No 79 W

No 618-D *Note by the Chief Engineer for Irrigation*

In G O, 4th May 1876, No 1,107, an estimate of Rupees 11,100 was sanctioned
for certain repairs and reconstructions at the Kesavaram anicut and head works, and
the debit of the charges was ordered to be made to the Chembrumbaukum tank, and to

*Proceedings of the Madras Government, Public Works Department,
30th June 1876. No. 1,650.*

other works, in shares to be determined with reference to the respective ayacut areas
under the works. The Superintending Engineer has furnished the required informa-
tion, and from the statement, dated 16th May 1876, which was transmitted with his
letter, No 489, it appears that the Chembrumbaukum tank has an—

	Ayacut	
	Area Acres	Assessment Rs
	9,668	47,876
7 Government Tanks, Sydapet Taluq }	6,836	26,633
9 Do Trivellore „ }	4,700	
6 Zemindary Tanks	11,536	
	21,204	

There is consequently a total area of acres 21,204 under the Kesavaram anicut,
of which $\frac{9,668}{21,204} = 0.46$ of the total belongs to the Chembrumbaukum Tank Project, and
 $\frac{11,536}{21,204} = 0.54$ belongs to other works. Taking into account that the Chembrumbaukum
tank will probably derive more benefit from the Kesavaram anicut and old Bungairoo
improvements, than the rest of the irrigation thereunder will receive, it is thought
that a sufficiently close approximation will be secured if the expenditure under the
estimate of Rupees 11,100, in common with all outlay recorded on these works since
the Chembrumbaukum Tank Project was undertaken, be divided in equal shares
between that tank and other works

(Signed) J. MULLINS, Lieut.-Colonel, R E,
OOTACAMUND,
26th June 1876
Chief Engineer for Irrigation.

To the Secretary to Government, Public Works Department

No 619 ORDER THEREON, 30th June 1876, No 1,650

THE Government approve of the
adoption of the recommendation that
all outlay on the Kesavaram anicut
and old Bungairoo, which has been incurred since the Chembrumbaukum Tank Project
was undertaken, should be charged in equal shares to that project and to other works
respectively

2 The Examiner of Accounts will be informed in reply to his reference that the
share of expenditure under the estimate of Rupees 11,100 chargeable to the Chembrum-
baukum tank will, as already intimated in G O, No 1,107, of the 4th May 1876, be
debited to Revenue, Maintenance and Repairs, while the share belonging to "Other
Works" will be debited to Ordinary Agricultural, Repairs

Proceedings of the Madras Government, Public Works Department,
30th June 1876 No. 1,650

3 Should it be found that the irrigation under Zemindary tanks is liable for any share of the cost of maintaining the Kesavaram anicut and old Bungaroo, the contributions levied will be credited to Ordinary Agricultural

(True Extract)

Colonel,
Offg Under Secy to Govt, P W D

the District Engineer, Chingleput
,, Chief Engineer for Irrigation
,, Examiner of Public Works Accounts
Revenue Department

Form No 13

OFFICE OF CHIEF ENGINEER FOR IRRIGATION,

Fort St. George, 26 June 1876.

N^o 79-W

Note by the Chief Engineer for Irrigation.

From Supdy. Engr Chingleput, N^o 489 of 16th April/76
To ——— do ——— 34 C. N. 23 do —
From ——— do ——— 962 - 18 June -
From Examiner of P. W. A. — 55 W & 29 May -

Encl: 6

In G. O. 4th May 1876, N^o 1107,
an estimate of Rupees 11,100 was
sanctioned for certain repairs and
re-constructions at the Kesavaram
anicut and head works and the
debit of the charges was ordered
to be made to the Chembumbankam
Tank, and to other works, in shares
to be determined with reference to
the respective adjacent areas under
the works. The Superintending Engineer
has furnished the required informa-
tion and from the statement, dated
16th May 1876, which was trans-
mitted with his letter, N^o 489, it

appears that the

Chembumbankum Tank has an

Adjacent

area	-	assessment
acres	-	Rspees
9,668	-	47,876

4 Government Tanks - Sydapet Taluq -

9 do Trivellore "

6 Zemindary Tanks

6,836 26,633

4,700

11,536

21,204.

There is consequently a total area of
acres 21,204 under the Kucavaram Amicut
of which $\frac{9,668}{21,204} = 0.46$ of the total belongs
to the Chembumbankum Tank project
and $\frac{11,536}{21,204} = 0.54$ belongs to other
works. Taking into account that
the Chembumbankum Tank will
probably derive more benefit from
the Kucavaram Amicut and old
Bungairoo improvements, than the
rest of the irrigation thereunder
will receive, it is thought that
a sufficiently close approximation
will be secured if the expenditure
under the estimate of Rspees
11,100, in common with all outlay
recorded on these works since

the Chembumbankum Tank pro-
-ject was undertaken, be divided
in equal shares between that Tank
and other works.

Colundinus St. Colonel St.,
Chief Engineer for irrigation

To
The Secretary to Govt. P.W.D.

28-4-731

From
The Chief Engineer for Irrigation,

To
The Secretary to Government,
Public Works Department

Dated 26 June
Despatched 28 July
Received 8 July } 1876.

ENCLOSURE 1

No 79-W

Subject.

Kesavaram Amicut & old
Pungairoo - Chingleput
District. - Note regarding
the outlay on the

N^o 618 D-

Recd: - 1st 3 July
Cii - 28 6 76 P.W. 30.6.76
O.H. 67 Shul 1st May

No 55/W.

9W

From
THE CONTROLLER,
PUBLIC WORKS ACCOUNTS,

To
The Secretary to Government,
Public Works Department,
FORT SAINT GEORGE, 29 May 1876.

Sir

With reference to G. N^o 1107 of the
4th May 1876, I have the honor to enquire,
1st Whether the intention of Government is that
the share chargeable to the Chembambakkam
tank shall be debited to Revenue, - Miscellaneous
and Repairs, and the balance to "Ordinary
Agricultural, - Repairs".
2nd If what head or heads of accounts, and in
what proportions, the expenditure is to be charged
pending the determination of the shares.
3. The determination of these shares is
hardly likely to be arrived at for several
years more, and in the meantime it
seems necessary to have some definite
ruling as to the treatment not merely
of

of expenditure against the estimate now
sanctioned, but of all on hand in the
Kisavaram Ancient.

I have the honor to be

Sir

Your most obedient Servant.

Lowrey-Gordon.

Examiner, P.W. Accounts.

404-1107/76 No 1107.

P. W. 1876 Department

From ~~8-3846~~
The Examiner P.W. Works

To The Secretary to Government
P.W. Department

Dated 29th
Recd 30th } May 1876

No 55 W.

Enquiring whether it
is the intention of Govern-
ment to debit the share,
chargeable to the Chem-
brimbakum tank to
to "Revenue Miscellaneous
and Repairs" and the
balance to "Ordinary
Agricultural Repairs"

No 618 Co-

Cir. 28.6.76 Mtd 30.6.76
Depd to Oct 31-5-76

in No. 22

No 1650

Public Works Department.

PROCEEDINGS of the MADRAS GOVERNMENT.

Under date the 30 June 76

Read the following:—

Note by the Chief Eng. for
Irrigation } (No. 79 Wd 26th June 1876)

The Government
approve of the adoption
of the recommendation
that all outlay on the
Keevaram Ancient and
old Bungavoo, which
has been incurred since
the Chembrimbakum
tank project was
undertaken, should
be charged in equal
shares to that project
and to other works
respectively.

2. The Examiner of Accounts will be informed in reply to his reference that the share of expenditure under the estimate of Rs 11,100 chargeable to the Channumbankam tank will as already intimated in G.O. No. 1107 of the 4th May 1876 be debited to Revenue, Maintenance and Repairs, while the share belonging to "other works" will be debited to Ordinary Agricultural Repairs.

3. Should it be found that the irrigation under Zamindary Tanks is liable for any share of the cost of maintaining the Kesavaram ancient and old Bingsar.

15V
the contributions levied will be credited to Ordinary Agricultural.

44.25/6

S. B. Chingaparty ✓
C. E. for J. Smith & Co. ✓
P. L. A. ✓
Recd. Sept. ✓

Detd. from City 24/7/76

4731 CA
86

1001. of 1870

PUBLIC WORKS.

The D. G. Changlepate

1001

1001

1001

30 June 1870

No 618-619

But no P.P.
1001

Keravaram Ancient
old Bungalow - Chingle

But Dr Passing orders on
Note by the Chief P. & for
Inspection regarding the
adjacent of the
masonry, in the ——— which
has been incurred since the
Chemburn bungalow Bank
project was undertaken.