

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	203	(W)	Press
B.P. No.			Mis
Dated	26-1-		1876

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
26th January 1876.*

No. 441 Read the following letter from K F NORDMANN, Esq., Officiating District Engineer, Vizagapatam, to Major-General G W WALKER, R E, Secretary to Government, Public Works Department, dated Camp at Vizianagram, 16th January 1876, No 1,685 —

With reference to G O, No 3,459, dated 7th December 1875, regarding the drainage of the Regimental Lines at Vizianagram, I have the honor to report that the suggestions of the Sanitary Commissioner have been acted on as ordered in G O, No 829, dated 24th March 1875. The drains are running freely, and their connection with the catch-drain has been formed of cut stone. They are not in any way defective, their fall is sufficient, they act satisfactorily, and I have heard no complaints about them.

No. 442 ORDER THEREON, 26th January 1876, No. 203.

MILITARY WORKS, No 11.

ORDERED to be recorded.

(True Extract.)

Major-General, R E,
Secretary to Government

To the District Engineer, Vizagapatam.
" Military Department
" Public

Exd S T. Austin.
Spare Copies

So no 829 7/24/3/75
3659 7/7/2/75

Q. W. 1876
No. 561

The Office without Ceremony
Pragmatism

24
The Secretary to Congress
Washington

Dec 16
Dec 24 January 1876

5891: 1685

Toronto that the surgen-
 -tine of the Standing
 Commissioners regarding
 the damage of the open
 -incidental lines at Williams-
 -green have been asked in
 our meeting in Oct. 18
 829 dated 24. 11. 1882.

N^o 203. 26 June 6.

Recorded.

25.1.76

98 Vizagapatam — 4
Military Dept. — 15
Public Dept. 7

map-3-2-76

N^o 441 - 442

591/
Gobi. of 1876 Madras.

PUBLIC WORKS.

J. B. Vijayapattam

Dated

Received

For

To

G. O. 26 July 1876, No

203

441-442

Represental Lines at Vijay
apattam
Letter from the Brit Engr.
intimating that the suggestions
of the Sanitary Commissioner
regarding the drainage of the
have been acted on
recorded -