

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	2137	Press
B.P. No.		Mis.
Dated	6-8-	876 195

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
16th August 1876. No. 2,137.*

No. 366. Read the following endorsement of the Officiating District Engineer, Presidency, dated 28th July 1876, No. 2,290 :—

From J. N. GRAINGER, Esq., General Superintendent, Public Works Workshops and Stores, to Major P. MONTGOMERIE, R.E., Officiating District Engineer, Presidency, dated Madras, 27th July 1876, No. 1,563.

With reference to your endorsement No. 2,142, dated 22nd July 1876, communicating copy of letter from the Examiner of Public Works Accounts to the Secretary to Government complaining of delay in the submission of the accounts of the Presidency Public Works Workshops for the past official year, I have the honor to state that the accounts were ready some days ago, but a slight error discovered in the closing entries necessitated the whole being gone over again.

2. The error was subsequently discovered, and the accounts were ready for examination on my return from duty to Calicut; they had to be fair copied for submission to the Examiner of Public Works Accounts, and have now been forwarded with this Office No. 1,540, dated 26th July 1876.

SUBMITTED to the Chief Engineer and Secretary to Government, Public Works Department, with reference to G.O., No. 1,903, dated 26th July 1876.

(Signed) P. MONTGOMERIE, Major, R.E.,
Officiating District Engineer, Presidency.

No. 367. ORDER THEREON, 16th August 1876, No. 2,137.

ACCOUNT, No. 26.

HIS GRACE the Governor in Council is not satisfied with the explanation offered by Mr. Grainger. The delay of nearly

four months in the submission of the Workshop Accounts is most unreasonable and should not be repeated.

(True Extract.)

(Signed) G. W. WALKER, Major-General, R.E.,
Secretary to Government.

To the Examiner of Public Works Accounts.
,, District Engineer, Presidency.

Exd. W. H. French.
Spare Copies

PRESIDENCY WORKSHOPS, D. P. W.
Madras, 27 July 1876.

No. 1863

From

THE GENERAL SUPERINTENDENT,
PUBLIC WORKS WORKSHOPS AND STORES,

To

THE *Chief Engineer*
Presidency
Fort Saint George

SIR,

Enclosures.

With reference to your endorsement
of 22nd July 1876, Communicating
Copy of letter from the Engineer of P. W.
to the Secretary to Government
Complaining of delay in the submission
of the accounts of the Presidency Public
Works Workshops for the past Official
Year, I have the honor to state that
the accounts were ready some days
ago, but a slight error discovered
in the closing entries necessitated the
whole being gone over again.

The error was subsequently
discovered and the accounts were
ready for examination on my return
from duty to Calicut; they had to be
fair

105402

W. Meringer
Genl. Sup. Markt- & Hof-Station

Sp. T.
403.

By Order
Jas. F. Farnsworth
off. by: Chas

~~C. ho 5002~~

The *W. Anglin*
W. Anglin

Enclosures.

[illegible]

cc - 122876

No 2137

Public Works Department.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the

16th Aug. 1876

Read the following:—

Endorsement of Mr. Dykes
Dist Engr. Presidency
on letter from the General
Supt. W. Workshops
No: 1563d/24th July 1876
(H.E. No 2290d/28th July 1876.)

His Grace the
Governor in Council
is not satisfied with
the explanation offered
by Mr. Dykes. The
delay of nearly four
months in the submission
of the Workshop Accounts
is most unreasonable
and should not be
repeated.

2.8.76

Mr. Dykes in Person

has fixed
date but as soon
possible after the
close of the Off year

Wm. P.
M. Dykes

187

18 OF THE CONTROLLER OF P. W. ACCOUNTS.

Examt. W. Accounts &
Dist Engr. Presidency.

17
2/9/76

5402

Publ. of 1870
PUBLIC WORKS.

The Examinee of P. W. & C.

18th August 1870

Nov 366 - 367.

Annual Accounts of the
Presidency Public Works
Workshop for the past

Offl year. The explanation
of the ~~explanation~~ ^{explanation} as
latter to the ^{deliberation} submission
of the ——— considered
unsatisfactory —

W. P. W. & C.
4-9-70