M.R.O. 1—10,006—28-2-50.

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No. 2254 Press Original
B.P.—No. —Mis.—

Dated 25-8-1826 —195—.—

Not to be folded or roughly handled

Proceedings of the Madras Government, Public Works Department;
25th August 1876. *No.* 2,254.

No. 582. Read the following letter from R. E. NORFOR, Esq., Officiating District Engineer, Salem, to Major-General G. W. WALKER, R.E., Chief Engineer, Public Works Department, dated Salem, 31st July 1876, No. 63 S. L. :—

In continuation of this office letter, No. 23, dated 1st May 1876, I have the honor to submit an estimate of Rupees 114 (just returned by the Collector) for filling up the pits in the Shandy Tope at Vaniembady where the weekly market is held, and to state that as the pits were dug for the earth required for the groynes, the Collector is of opinion that the necessary funds for filling up the same should be provided for in the estimate for the groyne work. I have seen these pits and think it necessary they should be filled in again.

One Estimate.

No. 583. Order thereon, 25th August 1876, No. 2,254.

CIVIL WORKS, No. 52.

No further sanction to the debit of Provincial can be given, as already stated in G.O., 3rd August 1876, No. 1,978. If the filling in of the pits can be provided for from the estimate sanctioned in that order this may be done.

(True Extract.)

(Signed) G. W. WALKER, Major-General, R.E.,
Secretary to Government.

To the District Engineer, Salem.
" Examiner of Public Works Accounts.
" Chief Engineer for Irrigation.
" Financial Department.

Exd. W. H. French.
Spare Copies

Public Works Department

Salem District — Tirpalore Range — Tirpalore Sub

Miscellaneous Public Improvements — Repairs

Limits & Locality. Near Sub Magistrates Cutcherry Vaiyambady.

Detailed Estimate No 46 of 1875/76

Work. Felling up the pits dug in the Shandy Loam at Vaiyambady

Remarks. Pits were dug on emergency in the Shandy Loam for the purpose of taking earth for the constructions of the groynes in the Cauvery to the Sub Magistrates Cutcherry, and could not be avoided as earth could not be procured elsewhere. The Market is held every 8 days, pits are therefore inconvenient to the public. This estimate provides for felling up the pits with Cauvery sand.

Estimate by whom and when called for. By Ag^t Ex. Collector No 446 dated 9th December 1875

Estimate by whom and when prepared. By Sub Overseer 8 January 1876

Date of Inspection & work by Range Officer 11th January 1876

Public Works Department

Salem District No 5501/75

Tirpalore Range

Sub Division Salem

Vaiyambady Village

Limits & Locality. Close to the Sub Magistrates Cutcherry at Vaiyambady.

Miscl. Pub. Imps. Repairs

Detailed Estimate No 46 of 1875/76

Dated 9th February 1876

Revised

Work. Felling up the pits in the Shandy Loam at Vaiyambady.

Amount of Estimate Rs 114-0-0

5501

District Engineers Off
Salem 3rd July 1876.

From
The District Engineer.
Salem.

To
The Chief Engineer.
D. P. W.

Sir,

In continuation of this Office letter No 23 dated 1st May 1876 I have the honor to submit an estimate of Rs 614 just returned by the Collector for filling up the pits in the Shandy Tope at Vinyambady where the weekly market is held, and to state that as the pits were dug for the earth required for the groynes, the Collector is of opinion that the necessary funds for filling up the same should be provided for in the estimate for the groyne work. I have seen these pits and think it necessary they should be filled in again.

I have the honor to be,
Sir,
Your most Obedient Servant,

A. Thorpe

Offg. District Engineer

Enclosure
1 Estimate

Abstract of Contingent Charges for Filling up Pits in Shandy Tope at Vinyambady

Number in Quantity	Description of Work	Rate	Amount	Total Amount
99 Rs	Carriage of filling earth required, Lead 1/8 yds. 3 yds. Lead	1 9	Rupees 185 11 6	
	from bed of pits			
	Sundries and Supervision charges		5 4 5	
			Total Rupees 190 15 11	190 15 11

Madras Office
3rd February 1876

A. Thorpe
Asst Engineer

Abstract of Contingent Charges for Filling up Pits in Shandy Tope at Vinyambady

Number in Quantity	Description of Work	Rate	Amount	Total Amount
72 Cubic Yards	Carriage of filling earth required, Lead 1/8 yds. 3 yds. Lead	1 9	Rupees 72	
7	Pits on the North side of the Tope		7	
266	Pits on the West side of the Tope		266	
66	Pits on the South side of the Tope		66	
114	Pits on the East side of the Tope		114	
110	Pits on the North side of the Tope		110	
36	Pits on the West side of the Tope		36	
175	Pits on the South side of the Tope		175	
91	Pits on the East side of the Tope		91	
54	Pits on the North side of the Tope		54	
994	Total Cubic Yards		994	

Madras Office
3rd February 1876

A. Thorpe
Asst Engineer

Consultative sanction to the debits Provincial
Contributions as already stated in G.O. 3
August 1876 & 1878 - If the filling in of
the file cards provided for formal sanction
sanction in that order this may be
done. ~~Minute~~

Ly. 15/8/26

Ex 3 Aug 7/76 - Ac 1976

1876
No 55

From The Officiating Civil Engineer
Salem.

To The Secretary to
Government
Public Works Department
Madras

Dated 31st July 1876
Received 2nd August 1876

Sir,

I have the honor to submit an
Estimate for the repairs
with Fascines of the
Bridge across the
Canal at

552

Ch - 21.8.76 Mdd 25.8.76

11 P.

No 2257 Public Works Department.

PROCEEDINGS of the MADRAS GOVERNMENT.

UNDER date the 25th Aug/76.

READ the following:—

From Offg. Dist. Engineer Salem, No. Nr. 63 S.L. dy 31st July/76.

No further sanction to the debit of Provincial can be given, as already stated in G.O. 3rd August 1876, Nr. 1978. If the filling in of the pits can be provided for from the estimate sanctioned in that order this may be done.

Ly. 9/8

Pd.

Dr. Salem
Er. P.W.D.
C.R. for I.
File Cash

Dated 7/9/76

11/8

5501 Ct

Govt. of Madras.

PUBLIC WORKS.

To

The W. C. Salem

Dated

Recd

Encl

G. O. 21 Public No. 2264

Nos. 582 - 583

Shandy Tope at
Varieuba Dy - Salem Dt

Observing that if the
~~work~~ fillings in Stud pots in
the —— can be procured from
the Collectorate sanctioned
in SO No 1970 of 3 Aug 75
the work may be carried
out