

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works

DEPARTMENT

G.O. No.	2795	Press
B.P. No.		Mis.
Dated	18 - 10 -	195
		L876

Not to be folded or roughly handled

12

*Proceedings of the Madras Government, Public Works Department,
18th October 1876. No. 2,795.*

Read the following :—

No. 219-W.

No. 283. *Note by the Chief Engineer for Irrigation.*

THE Officiating District Engineer, Salem, forwards, with his letter marginally noted, an estimate in connection with the Tripatore large tank situated in the Tripatore taluq, No. 3 or Tripatore range.

2. The nature of the work proposed for execution and the heads of account to which it is chargeable are as follow :—

ORDINARY AGRICULTURAL.

Original Works.

	RS.
Constructing a training bank for surplus channel	1,145
Total ...	1,145

3. The following particulars of this tank are recorded :—

Ayacut area	Acres 435
Assessment	Rupees 3,882
Average revenue	" 3,759
Highest do.	" 3,875
Expenditure during the previous four years	" 9,387

The estimate provides for constructing a training bank to keep the surplus water from inundating the fields. The work was undertaken as emergent in anticipation of sanction by the Government, and has been no doubt completed.

The District Engineer should, however, have prepared and sanctioned himself an estimate for the bund, and he should subsequently have included it in the estimate for the tank sanctioned in G.O., No. 1,947, dated 1st August 1876, the sanction to which would have superseded the district sanction.

The foregoing remarks have reference to the fact that, in the absence of the arrangements described, the outlay was for some time reported as objectionable by the Examiner of Public Works Accounts.

(Signed) A. DEC. SCOTT, Major, R.E.,

OOTACAMUND,

13th October 1876.

*Dy. Chief Engineer for Irrigation,
for Chief Engineer for Irrigation.*

To the Secretary to Government, Public Works Department.

No. 284. ORDER THEREON, 18th October 1876, No. 2,795.

IRRIGATION, No. 34.
<i>Account.</i>

THE following estimate from the No. 3 or Tripatore Range, forwarded by the Officiating District Engineer, Salem, is sanctioned.

Proceedings of the Madras Government, Public Works Department,
18th October 1876. No. 2,795.

TRIPATORE LARGE TANK.
Irrigation.

Group or Project.	Fund.	Class.	Name of Tank, Canal, or Channel.	Particulars of Work.	Amount.
...	Ordinary Agricultural.	Original Works.	Tripatore large tank.	Constructing a training bank for surplus channel ...	Rs. 1,145

To be carried out by the Public Works Department Officer in charge Tripatore Range.

2. This sanction has been registered as No. 169 I. of 1876-77.
(True Extract.)

Major-General, R.E.,
Secretary to Government.

To the District Engineer, Salem.
„ Collector of do.
„ Chief Engineer for Irrigation.
„ Examiner of Public Works Accounts.
„ Revenue Department.

Exd. E. C. Shunker.
Spare Copies

E. I. Form No. 9.

OFFICE OF THE CHIEF ENGINEER
FOR IRRIGATION,

Oct 13th 1876.

No. 219-W.

Note by Chief Engineer for Irrigation.

Encls. 5. THE Offg. District Engineer, Salem
forwards, with his letter marginally noted, an Estimate in connection
N. 25 with the Tripatore large Tank situated in the
Dated 28th June 1876. Tripatore Taluq, N. 3 or Tripatore Range.

2. The nature of the work proposed for execution and the heads of account
to which it is chargeable are as follow:—

Ordinary Agricultural
Original Works
Constructing a training bank for
surplus channel - Rs. 1145
Total Rupees 1145

3. The following particulars of this Tank are recorded—

Ayacut area. 435 Acres
Assessment. 3882 Rupees
Average revenue. 3759 Rupees
Highest do. 3845 Rupees
Expenditure during the previous four years. 9387 Rupees

The area of the catchment basin is square miles; the maximum flood supply is calculated at cubic feet per second for discharging which, as surplus there is

The estimate provides for constructing a training bank to keep the surplus water from inundating the fields. The work was undertaken as emergent in anticipation of sanction by the Government, and has been no doubt completed.

The District Engineer should however have prepared and sanctioned himself an estimate for the work and he should subsequently have included it in the estimate for the tank sanctioned in G.O. 1947 dated 1st August 1876, the sanction to which would have superseded the District sanction.

The foregoing remarks have reference to the fact that in the absence of the arrangements described the outlay was for

some time reported as objectionable by the Examiner P.W. accounts.

Amey Scott

Majord.

S. Chief Engr. for Engr.
for Chief Engr. for Engr.

To The Secretary to Govt P.W.

The area of the catchment basin is ~~square miles~~; the maximum flood supply is calculated at ~~cubic feet per second~~ for discharging which, as surplus there is

The estimate provides for constructing a draining bank to keep the surplus water from inundating the fields. The work was undertaken as urgent in anticipation of sanction by the Government, and has been no doubt completed.

The District Engineer should however have prepared and sanctioned himself an estimate for the bund and he should subsequently have included it in the estimate for the tank sanctioned in G.O. 1947 dated 1st August 1876, the sanction to which would have superseded the District sanction.

The foregoing remarks have reference to the fact that in the absence of the arrangements described the outlay was for

some time reported as objectionable by the Examiner P.W. Accounts.

Ans. Scott

Majord.

Chief Engr. for Irrig.
for Chief Engr. for Irrig.

To The Secretary to Govt. P.W.

1876. P.W.D.
2000176
7572

From
The Chief Engineer for Irrigation.
To The Secretary to Government
P. W. D.

Dated 13th October 1876
Enclos. 5
N^o 219-W.

Tripatore Large Tank - Salem
District - Note forwarding
for sanction, estimate for Rs. 1145
for constructing a training bank
for surplus channel of —.

N^o 283

76
P. W. D. Form No. 1
No. 2795 of 18th Oct 76

THE following Estimate from
the N^o 3 or Tripatore Range
forwarded by the District Engineer,
Salem is sanctioned:—

Tripatore Large Tank.

Irrigation.

Group or Project.	Fund.	Class.	Name of Tank, Canal, or Channel.	Particulars of Work.	Amount. Rs.
—	Ordinary Agricultural	Original Works	Tripatore Large Tank	Constructing a training bank for surplus channel.	1145
					To be carried out by the P. W. Depart- ment Officer in charge of the Range.

This sanction has been registered as No. 169. I. of 1876-77.
Amud

7572 (A)

Govt. of 1876 Madras.

PUBLIC WORKS.

To the D. S. Salem

Dated

Issued

Recd.

Encl.

G. O., 18 Oct 1876, No. 2725

Nos. 283/4

~~Trig~~ Trigatue

large Tank - Salem

The Estimate for
constructing a training
bank for surplus
channel of
canal of

Subd. no 10/10
3-11-76

S. Salem
Collector do
C. & P. J. with 5 Cref Encls.
En. P. W. G.
Rev Dept. 15
Dated 2. 11. 76