

(1) Number of pages_____

(2) Date of repair_____

(3) Initials of the Referencer_____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	3020	Press
~~B.P. No.~~		~~Mis.~~
Dated	10. 11.	1876 195

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
10th November 1876. No. 3,020.*

No. 184. Read the following letter from Captain L. CONWAY-GORDON, R.E., Examiner of Public Works Accounts, to Major-General G. W. WALKER, R.E., Secretary to Government, Public Works Department, dated Fort St. George, 6th September 1876, No. 209 W :—

In forwarding the statement of objectionable items in the Irrigation Accounts for the month of May 1876, together with an abstract of the same, I venture to hope that Government will be pleased to pass such orders on the statement as will ensure a closer attention to the rules prescribed as a means towards financial regularity.

2. I addressed Government at some length on this subject in my letter, No. 186 W, dated 22nd August 1876. I will therefore now simply point out that the statement herewith forwarded shows that taking into account only irregularities with respect to estimate exceeding Rupees 200 each, and irregularities with respect to appropriation exceeding Rupees 500 each, the objectionable expenditure during the first two months of the current year was as follows :—

Without estimate	...	...	...	...	...	...	RS. 1,34,258
In excess of estimate	...	...	...	...	...	...	43,376
Without appropriation	...	...	...	...	...	...	52,103
In excess of appropriation	...	...	...	...	...	...	6,337

IMPERIAL—IRRIGATION.—Part I—Irregularities with respect to Estimate.

Item No.	Particulars.	Amount of Estimate.	Expenditure up to Date.	Excess over Estimate.	Expenditure during Month.	Opinion of the District Engineer, with final remarks by Examiner.	Orders by Local Government.
	WITHOUT ESTIMATES.	RS.	RS.	RS.	RS.		
	<i>Bapatla.</i>						
1	Kommamur canal, lower portion, clearing silt.	..	2,218	2,218	676	Not received.	
2	Alleru calingulah shutters..	..	385	385	336	Do.	
3	Kommamur canal ..	..	246	246	245	Do.	
4	Kommamur canal, body walls of inlets.	..	236	236	34	Do.	
5	Alleru calingulah, clearing silt ..	..	347	347	35	Do.	
	<i>Derampore.</i>						
6	Tulasigam Badmapuram Gedda ..	..	255	255	62	Do.	
7	Rushkulia river embankment ..	..	564	564	..	Do.	
8	Musagoi channel ..	..	472	472	191	Do.	
	<i>Bellary.</i>						
9	Tungabadra river channels ..	..	881	881	881	Do.	
10	Yerradakarra tank ..	..	721	721	..	Do.	
	<i>Beswada.</i>						
11	Kistna anicut ..	..	1,049	1,049	791	Do.	
12	Planting grass and erecting groynes.	..	927	927	312	Do.	
13	Ellore canal towpath ..	..	300	300	150	Do.	
14	Repairing Nos. 1, 3, 4, and 5 groynes.	..	614	614	..	Do.	
15	Head sluice, Stoney's valve shutters.	..	1,423	1,423	..	Do.	
	<i>Cuddalore.</i>						
16	Arumpallam tank, closing breaches..	..	297	297	..	Do.	
17	Akkadavalli, reconstructing protective embankment.	..	3,452	3,452	..	Do.	
18	Kandrakottali do. do. do. ..	..	926	926	..	Do.	
	<i>Chingleput.</i>						
19	Alissur tank bund, filling breaches ..	..	302	302	302	Do.	
20	Kuvathur tank ..	..	731	731	..	Do.	
21	Attinjur do. ..	..	340	340	..	Do.	
22	Kalkolam do. ..	..	1,793	1,793	..	Do.	

Proceedings of the Madras Government, Public Works Department,
10th November 1876. No. 3,020.

IMPERIAL—IRRIGATION.—Part I.—Irregularities with respect to Estimate—(Continued).

Item No.	Particulars.	Amount of Estimate.	Expenditure up to Date.	Excess over Estimate.	Expenditure during Month.	Opinion of the District Engineer, with final remarks by Examiner.	Orders by Local Government.
WITHOUT ESTIMATES.		RS.	RS.	RS.	RS.		
<i>Chingleput.</i>							
23	Utramallur tank, supply channel ..	..	393	393	..	Not received.	
24	Pallipattu tank ..	..	231	231	..	Do.	
25	Vadal tank ..	..	242	242	..	Do.	
26	Ayalur tank, emergent repairs ..	..	284	284	..	Do.	
27	Peria Irumbadu, Hissa tank ..	..	212	212	..	Do.	
28	Bukathorai large tank ..	..	207	207	..	Do.	
29	Sithandi tank ..	..	250	250	..	Do.	
30	Athimanam tank ..	..	387	387	..	Do.	
31	Magaral tank ..	..	261	261	..	Do.	
32	Pallambakkam ..	..	302	302	..	Do.	
33	Nattan Karacheru tank ..	..	505	505	..	Do.	
34	Parayan Kolathur tank ..	..	1,154	1,154	..	Do.	
35	Pennagar tank, supply channel ..	..	513	513	..	Do.	
36	Karunakaracheri thangal ..	..	317	317	..	Do.	
37	Chittamur tank ..	..	313	313	..	Do.	
38	Viyavur Velleru tank ..	..	200	200	..	Do.	
<i>Chicacole.</i>							
39	Thandamvalasa Chinterevu calingulah ..	..	205	205	..	Do.	
40	Alkan Pedda Cheruvu calingulah ..	..	226	226	226	Do.	
41	Srikurram branch channel ..	..	373	373	373	Do.	
<i>Chittoor.</i>							
42	Dandapallai tank, dam across the south surplus channel.	..	270	270	270	Estimate sanctioned in July 1876.	
<i>Ellore.</i>							
43	Ring bund near Tallapudi ..	..	1,261	1,261	1,196	Not received.	
<i>Godavery Central Delta.</i>							
44	Polaram irrigation channel of Yenu-gapalli main branch.	..	259	259	259	Do.	
45	Surasanyanam irrigating channel ..	..	917	917	..	Do.	
<i>Godavery Western Delta.</i>							
46	Attali canal, gravelled cattle crossings.	..	269	269	225	Do.	
47	Kakaraparru and Narsapur canal, raising girders, &c.	..	302	302	215	Do.	
48	Kakaraparru and Narsapur canal, raising west bank.	..	3,685	3,685	3,651	Do.	
49	Ellore canal, raising east bank ..	..	330	330	184	Do.	
50	Narsapur canal, Chinchunada channel.	..	2,523	2,523	2,287	Do.	
51	Narsapur canal, Rapaka branch channel.	..	770	770	770	Do.	
<i>Ghooaty.</i>							
52	Tadpatri upper river channel escape.	..	1,063	1,063	177	The estimate has been forwarded to the Chief Engineer for Irrigation and sanction is awaited.	
53	Allur tank, improving calingulah ..	..	320	320	..	Not received.	
<i>Hospetta.</i>							
54	Garagam tank ..	..	212	212	..	Do.	
55	Ramdroog tank ..	..	341	341	..	Do.	
56	Gundamhalli tank, closing breaches.	..	1,911	1,911	..	Do.	
57	Gudikoda tank, supply channel ..	..	296	296	..	Do.	
<i>Kurnool.</i>							
58	Mutkur tank sluice ..	..	1,028	1,028	1,028	Do.	
59	Elgode Ramasamudram tank ..	..	317	317	..	Do.	
60	Pethamullalams tank ..	..	225	225	..	Do.	
61	Kotapalli tank ..	..	292	292	..	Do.	
62	Masavirappa tank ..	..	213	213	..	Do.	
<i>Madanapali.</i>							
63	Davala Cheruvu Thirumaladavara tank.	..	671	671	..	Do.	
64	Virapalli Pedda Cheruvu, waste weir.	..	2,777	2,777	..	Do.	
65	Mathadu Chinnammagiri tank, closing breaches.	..	785	785	..	Do.	
66	Obaldavara Cheruvu tank, waste weir, &c.	..	245	245	..	Do.	

Proceedings of the Madras Government, Public Works Department,
10th November 1876. No. 3,020.

IMPERIAL—IRRIGATION.—Part I.—Irregularities with respect to Estimate—(Continued).

Item No.	Particulars.	Amount of Estimate.	Expenditure up to date.	Excess over Estimate.	Expenditure during Month.	Opinion of the District Engineer, with final remarks by Examiner.	Orders by Local Government.
WITHOUT ESTIMATES.		LS.	RS.	RS.			
<i>Masulipatam.</i>							
67	Kapileswarasapuram branch channel, head sluice.	..	423	423	..	Not received.	
68	Filling holes below Dolarajukodu head sluice.	..	487	487	..	Do.	
<i>Mayaveram.</i>							
69	Velappar banks ..	..	210	210	30	Do.	
70	Temporary Niranikam Establishment.	..	205	205	137	Do.	
<i>Mount.</i>							
71	Namara tank ..	..	1,591	1,591	..	Do.	
72	Ponnammam weir water cushion of Rushi weir.	..	2,027	2,027	127	Do.	
73	Thattam waste weir ..	..	940	940	150	Do.	
74	Rushi weir water cushion north wing wall.	..	293	293	142	Do.	
75	Thamarapakkam anicut, ring bund..	..	268	268	..	Do.	
76	Lime, brick, kilns, and materials at site.	..	847	847	..	Do.	
77	Chembrumbaukum tank bund, raising revetment.	..	516	516	..	Do.	
78	Compensation for land ..	..	26,452	26,452	..	Do.	
79	Thirunirmalai large tank ..	..	274	274	..	Do.	
<i>Nundial.</i>							
80	Onk tank sluices ..	..	915	915	500	Do.	
81	Chinna Davalpur Tunomala tank ..	..	1,542	1,542	..	Do.	
82	Golichinnapalem Pothu Cheruvu ..	..	215	215	..	Do.	
<i>Nellore, Central.</i>							
83	Kalavaya tank sluice ..	..	450	450	208	The plan and estimate have been forwarded to the Chief Engineer for Irrigation. Funds will be allotted at an early date.	
<i>Nellore, Southern.</i>							
84	Golagamudi channel, excavation ..	..	7,366	7,366	45	Not received.	
85	Sarvapalli channel, compensation ..	..	237	237	237	Do.	
86	Idur branch, Pedur regulator constructing rubble revetment.	..	209	209	209	Do.	
87	Golagamudi channel, tunnel in the 2nd mile.	..	531	531	3	Do.	
88	Do. do. do.	..	371	371	..	Do.	
89	Do. do. do.	..	324	324	..	Do.	
90	5th mile.	..	324	324	..	Do.	
91	Kanupentipad, constructing a syphon.	..	2,699	2,699	..	Do.	
92	Vellar channel, constructing a sluice at the head.	..	439	439	..	Do.	
93	Cutting a drainage channel, Pudiparti swamp to Pudiparti tank.	..	351	351	..	Do.	
94	Improving Pantapalem channel ..	..	639	639	..	Do.	
95	Widening and deepening the drainage channel near the aqueduct at Kannartipad.	..	260	260	..	Do.	
96	Main drain ..	..	480	480	..	Do.	
97	Compensation for Golagamudi channel.	..	353	353	..	Do.	
98	Kudithipalem large tank ..	..	204	204	..	Do.	
<i>Pennakonda.</i>							
99	Kundurpi tank ..	..	810	810	..	Do.	
100	Gutur tank, removing body wall ..	..	639	639	..	Do.	
101	Restoration of Errabunahalli tank, compensation.	..	1,290	1,290	..	Do.	
102	Locherla tank supply channel ..	..	1,225	1,225	..	Do.	
103	Hugrul tank ..	..	665	665	..	Do.	
104	Chellapillai tank ..	..	522	522	..	Do.	
105	Mallanur tank ..	..	941	941	..	Do.	

Proceedings of the Madras Government, Public Works Department,
10th November 1876. No. 3,020.

IMPERIAL—IRRIGATION.—Part I.—Irregularities with respect to Estimate—(Continued).

Item No.	Particulars.	Amount of Estimate.	Expenditure up to Date.	Excess over Estimate.	Expenditure during Month.	Opinion of the District Engineer, with final remarks by Examiner.	Orders by Local Government.
	WITHOUT ESTIMATES.		RS.	RS.	RS.		
105	<i>Polur.</i> Purasai tank bund and escape	..	745	745	200	The Chief Engineer for Irrigation mentions the works being under execution in anticipation of the sanction of the estimate in paragraph 10 of his memorandum in G.O., No. 1,462, of the 13th June 1876, the works being both new and repairs. Do.	
106	Purasai tank	..	2,063	2,063	1,941		
	<i>Repali.</i>						
107	Western bank canal	..	300	300	300	Not received.	
	<i>Shermadevi.</i>						
108	Chukkam anicut	..	210	210	210	Do.	
	<i>Sidout.</i>						
109	Wontimetta tank bund	..	750	750	750	Do.	
110	Cheyar river, nanul plantation	..	278	278	..	Do.	
	<i>Sirulur.</i>						
111	Vayalur Ornambedu tank	..	675	675	672	This work was executed on Range Officer's own responsibility. Not received.	
112	Yenathi Nalpakam tank	..	366	366	..	Do.	
113	Kumarasiralapakam tank	..	644	644	..	Do.	
114	Kannempakam tank	..	387	387	..	Do.	
115	Avur tank	..	250	250	..	Do.	
116	Chunambedu tank	..	702	702	..	Do.	
117	Madavoil Bommasamudram tank	..	230	230	..	Do.	
118	Patrapurumbathur large tank	..	238	238	..	Do.	
119	Kakavakkam tank	..	564	564	..	Do.	
120	Narrayanavaram river embankment. ..	..	643	643	..	Do.	
121	Madavoil tank	..	379	379	..	Do.	
	<i>Tanjore.</i>						
122	Dam cross Poigai	..	603	603	360	Do.	
	<i>Tindivanam.</i>						
123	Sathanur large tank bank	..	689	689	..	Do.	
	<i>Tinnevely.</i>						
124	Chattram Puthukolam surplus weir.. ..	..	1,004	1,004	798	This work was executed with the permission of the Chief Engineer for Irrigation in his memorandum No. 24 T N of 13th June 1876. Estimate was submitted for the sanction of Government on the 26th June 1876; since sanctioned. Do. do. on the 28th June 1876.	
125	<i>Tirupatur.</i> Tirupatur large tank, surplus escape. ..	..	4,033	4,033	1,340	This work was commenced on emergency— <i>Vide</i> Cap. XXIV, P. W. New Code, paragraph 4, Sections I and II; since sanctioned. Do. Do.	
126	Tirupatur large tank, inside bund, sluice and irrigation cut.	..	1,044	1,044	5		
127	Madapalli tank, bund and closing breaches.	..	1,675	1,675	347		
128	Kanamandur tank bund	..	628	628	19		
129	Adujur Chellavayen tank	..	364	364	328		

Proceedings of the Madras Government, Public Works Department,
10th November 1876. No. 3,020.

IMPERIAL—IRRIGATION.—Part I.—Irregularities with respect to Estimate—(Continued).

Item No.	Particulars.	Amount of Estimate.	Expenditure up to Date.	Excess over Estimate.	Expenditure during Month.	Opinion of the District Engineer, with final remarks by Examiner.	Orders by Local Government.
	WITHOUT ESTIMATES.	RS.	RS.	RS.	RS.		
130	<i>Velur.</i> Mamandur tank, lower sluice.	..	8,859	8,859	1,350	The Chief Engineer for Irrigation knows that the work is going on, and refers to these repairs as in progress in paragraph 14 of his memorandum in G.O. No. 1,462, dated 13th June 1876. Not received.	
	<i>Virudachalam.</i>						
131	Viranam tank sluices	..	1,484	1,484	146		
	EXCESS OVER ESTIMATES.						
	<i>Beswada.</i>						
132	Constructing a bridge across the high level canal at Perikid.	14,170	14,818	648	..	Do.	
	<i>Cuddapah.</i>						
133	Patha Cuddapah tank	2,300	2,694	394	..	Do.	
	<i>Godavery Eastern Delta.</i>						
134	Dowlaiswaram anicut, filling deep scour in front.	12,010	13,700	1,690	5,650	Do.	
135	Main canal improvements	28,060	30,489	2,429	3,188	Do.	
136	Dowlaiswaram under sluice	6,510	7,075	565	..	Do.	
	<i>Kanham.</i>						
137	Kakerla tank	1,585	2,255	670	..	Do.	
	<i>Masulipatam.</i>						
138	Ainampudi under tunnel	19,000	20,538	1,538	579	Do.	
	<i>Mount.</i>						
139	Surapadu irrigation sluice	5,403	5,776	373	..	Do.	
140	Thirumudivakam communication channel.	1,643	2,481	838	..	Do.	
141	Experimental trial of Stoney's equilibrium valve.	220	552	332	..	Do.	
	<i>Nellore, Southern.</i>						
142	Drainage channel from aqueduct to old Ramareddi channel.	770	1,160	390	260	Do.	
143	Survapally old drain	2,930	4,874	1,944	480	Do.	
144	Survapally and Ramareddi channels, compensation.	3,000	4,473	1,473	..	Do.	
145	Vallur branch, compensation	1,800	2,543	743	..	Do.	
146	Chennur channel, compensation	22,675	23,615	940	..	Do.	
147	Gandavaram channel, emergent repairs.	1,800	2,514	714	..	Do.	
148	Kovur tank	3,165	4,590	1,425	..	Do.	
	<i>Penaikonda.</i>						
149	Gutlur tank, restoration	25,000	25,783	783	..	Do.	
	<i>Rajamahindri.</i>						
150	Constructing a culvert from Jaggampet to Kottapalli.	1,330	1,948	618	..	Do.	
	<i>Repali.</i>						
151	Nizampatam canal, weir to the west bank near Nallavada.	1,080	1,594	514	59	Do.	
152	Sandol tank surplus calingulah improvements.	920	1,809	889	..	Do.	
153	Excavating five irrigation channels from supply channel to Allur tank. ..	665	3,015	2,350	..	Do.	
	<i>Shermadevi.</i>						
154	Rajaodaikolam sluice	750	1,062	312	..	Do.	
	<i>Tirupatur.</i>						
155	Madapalli tank, closing breaches	1,300	1,531	231	..	Do.	

Proceedings of the Madras Government, Public Works Department,
10th November 1876. No. 3,020.

IMPERIAL—IRRIGATION.—Part I—Irregularities with respect to Estimate—(Continued).

Item No.	Particulars.	Amount of Estimate.	Expenditure up to Date.	Excess over Estimate.	Expenditure during Month.	Opinion of the District Engineer, with final remarks by Examiner.	Orders by Local Government.
	<i>Velur.</i>	RS.	RS.	RS.	RS.		
156	Thirupandi tank and supply channel.	6,130	7,315	1,185	..	Not received.	
	<i>Virudachellum.</i>						
157	Pelandorai anicut system head sluice.	6,240	10,050	3,810	180	Revised estimate for the project will be sent up as soon as possible.	
	<i>Walaja.</i>						
158	Pelandorai anicut system ..	2,00,555	2,22,434	21,879	..	Not received.	
	<i>Kaveripakam.</i>						
159	Kaveripakam tank	53,000	54,749	1,749	210	Do.	
160	Restoring a portion of the Palar anicut.	1,35,000	1,35,350	350	..	Do.	

IMPERIAL—IRRIGATION.—Part. II—Irregularities with respect to Appropriation.

Item No.	Particulars.	Amount of Appropriation.	Expenditure of the Year.	Excess over Appropriation.	Expenditure during Month.	Opinion of the District Engineer, with final remarks by Examiner.	Orders by Local Government.
	WITHOUT APPROPRIATION.	RS.	RS.	RS.	RS.		
	<i>Barampuz.</i>						
1	Jellakoi Mahanadi embankment ..	..	739	739	83	Not received.	
	<i>Beswada.</i>						
2	Ryves' Canal, bridge at Nedamanur.	..	851	851	733	Do.	
	<i>Cuddalore.</i>						
3	Bahur tank bund ..	..	699	699	699	Application has been made to Government.	
	<i>Carur.</i>						
4	Pallapalayam channel head and sand sluice.	..	1,366	1,366	772	The work is continued in anticipation of provision of an allotment of funds from the reserve of the current year—Fide G.O. No. 139 of 18th November 1874.	
	<i>Chicacole.</i>						
5	Vumsadara river, Bairi main channel.	..	1,506	1,506	619	Not received.	
	<i>Coimbatore.</i>						
6	Singanallur channel, head sluice ..	..	1,701	1,701	639	The work is continued in anticipation of provision of an allotment of funds from the reserve of the current year—Fide G.O. No. 139, of 18th November 1874.	
	<i>Ellur.</i>						
7	Ring bund near Tallapudi ..	..	1,261	1,261	1,196	Not received.	
	<i>Godavery Eastern Delta.</i>						
8	Main canal improvements ..	..	5,597	5,597	3,138	Do.	
	<i>Godavery Western Delta.</i>						
9	Gonter drain	..	1,280	1,280	1,280	Do.	
10	Kakaraparru and Narsapur canal, raising west bank.	..	3,685	3,685	3,651	Do.	
11	Narsapur canal, Chinchinada channel.	..	2,523	2,523	2,287	Do.	
12	Narsapur canal, Rapaka branch channel.	..	770	770	770	Do.	

Proceedings of the Madras Government, Public Works Department,
10th November 1876. No. 3,020.

IMPERIAL—IRRIGATION.—Part II—Irregularities with respect to Appropriation—(Contd.)

Item No.	Particulars.	Amount of Appropriation.	Expenditure of the Year.	Excess over Appropriation.	Expenditure during Month.	Opinion of the District Engineer, with final remarks by Examiner.	Orders by Local Government.
	WITHOUT APPROPRIATION.	RS.	RS.	RS.	RS.		
	<i>Masulipatam.</i>						
13	Ainampudi under tunnel ..	..	789	789	519	Not received.	
	<i>Mount.</i>						
14	Thamarapakkam anicut ..	..	842	842	502	Do.	
15	Namam tank ..	..	599	599	..	Do.	
16	Gulapakkam tank ..	..	691	691	679	Do.	
17	Jalladampeta tank ..	..	552	552	542	Do.	
18	Red Hills tank bund ..	..	1,262	1,262	27	Do.	
19	Chembrambakum tank bund ..	..	600	600	17	Do.	
	<i>Musuri.</i>						
20	Thiruthalar small tank bank ..	..	1,631	1,631	751	Appropriation made in July 1876.	
21	Mullipadi tank ..	..	623	623	623	Do.	
22	Agenda Kaveri left flood bank, defending sets.	..	1,195	1,195	447	Do.	
	<i>Rajamahendri.</i>						
23	Combined flood bank and road from Rajamahendri to Purushottapatam.	..	3,721	3,721	3,721	Not received.	
	<i>Repali.</i>						
24	Nizampatam canal eastern side channel.	..	1,396	1,396	1,340	Do.	
	<i>Sirulur.</i>						
25	Vayalur Ornambadu tank ..	..	675	675	672	This work was executed on Range Officer's own responsibility.	
26	Rettembedu tank ..	..	1,041	1,041	1,038	Not received.	
	<i>Tinnevely.</i>						
27	Chattram Pudukolam surplus weir ..	..	798	798	798	This work was executed with the permission of the Chief Engineer for Irrigation in his memorandum, No. 24 T N, of 13th June 1876.	
	<i>Tirupatur.</i>						
28	Tirupatur large tank surplus weir ..	..	2,282	2,282	1,340	Not received.	
	<i>Trichinopoly.</i>						
29	Kili voikal branch channel of Nat voikal left bank sluice.	..	542	542	542	Appropriation made in July 1876.	
	<i>Udiarpalayam.</i>						
30	Sripurandan tank surplus weir ..	..	1,703	1,703	400	Do.	
31	Coleroon bed, nanul plantation ..	..	1,545	1,545	1,545	..	
32	Do., removing nanul islands.	..	1,084	1,084	1,084	Appropriation made in July 1876.	
33	Do., removing nanul islands from upper anicut to Thirumalavadi.	..	1,071	1,071	1,071	Do.	
	<i>Velur.</i>						
34	Mamandur tank lower slip ..	..	5,583	5,583	1,350	The Chief Engineer for Irrigation knows that the work is going on; and refers to these repairs in paragraph 11 of his memorandum in G.O. No. 1,462, of the 13th June 1876.	
	EXCESS OVER APPROPRIATION.						
	<i>Ellur.</i>						
35	River margin sloping and planting nanul at Tallapudi.	500	1,138	638	10	Not received.	
	<i>Godavery Eastern Delta.</i>						
36	Dowlaiswaram anicut, filling deep scour in front.	2,000	5,950	3,950	5,650	Do.	
	<i>Walaja.</i>						
37	Kaveripakkam tank ..	13,918	15,667	1,749	210	Do.	

Abstract of Objectionable Items under Imperial Irrigation for Madras Presidency, for May 1876.

*Proceedings of the Madras Government, Public Works Department,
10th November 1876. No. 3,020.*

Abstract of Objectable Items under Imperial and Provincial Accounts

Divisions.	Officers.	IRREGULARITIES AS TO ESTIMATES.				IRREGULARITIES AS TO APPROPRIATIONS.				Miscellaneous Irregularities.
		No Estimates.		Excess over Estimates.		No Appropriations.		Excess over Appropriations.		
		No. of Works.	Amount Expended.	No of Works.	Amount of Estimates.	No of Works.	Amount Expended.	No. of Works.	Excess over Appropriations.	
Architect-Consulting										
Bangalore	Lieutenant C. C. Rawson	5	3,432							
Bapatla	Asst. Commr. Lieut. J. Lever	3	1,231							
Barampur	Lieutenant W. Jackson	2	1,602							
Bellary	Mr. C. J. Peters	5	4,313	1	14,170					
Boswada	Conductor G. E. Wilson	3	4,676							
Cuddalore	Conductor C. Seton			1	2,300					
Cuddapah										
Calicut										
Cannanore	Mr. J. Nicholson									
Canur	Mr. W. F. Donaghae	20	8,937							
Chingleput	Mr. G. R. Leggett	3	804							
Chittoor	N. Ruthnaswami Pillai	1	270							
Cochin	Lieutenant A. Awdry									
Coimbatore										
Coimbatore Irrigation										
Cumbassanum										
Dindigul										
Dumagudum										
East Coast Canal										
Eluru	Mr. J. W. Martin	1	1,231							
Godavery Central Delta.	Mr. J. W. H. Ellis	2	1,176							
Godavery Eastern do.	Lieut. McN. Campbell, R.E.			3	46,580					
Do. Western do.	Lieutenant L. Longley, R.E.	6	7,879							
Golconda										
Guntur	Mr. H. F. Gilby	2	1,383							
Ghooly	Serjeant H. Frankland	4	2,760							
Hospet										
Jeypore Chat	Mr. S. Francis									
Kumbum	Mr. J. C. Johnston	5	2,075							
Kurnool	Mr. C. J. Traill	4	4,478							
Madanapali										
Madras Harbour										
Madura										
Manargudi										

*Proceedings of the Madras Government, Public Works Department,
10th November 1876. No. 3,020.*

Memmuttam ..	Mr. R. Norris ..	2	910	..	..	..	1,539	1	789	..	..	..
Mayavaram ..	Mr. J. Hannan ..	2	416	..	..	..	..	..	..	..	..	..
Mount ..	Captain A. C. Smith, R.E. ..	9	33,208	..	..	..	1,483	6	4,846	..	..	..
Musuri ..	Mr. A. W. Hunter ..	..	..	..	..	..	..	3	3,449	..	..	..
Nagapattinam ..	Mr. J. E. Paul ..	3	2,672	..	..	..	..	..	..	..	..	..
Nandial ..	Mr. G. A. Vardon ..	1	450	..	..	..	..	..	..	..	..	..
Nandusana ..	Conductor T. C. Plummer ..	14	14,468	..	..	..	..	..	..	..	..	..
Nellore, Central ..	Mr. J. A. Fox ..	7	5,992	..	..	..	..	..	..	..	..	..
Do. Northern ..	Conductor J. A. Power ..	2	2,898	..	..	..	..	..	..	..	..	..
Do. Southern ..	T. Parthasardhy Iyengar ..	..	..	..	..	..	..	..	..	..	..	..
Nilgiri ..		..	..	..	..	..	..	..	..	..	..	..
Palghat ..	Mr. J. C. Larmine ..	1	300	..	..	..	..	..	..	..	..	..
Palnad ..	Mr. D. Carlier ..	1	603	..	..	..	..	..	..	..	..	..
Pennakonda ..	Mr. H. C. Berdie ..	2	1,093	..	..	..	..	..	..	..	..	..
Pennar Aicut ..	Conductor J. Schoory ..	11	5,078	..	..	..	..	..	..	..	..	..
Pelur ..	Lieutenant T. Snith ..	..	..	..	..	..	..	..	..	..	..	..
Presidency ..	Lieutenant A. W. Smart, R.E. ..	1	689	..	..	..	..	..	..	..	..	..
Rajamahendri ..	Captain F. Graham ..	1	1,004	..	..	..	..	..	..	..	..	..
Repall ..	Mr. W. Hughes ..	5	7,741	..	..	..	..	..	..	..	..	..
Rolen ..	Mr. C. West ..	..	..	..	..	..	..	..	..	..	..	..
Rhemsudi ..	Captain R. S. Morris, R.E. ..	..	..	..	..	..	..	..	..	..	..	..
Silout ..	Syed Yusuf Sahib ..	..	..	..	..	..	..	..	..	..	..	..
Stores, P. W. ..	Mr. R. J. Lowry ..	1	8,859	..	..	..	..	..	..	..	..	..
Tanjore ..	Mr. C. Vincent ..	1	1,484	..	..	..	..	..	..	..	..	..
Tindivanam ..	Mr. P. O. O'Ratigan ..	..	..	..	..	..	..	..	..	..	..	..
Tinnevely ..	Asst. Commr. W. J. Bevan ..	..	..	..	..	..	..	..	..	..	..	..
Do. Northern ..		..	..	..	..	..	..	..	..	..	..	..
Triplicar ..		..	..	..	..	..	..	..	..	..	..	..
Triplicar ..		..	..	..	..	..	..	..	..	..	..	..
Udumaliam ..		..	..	..	..	..	..	..	..	..	..	..
Udu ..		..	..	..	..	..	..	..	..	..	..	..
Velur ..		..	..	..	..	..	..	..	..	..	..	..
Virudachalam ..		..	..	..	..	..	..	..	..	..	..	..
Vizianagaram ..		..	..	..	..	..	..	..	..	..	..	..
Walaja ..		..	..	..	..	..	..	..	..	..	..	..
Wynad, North ..		..	..	..	..	..	..	..	..	..	..	..
Do. South ..		..	..	..	..	..	..	..	..	..	..	..
Workshop, P. W. ..		..	..	..	..	..	..	..	..	..	..	..
Total ..		131	1,34,258	29	6,59,071	34	52,103	3	16,418	6,337	..	..

(Signed) **L. CONWAY-GORDON, Captain, R.E.,**
Examiner of Public Works Accounts.
Fort St. George,
6th September 1876.

Proceedings of the Madras Government, Public Works Department,
10th November 1876. No. 3,020.

Abstract of the Statement of Objectionable Items in the Accounts of May 1876.

	Expenditure on works relating which there were Government Orders.	Expenditure on works entered in the Statement as sanctioned in July 1876.	Expenditure on works relating which there are no Government Orders.	Total as per Examiner's Statement.
	RS.	RS.	RS.	RS.
Without estimate ...	12,602	270	1,21,386	1,34,258
In excess of estimate ...	3,810	...	29,566	43,376
Without appropriation ...	8,142	7,849	36,112	52,103
In excess of appropriation ...	...	...	6,337	6,337

No. 185. ORDER THEREON, 10th November 1876, No. 3,020.

IRRIGATION, No. 11-A.

Account.

HIS GRACE the Governor in Council is of opinion that the numerous irregularities exhibited in the foregoing statements can for the most part be avoided if proper

arrangements are made by the District Engineers, and he considers it necessary to warn these officers that they will be held personally responsible for breaches of financial rules occurring within their districts which they may be unable to justify.

2. Whenever it may be necessary to carry out work on emergency an estimate should at once be prepared for the work which it may be necessary on the instant to execute, and it should be sanctioned by the District Engineer and the necessary appropriation recorded.

3. The officers now concerned will take immediate steps to remedy the irregularities brought to notice by the Examiner, and they will be expected to justify fully and without delay all those which may appear in the statement of objectionable items for the month of November and following months.

(True Extract.)

(Signed) G. W. WALKER, Major-General, R.E.,
Secretary to Government.

To District Engineers.
To the Chief Engineer for Irrigation.
Examiner of Public Works Accounts.

Exd. E. C. Shunker.
Spare Copies

12	Planting grass and erecting groynes	927	927	312	...
13	Ellur canal. Infallis	300	300	150	...
14	Repairing of No. 1, 2, 3, 4 and 5 groyne	614	614	...	...
15	Strong Mad Shiner, Salu Shutter	1423	1423	...	...
16	Prinipallam tank; closing breaches	297	297	...	...
17	Mhadavally; reconstructing protective embankment	3452	3452	...	...
18	Kandachottali; ...	926	926	...	...
19	Mifour tank bund; filling breaches	302	302	302	...
20	Shivathur tank	731	731	...	...
21	Mthiripia tank	340	340	...	...
22	Kallidolam tank	1793	1793	...	...
23	Vetranallur tank supply channel	393	393	...	...
24	Pallipallur tank	231	231	...	...
25	Kadal tank	242	242	...	...
26	Sigalur tank; emergency repairs	284	284	...	...
27	Telur Chumbachur Mifou tank	212	212	...	...
28	S. Subbathur var get tank	207	207	...	...
29	Sithandi tank	250	250	...	...
30	Mthuniam tank	387	387	...	...
31	Magaral tank	261	261	...	...

Item No.	Particulars.	Amount of Estimate.	Expenditure up to date.	Excess over Estimate.	Expenditure during month.	Opinion of the District Engineer, with final remarks by Controller.	Orders by Local Government.
32	Tallambakkam		302	302		Not received	
33	Thallam Karachew tank		505	505		D.	
34	Parayan Chelathur tank		1154	1154		D.	
35	Tennagore tank supply channel		513	513		D.	
36	Thammakachew Mangal		317	317		D.	
37	Thallam tank		313	313		D.	
38	Thyagar. Vellur tank		200	200		D.	
39	Thandamalak. Chintew. calingulak		205	205		D.	
40	Mikaw Pella chennu calingulak		226	226	226	D.	
41	Prithvaran. Branch channel		373	373	373	D.	
42	Dandapallav tank, dam across the south channel		270	270	270	Estimate sanctioned in July 1873	
43	Thingbudd near Dattapudi		1261	1261	1196	Not received	
44	Godavary Central Delta						
45	Thamiravathi channel off Pungapall main branch		259	259	259	D.	
45	Thamiravathi irrigating channel		917	917		D.	

46	Attala banal, granulated cattle enjenge		269	269	225	D.	
47	Thakaraparam and Thakarapur banal, raising water		302	302	215	D.	
48	Thakaraparam and Thakarapur banal, raising water		3685	3685	3651	D.	
49	Ellur banal, raising water		330	330	184	D.	
50	Thakarapur banal, Thiruvannamalai channel		2523	2523	2287	D.	
51	Thakarapur banal, Thiruvannamalai channel		770	770	770	D.	
52	Dattapattinam supply main channel		1063	1063	177	The estimate has been forwarded to the Chief Engineer for consideration and sanction	
53	Thiruvannamalai tank		320	320		Not received	
54	Thiruvannamalai tank		212	212		D.	
55	Thiruvannamalai tank		341	341		D.	
56	Thiruvannamalai tank, raising water		194	194		D.	
57	Thiruvannamalai tank supply channel		296	296		D.	
58	Thiruvannamalai tank		1028	1028	1028	D.	
59	Thiruvannamalai tank		317	317		D.	
60	Thiruvannamalai tank		225	225		D.	

Item No.

Particulars.

Amount
of
Estimate.Expendi-
ture up to
date.Excess
over
Estimate.Opinion of the District
Engineer, with final remarks
by Controller.

61

Kottapalli (P. S. Quota)

292

292

Not received

62

Kottapalli (P. S. Quota)

213

213

D

63

Kottapalli (P. S. Quota)

671

671

D

64

Kottapalli (P. S. Quota)

2777

2777

D

65

Kottapalli (P. S. Quota)

785

785

D

66

Kottapalli (P. S. Quota)

215

215

D

Masulipatam

67

Kottapalli (P. S. Quota)

423

423

D

68

Kottapalli (P. S. Quota)

487

487

D

Masulipatam

69

Kottapalli (P. S. Quota)

210

210

D

70

Kottapalli (P. S. Quota)

205

205

D

Kottapalli (P. S. Quota)

71

Kottapalli (P. S. Quota)

1591

1591

D

72

Kottapalli (P. S. Quota)

2077

2077

D

73

Kottapalli (P. S. Quota)

940

940

D

75

Kottapalli (P. S. Quota)

268

268

D

76

Kottapalli (P. S. Quota)

847

847

D

77

Kottapalli (P. S. Quota)

516

516

D

78

Kottapalli (P. S. Quota)

2652

2652

D

79

Kottapalli (P. S. Quota)

274

274

D

Masulipatam

80

Kottapalli (P. S. Quota)

915

915

D

81

Kottapalli (P. S. Quota)

1542

1542

D

82

Kottapalli (P. S. Quota)

215

215

D

Kottapalli (P. S. Quota)

83

Kottapalli (P. S. Quota)

450

450

D

The plan and estimate

have been forwarded to

the Chief Engineer for

Irrigation, Masulipatam

he will attend to the early

date.

84

Kottapalli (P. S. Quota)

7366

7366

D

85

Kottapalli (P. S. Quota)

237

237

D

86

Kottapalli (P. S. Quota)

209

209

D

Kottapalli (P. S. Quota)

87

Kottapalli (P. S. Quota)

531

531

D

Kottapalli (P. S. Quota)

Kottapalli (P. S. Quota)

Kottapalli (P. S. Quota)

Kottapalli (P. S. Quota)

Item No.	Particulars.	Amount of Estimate.	Expenditure up to date.	Excess over Estimate.	Expenditure during month.	Opinion of the District Engineer, with final remarks by Controller.
88	Golagamudi channel, tunnel in the 3rd mile		371	371		Not received
89	Golagamudi channel, tunnel in the 5th mile		324	324		D.
90	Kannurpadi, constructing a siphon		2699	2699		D.
91	Mellur channel, constructing a sluice at the head		439	439		D.
92	bitting a drainage channel Pundipatti channel to Pundipatti tank					
93	Improving Pantaipalem channel		351	351		D.
94	Widening and deepening the drainage channel near the aqueduct at Kannurpadi		639	639		D.
95	Main drain		260	260		D.
96	consolidation for Golagamudi channel		480	480		D.
97	Shidilthipalem large tank		358	358		D.
98	Peshackonda		204	204		D.
99	Shindurpe tank		810	810		D.
100	Gullia tank, repairing body wall		639	639		D.
101	distillation of Koralumamballi tank compensation		1290	1290		D.
102	docher tank, sub. channel		1225	1225		D.
103	Chellapillai tank		522	522		D.
104	Mallanur tank		946	946		D.
105	Parasai tank bund and escape		745	745	200	The Chief Engineer for Irrigation mentions that the work is being under sanction in anticipation of the sanction of this estimate, in favor of his Memoirs of 1876, the of the 13th June 1876, the work being both new and repairs.
106	Parasai tank		2063	2063	1941	D. D. D. D.
107	Western Bank canal		300	300	300	Not received
108	Chinnadiv					
109	Chinnadiv		210	210	210	D.
110	Marthimitta tank bund		750	750	750	D.
111	Chennai, canal plantation		275	275		D.

Item No.	Particulars.	Amount of Estimate.	Expenditure up to date.	Excess over Estimate.	Expenditure during month.	Opinion of the District Engineer, with final remarks by Controller.	Orders by Local Government.
111	<i>Spurpur</i> Nagathur Narambidur tank.	.	675	675	672	This work was executed on Range Officers' responsibility. Not received.	
112	Spithur Kalhatham tank.	.	366	366	.	D.	
113	Thumaravallapattam tank.	.	644	644	.	D.	
114	Chamrapattam tank.	.	387	387	.	D.	
115	Spur tank.	.	250	250	.	D.	
116	Chunambidur tank.	.	702	702	.	D.	
117	Madavoil S. Vengrasandram tank.	.	230	230	.	D.	
118	Patraferumballur large tank.	.	238	238	.	D.	
119	Thakavatham tank.	.	564	564	.	D.	
120	Karayanasaram pinner embankment.	.	643	643	.	D.	
121	Madavoil tank.	.	379	379	.	D.	
122	Damavolu Veigai Tanjore Tindivanam	.	603	603	360	D.	
123	Chithammarasur tank.	.	609	609	.	D.	

124	Chattram Chithichalam. Subphusur.	.	1004	1004	798	This work was executed with the permission of the Chief Engineer for Irrigation and his scheme No. 24. Dated 13th June 1876.	12
125	<i>Spurpur</i> Spurpur large tank in the 1004 ft.	.	1033	1033	1340	Schedule was submitted for the sanction of Government on the 26th June 1876. Sanctioned.	40 1882-3 25-7-76
126	Spurpur large tank; inside bund, sluice and irrigation cut.	.	1046	1046	5	D. D. 1876. The 28th June 1876.	
127	Madapalli tank; bund and closing breaches.	.	1675	1675	347	This work was continued on emergency. Vide Chap. XXIV. All this work has been sanctioned. Sanctioned.	
128	Thamarandur tank bund.	.	628	628	19	D. D.	
129	Adiyur Chellavayur tank.	.	564	564	326	D. D.	2

Item No.	Particulars.	Amount of Estimate.	Expenditure up to date.	Excess over Estimate.	Expenditure during month.	Opinion of the District Engineer, with final remarks by Controller.	Orders by Local Government.
130	<i>Vidur</i> Mamandur tank towards Chinnur		8859	8859	1350	The Chief Engineer for Irrigation knows that the work is going on, and refers to the repairs in progress in para 10 of his letter in G. O. No. 1162 dated 13th June 1976.	
131	Vinnar tank, Chinnur		1482	1482	146	Not received	
132	Constructing a bridge over the high level canal at Chinnur						
133	Tallur Buddalapaly tank by Government	2300	4694				
134	Godanary Eastern Delta						
135	Doulavaram, filling deep	17010	13700	1690	5650		
136	Mairabagal improvements	25060	20889	2429	3188		
137	Doulavaram under sluices	6510	7075	565			
138	Thakur tank	1535	2255	670			
139	Mairabagal	19000	20538	1538	579		
140	Surapadu irrigation scheme	5463	5776	313			
141	Thirumuduvadu communication channel	1613	2101	838			
142	Superintendent's trial of storage equilibrium valve	220	552	332			
143	Drainage channel from Godanary to old St. Mary's channel	770	1160	390	560		
144	Saravalli old drain	2930	4874	1944	1180		
145	Saravalli and Vinnar channels, compensation	1000	1473	473			
146	Tallur Doanah, compensation	1800	2523	723			
147	Chinnur channel, compensation	22675	23615	940			
148	Godavaram channel, emergency repairs	1800	2514	714			
	Thakur tank	3165	4590	1425			

Item No.	Particulars.	Amount of Appropriation.	Expenditure of the year.	Excess over Appropriation.	Expenditure during month.	Opinion of the District Engineer, with final remarks by Examiner.	Orders by Local Government.
	<i>Chickkhal</i>						
5	Thuradara river, Birir river channel		1506	1506	619	Not received	
	<i>Crimbatare</i>						
6	Dingavallur channel head sluice		1701	1701	539	Spec. work is continued	
						in anticipation of provision of an allotment of funds from the reserve of the current year's work	
						G.O. 8739 of 15th November 1894.	
	<i>Elkur</i>						
7	Ring bund near Talloppudi		1261	1261	1196	Not received	
	<i>Godavery Eastern Delta</i>						
8	Main Canal improvements		5597	5597	3133	Do	
	<i>Godavery Western Delta</i>						
9	Spent drains		1280	1280	1280	Do	
10	Thakaraiparu & Narasapur Canal, raising the head		3635	3635	3651	Do	
11	Narasapur Canal; Chivukunda channel		2523	2523	2287	Do	
12	Narasapur Canal, Rajada branch channel		770	770	770	Do	
	<i>Measulapattam</i>						
	<i>Measul</i>						
14	Narasapurakham amount		862	862	502	Do	
15	Narasapur tank		599	599		Do	
16	Gundapakkham tank		691	691	679	Do	
17	Golladampeta tank		552	552	542	Do	
18	Red Hills tank bund		1262	1262	27	Do	
19	Chembambakkham tank bund		600	600	17	Do	
	<i>Measul</i>						
20	Thiruthalur small tank bund		1631	1631	751	Appropriation made in July 1896	
21	Meethypadu tank		623	623	623	Do	
22	Agunda River left flood bank, depending on Rajamandri		1195	1195	447	Do	
23	Combined flood bank and road from Rajamandri to Burushottapattam		3721	3721	3721	Not received	
	<i>Measul</i>						
24	Nizampattam Canal Eastern side channel		1396	1396	1310	Do	
25	Vagalar Orumbadu tank		675	675	672	This work was executed on Rajamandri	
						Officers' own responsibility	
26	Reddambudu tank		1071	1071	1038	Not received	

Item No.	Particulars.	Amount of Appropriation.	Expenditure of the year.	Excess over Appropriation.	Expenditure during month.	Opinion of the District Engineer, with final remarks by Controller.	Orders by Local Government.
27	<u>Surroundings</u> Challanur Budakolam Surplus weir		798	798	798	This work was executed with the permission of the Chief Engineer for Irrigation in his letter No. 26, dated 15th June 1876.	
28	<u>Surroundings</u> Surplus tank surplus weir		2282	2282	1340	Not received	
29	<u>Trichingopoly</u> North Noidai branch channel of N. N. Canal left bank sluice		562	562	562	Appropriation made in July 1876	
30	<u>Udarpalayam</u> Surplus tank surplus weir		1703	1703	600	Do	Do
31	<u>Colerum bed</u> Canal plantation		1515	1515	1515		
32	<u>Colerum bed</u> removing manal is lands		1086	1086	1086	Appropriation made in July 1876	
33	<u>Colerum bed</u> trimming manal is lands from upper						
34	<u>Valur</u> Manamandir tank lower sluice		5583	5583	1350	The Chief Engineer for Irrigation knows that the work is going on and reports that the repairs are in progress in parish of his letter in P. O. No. 85 dated 12th June 1876	
<u>Excess over Appropriation</u>							
35	<u>Colerum</u> River margin sloping and planting manal at Tallapudi	500	1138	638		Not received	
36	<u>Godavari, Eastern Delta</u> Dowdihwaras ancient filling deep were in front	2000	5950	3950	5650	Do	
37	<u>Wairia</u> Kaveripakkam tank	13918	15667	1749	210	Do	
		22	26324	2	1490	1042	1712

C. 19

P. W. D.

Ranges.	Officers. Names. Designations.		IRREGULARITIES AS TO ESTIMATES.				IRREGULARITIES AS TO APPROPRIATIONS.				Miscellaneous Irregularities.		
			No Estimates.		Excess over Estimates.		No Appropriations.		Excess over Appropriations.				
			No of Works.	Amount Expended.	No of Works.	Amount of Estimates.	No of Works.	Amount Expended.	No of Works.	Amount of Appropriations.			
Coimbatore Irrigation			42	25324	2	11470	102		6	6762			
Cumbacōnam													
Dindigul													
Dharmagudiam													
East Coast Canal													
Elur			1	1261					1	1261	1	500	630
Jodavari Central Delta			2	176									
Do. Eastern do.					3	46500	460		1	5597	1	2000	3900
Do. Western do.			6	7079					1	8050			
Idcondi													
Idantur													
Idali			2	1263									
Idupetta			4	2760									
Jeypur Ghāt													
Kaibam													
Madanapali													
Madras Harbor													
Madura													
Manargudi													
Mangalūr													
Masulipatam			2	900	1	19000	1530		1	709			
Māyavaram			2	115									
Mount			9	33200	3	7326	1403		6	4506			
Musuri									3	3409			
Nāgapatam													
Nandīāl			3	2672									
Nandigamā													
Nellūr, Central			1	1500									
Do. Northern													
Do. Southern			14	14400	7	26400							
Nilgiri													
Pālgāt													
Pālnād													
Penaikondā			7	2992	1	25770							
Pennēr Anicat			2	2000									
Pōlūr			106	107159	10	152101	9417		22	31662	2	2500	4500

Abstract of Objectionable Items (Inner sheet).

Madras,

May

1876.

Divisions.	Officers.		IRREGULARITIES AS TO ESTIMATES.						IRREGULARITIES AS TO APPROPRIATIONS.						Miscellaneous Irregularities.
	Names.	Designations.	No Estimates.		Excess over Estimates.		No Appropriations.		Excess over Appropriations.		No Appropriations.		Excess over Appropriations.		
			No. of Works.	Amount Expended.	No. of Works.	Amount of Estimates.	Excess Expended.	No. of Works.	Amount Expended.	No. of Works.	Excess over Appropriations.	No. of Works.	Excess over Appropriations.		
Presidency			106	107259	10	182106	9417	22	2064	2	2570	1000			
Puttūr															
Bājamahndri	Mr. J. de Lamine	Asst. Engineer			1	1330	608	1	3721						
Rāpali	Mr. D. Karat	Sub-Engineer	1	300	3	2665	3025	1	1396						
Salem															
Shermādevi	Mr. M. de B.	Superintendent	1	210	1	750	312								
Sidout	Mr. J. de B.	Superintendent	2	1020											
Sirulūr	Mr. J. de B.	Asst. Engineer	11	5170				2	1716						
Stores, P. W.															
Tanjore	Mr. J. de B.	Asst. Engineer	1	603											
Tindivanam	Mr. J. de B.	Asst. Engineer	1	609											
Tinneveli	Mr. J. de B.	Asst. Engineer	1	1006				1	790						
Do. Northern															
Tirupatūr	Mr. J. de B.	Superintendent	5	7744	1	1300	231	1	2202						
Trichinopoli	Mr. J. de B.	Superintendent	2	500				1	542						
Udaipur	Mr. J. de B.	Superintendent						1	5403						
Usatūr	Mr. J. de B.	Superintendent													
Vēlūr	Mr. J. de B.	Asst. Engineer	1	8859	1	6130	1105	1	5583						
Virudachalam	Mr. J. de B.	Asst. Engineer	1	1000	2	206795	25609								
Vizianagaram															
Walajā	Mr. J. de B.	Asst. Engineer			2	100000	2099			1	15910	1749			
Waināl, North															
Do. South															
Workshop, P. W.															
Total			131	134250	29	559071	1337634	52103	3	16410	6337				

FORT SAINT GEORGE,

5th September 1876.

Examiner, Public Works Accounts.

Superintendent



P.W.D.
7 SEP 76
6484

From

The Examiner,
Public Works Accounts,
Madras,

To

The Secretary to Government
The Accountant General,
Public Works Department.

Dated

6th

September 1876.

Received

Enclosure.—Statement of Serious Irregularities.

MADRAS PRESIDENCY.


Abstract of Objectionable Items, under
Imperial Irrigation for *May*
1876.

P. W. D. Form No. 50, Imperial Irrigation, Part I.

PART I.—Irregularities with respect to Estimate.

Imperial Irrigation

Item No.	Particulars.	Amount of Estimate.	Expenditure up to date.	Excess over Estimate.	Expenditure during month.	Opinion of the District Engineer, with final remarks by Examiner.	Orders by Local Government.
	<i>Without Estimate</i>						
	<i>Paipattas</i>					<i>Not received</i>	
1	Kommanur banal lower portion, clearing fill	.	2218	2218	676	<i>Do</i>	
2	Allur calingulah shutters	.	385	385	336	<i>Do</i>	
3	Kommanur banal	.	246	246	245	<i>Do</i>	
4	Kommanur banal body walls of Inlets	.	236	236	34	<i>Do</i>	
5	Allur calingulah, clearing fill	.	347	347	35	<i>Do</i>	
	<i>Sarampur</i>						
6	Julagaram Badnapuram dyddas	.	255	255	62	<i>Do</i>	
7	Rushikula, river embankment	.	564	564	.	<i>Do</i>	
8	Muvagur channel	.	472	472	191	<i>Do</i>	
	<i>Bellary</i>						
9	Tungabadra river channel	.	881	881	881	<i>Do</i>	
10	Guradacharya tank	.	721	721	.	<i>Do</i>	
11	Khetra, Porunt	.	1049	1049	791	<i>Do</i>	



P.W.D.

7 SEP 76

[Cr. Wks. Form No. 2.]

No. 2096

From

THE CONTROLLER,
PUBLIC WORKS ACCOUNTS,

To

The Secretary to Government,
Public Works Department,
FORT SAINT GEORGE, 6th September 1876.

From

The Examiner,
Public Works Accounts,

To

The Secretary to Government,
Public Works Department,
Fort Saint George.

Dated

6 Sept } 1876.

Recd.

No. Forwards for the orders of the Local
Government a Statement of Objectionable
Items in the Accounts of Executive Officers for
the month of May 1876,
under Imperial, Irrigation.Lowway-Jordan

Examiner, P. W. Accounts.

Sir,

In forwarding the Statement of objectionable items in the Irrigation Accounts for the month of May 1876, together with an abstract of the same, I venture to hope that Government will be pleased to pass such orders on the Statement as will ensure a closer attention to the rules prescribed as a means towards financial regularity.

I addressed Government at some length on this subject in my letter No. 156 W. dated 22nd August 1876. I will therefore now simply point out that the Statement herewith forwarded, shows that taking into account only irregularities with

with respect to estimate exceeding Rs 200 each, and irregularities with respect to appropriation exceeding Rs 500 each, the objectionable expenditure during the first two months of the current year was as follows:-

without estimate— Rs 134,258

in excess of estimate— 43,376

without appropriation— 52,103

in excess of appropriation— 6,337

I have the honor to be,

Sir,

Your most obedt Servant

Lowry Gordon

Examiner, P.W. Accounts

49
Abstract of the Statement of objectionable items in the accounts of May 1876.

Particulars	Amounts Entered in the Statement relating to works on which Govt have been passed	Expenditure on works on which no orders as per Examiners Statement	Total
Works Without Estimate	12602	270	121386 134258
In excess of Estimate	3810	39566	43376
Without appropriation	3080	7849	41174 52103
In excess of appropriation	"	6337	6337

Prepared by
B. Ramaswamiyer
Clerk.—
28.9.76.

* The L.Os have been quoted in the Examiners Statement
A.I.P.
28/9

29
Abstract of the Statement of objectionable items in the accounts of May 76.

Particulars	Expenditure on works relating to which there were Govt orders	Expenditure on works entered in the Statement as sanctioned on 27/5/76	Expenditure on works relating to which there are no L.Os	Total as per Examiners statement	
Without Estimate	12602	270	121386	134258	✓
In excess of Estimate	3810	"	39566	43376	✓
Without appropriation	8142	7849	36112	52103	✓
In excess of appropriation	"	"	6337	6337	✓

A.I.P.
29/9/76
29.9.76


From

T.W.D.

72EP76
No. 5444

The Examiner

P.W. Accts.



to Mr C

The Secy: to Govt.

P.W. Dept

Dated 6th September 76

No 2097.

Forwards Statement of
Chas. Stens (Irrigation)
with a remark that the
Govt. will pass an order
to ensure financial
regularity.

No 184

lin 8-11-76
Repts to Chas 8-9-76

Record No 3020 710 No 11

Here the following letter
for the Examiner P.W. Accts
dated 6th Sept. 1876. No. 2094
forwarding a statement of
objectionable items in the
Inspection Accounts for
May 1876

His Grace the Governor in
Council is of opinion that
the numerous irregularities
exhibited in the foregoing
statement can for the most
part be avoided if proper
arrangements are made
by the District Engineers
and he considers it
necessary to warn these
Officers that they will

be held personally responsible for breaching financial rules during within their Districts that they may be unable to justify.

2 Whenever it may be necessary to carry out work on emergency an estimate should also be prepared for the work which it may be necessary on the instant to execute & it should be sanctioned by the District Engineer & the necessary appropriation recorded.

3 The Officers now concerned will take immediate steps to remedy the irregularities

longest to notice by the Engineer and they will be expected to justify fully and without delay all those which may appear in the statement of objectionable items for the month of November & following months.

Adm.

4.4/10

Adm.

St. Engrs.
C. Engrs.
En. S. W. K.

23-11-78

No 184/5

To Chynges. J.
To L. C. Mra
To all distant layers
To all distant layers
To all distant layers

6484
Govt. of 1876 Madras.

PUBLIC WORKS.

To

Dated

Issued

Recd

Encl.

G. O., 1876, No. 320

Nos. 154/5

Accounts - Passing orders
on statement of objectionable
items in the Irrigation Accts.
for May 1876, forwarded
by the Examiner of
P.W. Accts.