

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE

Government of Madras

Public Works DEPARTMENT

G.O. No.	49	(2)	Press
B.P. No.			Mis.
Dated	60-1-		1876

Not to be folded or roughly handled

*Proceedings of the Madras Government, Public Works Department,
10th January 1876.*

Read the following papers:—

No. 97. From Colonel A. S. MOBERLY, R.E., District Engineer, Cuddapah, to Lieutenant-Colonel J. MULLINS, R.E., Chief Engineer for Irrigation and Joint Secretary to Government, Public Works Department, dated Camp at Kaderi, 10th May 1875, No. 298.

I HAVE the honor to forward the accompanying estimate,* specification and report with section and plan, amounting to

* All to be returned.

Rupees 2,330, for constructing a weir in

the bund of Madthadoo Kristnareddy Tank, Royachoty taluq, and to request you will obtain sanction for the same at an early date.

2. The necessity for this work is fully stated in the report and the section which accompany the estimate in question; an ayacut account is also enclosed.

3. I have ordered the work to be commenced in anticipation of sanction, as it is necessary to have it completed before the rains come on.

No. 97-A. From the same Officer, dated Camp at Pullumpett, 19th August 1875, No. 1,104.

IN reply to your memorandum, No. 555, of 22nd May 1875, I have the honor to inform you that the idea of moving the weir as you mention had struck me also; but on my speaking about it to Mr. Supervisor Schoury, who had prepared the plan, I learnt that he had previously calculated the cost of altering the site, and found that it and the filling up of the breach cost more.

2. On receipt of your memorandum, I at once sent a copy for the report of the present sub-divisional officer, who in reply stated, "to move the waste weir 100 feet to the left would entail the necessity of filling the present breach at old waste weir, besides having to cut out at least 7 feet deep of hard soil in front of and in rear of proposed waste weir, as the ground rises to the level of tank bund at the place where the Chief Engineer proposes to construct it."

3. As the work had been begun, as reported in the last paragraph of my letter, No. 298, of 10th May 1875, I let it go on, and having now examined the place, am of opinion that it would not have been cheaper to alter the site; as Serjeant Supervisor Taylor's estimate for filling the breach alone came to about Rupees 1,400, and as good soil to make a puddle wall would have to be brought some distance, I doubt whether the work could have been done properly for that sum.

4. The existing weir of 50 feet to which you refer was constructed in mud and was shaken, and so in the estimate it was provided to pull it down and rebuild it.

5. As regards paragraph 3, I learn that very little, if any more, land could be brought under cultivation.

N.B.—No longitudinal section of the bund was made at the same time as the sections of the weir.

No. 97-B. From the same Officer, dated Cuddapah, 25th November 1875, No. 1,829.

IN continuation of my No. 1,104, dated 19th August 1875, I have the honor to submit an abstract estimate, specification, &c., for constructing a weir in the bund of Madthadoo Kristnareddy Tank in Royachoty taluq, amounting to Rupees 2,330, for early sanction. The work is nearly completed.

Proceedings of the Madras Government, Public Works Department,
10th January 1876.

No. 98. ORDER THEREON, 10th January 1876, No. 49.

IRRIGATION, No. 7-A.
Account.

THE estimate of Rupees 2,330 for constructing a surplus weir to the Mad-thadoo Kristnareddy Tank is sanctioned under the circumstances explained in

the correspondence between the District Engineer, Cuddapah, and the Chief Engineer for Irrigation.

2. The average cultivation and revenue of the tank are reported to be as follow:—

								Acres.	Rupees.
Government	...	...	...	...	...	...	...	86	786
Inam	...	...	...	...	...	...	...	24	293
Total	...	...	...	...	...	...	...	110	1,079

The work will be chargeable to Capital.
(True Extract.)

Major-General, R.E.,
Secretary to Government.

To the District Engineer, Cuddapah.
" Collector of
" Chief Engineer for Irrigation.
" Controller of Public Works Accounts.
" Revenue Department.

Exd. E. C. Shunker;
Spare Copies

No. 1829

Cuddapah District
Engineer's Office
Dated 25th November 1875

From

The District Engineer
Cuddapah

To

The Chief Engineer
for Irrigation
Madras.

Sir

In continuation of my No. 1104 dated 19th August 1875. I have the honor to submit an Abstract Estimate, Specification &c. for constructing a weir in the bed of Mad-thadoo Kristnareddy tank in Rayachoty Taluk amounting to Rupees 2,330 for early sanction. The work is nearly completed.

I have the honor to be
Sir

Your most obedt. servant

W. H. Col. R. E.
District Engineer

From W.E. Connelley on 290 - 10 May 75
 20. " " on 5532 22-do
 From " " " 1104 - 17 Aug.
 20 " " " 1176 - 8 Oct.
 From " " " 1929 - 25 Nov.

Estimated of Rufus 2230 for
 constructing a surplus weir ^{to the} ~~the~~ ^{sanctioned} ~~the~~
 Kistner's tank is under the cir-
 cumstances explained in the correspondence
 between the W.E. Connelley & the
 Chief Engineer for I., ^{sanctioned} ~~the~~
 The average ^{Cultivation &} revenue of the tank are
 reported to be as follows

Government acres	86	- Rufus 286
Income	" 24	" 293
Total	" 110	" 1079

The work will be chargeable to Capital

by 30/12/75-

From W.E. Connelley on 290 - 10 May 75

From W.E. Connelley
 The District Engineer
 Lucknow
 28

Chief Engineer
 for the
 Government.

Estimated of Rufus 2230 for
 constructing a surplus weir ^{to the} ~~the~~ ^{sanctioned} ~~the~~
 Kistner's tank is under the cir-
 cumstances explained in the correspondence
 between the W.E. Connelley & the
 Chief Engineer for I., ^{sanctioned} ~~the~~
 The average ^{Cultivation &} revenue of the tank are
 reported to be as follows

From W.E. Connelley on 290 - 10 May 75

No. 49

Irres. P. B. Dept. 6
Acct.

Proceeding of the Madras Government
10th Jan 76.
Read the following.

From

The Dist. Engr. Guddapah (1829 of 25th Nov 75)
N.E. No 298 of 10th Aug 1875
N.E. No 1104 of 19th Aug 1875

The estimate of Rupees 2330 for constructing a surplus weir to the Madhadoo Kistnareddy tank is sanctioned under the circumstances explained in the correspondence between the District Engineer, Guddapah, and the Chief Engineer for Irrigation.

The average cultivation and revenue of the tank are reported to be as follow

follow.

Government acres 86. Payers 786.

Inam — " — 24 — " — 293

Total — 110 — " — 1079

The work will be charge-

-able to Capital.

W. 4/1

W. 4/1

To The District Cuddalore
— Chief Insp. for Irrigation
— Controller of P. W. Works

97-98

+ with 9 Encls.

Dispa. 19-1-76

76
Sect. of 1876

PUBLIC WORKS.

In

Dist: Wuz Buddapah.

D-1

D-2

D-3

D-4

G. O.

10 June 1876

97-98

Surplus Water to the Irrigation
Kishoreddy Tank, Chittagong
Dist — The Estimate of Rs.
2330 for Constructing & —
Sanctioned —