

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.

G.O. No. 1393 (2)	Press <u>Mis.</u>
Dated 24-4-	1877.

Not to be folded or roughly handled

10

*Proceedings of the Madras Government, Public Works Department,
24th April 1877. No. 1,393.*

No. 552. Read the following letter from Colonel A. S. MOBERLY, R.E., District Engineer, Cuddapah, to the Chief Engineer for Irrigation, dated Cuddapah, 9th February 1877, No. 2,544 :—

With reference to paragraph 3 of G.O., No. 1,875, dated 25th July 1876, I have the honor to forward herewith a copy of letter, with a statement, from the Collector, furnishing explanation relating to the falling off in the cultivation under Deendareepalli Goorumgoompla Tank in Fasli 1281 instead of 1280 on account of deficient rainfall.

Copy of a letter from J. F. PRICE, Esq., Acting Collector of Cuddapah, to Colonel A. S. MOBERLY, R.E., District Engineer of Cuddapah, dated 5th February 1877, No. 37.

Referring to your letter No. 1,032, dated 11th August 1876, I have the honor to state that the particulars of revenue, &c., under the Goorumgoompulli Tank given in G.O., No. 1,875, dated 25th July 1876, in clause 3 of the Note by the Chief Engineer for Irrigation therein printed, are not correct. I enclose a copy of the correct statement now obtained from the Tahsildar, from which it will be seen that the falling off in the cultivation and revenue is confined to Fasli 1281 only, and that owing to deficient rainfall. The Curnam's explanation is also enclosed, and the Tahsildar cannot say when and how you obtained the information referred to in the Government Order.

No. 553. ORDER THEREON, 24th April 1877, No. 1,393.

IRRIGATION, No. 56.

RECORDED. It is observed that the revenue information given with the estimate which was sanctioned in G.O.,

No. 1,875, of the 25th July 1876, was very inaccurate. If the Irrigation Registers had been kept up to date according to orders and duly consulted, the mistake could hardly have occurred.

(True Extract.)

Lieut.-Col, R.E.,
Joint Secy. to Govt., P.W.D.,
Irrigation Branch.

To the District Engineer, Cuddapah.
„ Chief Engineer for Irrigation.
„ Revenue Department.

Exd. S. T. Austin.
Spare Copies

N^o 1393

Public Works Department.

PROCEEDINGS of the MADRAS GOVERNMENT.

UNDER date the 24th April 1877

Read the following:—

Letter from the Dist^t } (H.E. No. 2524 - 9 Feb'y 1877)
 Engineer Cuddapah.

Recorded. It is observed
 that the revenue informa-
 -tion given with the esti-
 -mate which was sanc-
 -tioned in G. O. No. 1875 of
 the 25th July 1876 was very
 inaccurate. If the Irriga-
 -tion registers had been
 kept up to date accord-
 -ing^t orders and duly
 consulted, the mistake
 could hardly have occurred.

To Dist^t Engr. Cuddapah ✓
 - Chaf^r Engr for Irrigation with 2 Rs
 - Rev. Deptt. - ✓
 (11/11) WSP - 4. 8. 77

M. 14/4

103940

Govt. of 1877 Madras.

PUBLIC WORKS.

To

The H. E. Cuddalore

Dated

Issued

Recd.

Encl.

G. O., 24th April 1877, No. 1393

Nos. 552 - 553

Deendareepathi Goorum
goompla Tank, Cuddalore

Dr Papers furnishing
Explanation regarding the
falling off in the cultiva-
tion under the — since
July 1281. Recd with
Remarks

Conf. in P. G.