

(1) Number of pages _____

(2) Date of repair _____

(3) Initials of the Referencer _____

MADRAS RECORD OFFICE.

Government of Madras.

Public Works DEPARTMENT.

G.O. No. 278	Press Mis.
Dated 20-11-1877.	

Not to be folded or roughly handled

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

20th June 1877, No. 278 W.

Buildings and Roads
Civil Works

Read the following paper —

No 195 Telegram from the District Engineer, Nellore, to the Secretary to Government, Public Works Department, Madras, dated 14th June 1877.

SOUTH of Pennair river 11th, 2,880 North of Pennair river, Ramathertham, 11th, 3,671 Iskapally, 10th, 6,862. Tummalapenta, 11th, 6,934 Ramayapatam, 11th, 10,055 Karedu, 10th, 2,861. Total 30,383. Pakala, 10th, 1,839 Etamukula, 9th, 5,718 Kottapatam, 11th, 1,949. Kanuparthi, 9th, 3,635 Total 13,141. Grand Total 46,404 Coolies returning freely after storm of 19th May, much water still to contend with, rainfall on 10th and 11th instant 23 inches will add to canal troubles, but improve prospects of district immensely, anicut channels flowing more or less since 19th May are now flowing full, and one foot of water over anicut Many tanks full, all have received one-third to full supply average of tanks two-thirds full. Rice bazaars along canal supplied fairly well, but much rice very bad quality.

No. 196. ORDER THEREON, 20th June 1877, No. 278 W.

THE District Engineer will instruct all Canal Officers to report to the Civil authorities on the spot if any unwholesome rice is offered for sale.

(True Extract)

(Signed) E. A. FOORD, Colonel, R.E.,
Secretary to Government, P.W.D

To the District Engineer, Nellore.

Exd E C Shunker
Spare Copies

15 JUN 77

5867

NR

From
The District Engineer Sillars
Dated 14 June 1977

Circulated for information
To His Grace the Governor
Huddersfield

EAT

WJ
14.6.77

WJ
14/6/77

20 June 1977

24 JUN 77

Post Copy of Service Telegrams.
 From. Nellore.
 District Engineer.
 To. Madras.
 Works.

Dated the 13th June 1877.

South of Pennair River	11 th	2,880
North of Pennair River		
Ramatheertham	11 th	3,671
Iskapally	10 th	6,862
Tummalapenta	11 th	6,934
Ramayapatam	11 th	10,055
Karedu	10 th	2,861
Total		30,383

Dakaloo	10 th	1,839
Etamukhula	9 th	5,718
Kottapatam	11 th	1,949
Kanuparthi	9 th	3,635
Total		13,141

Grand Total 46,404

Coolies returning freely after storm of
 19th May. Much water still to contend
 with. Rain fall on 10th and 11th instants

2.3 inches, will add to canal troubles,
 but improve prospects of District
 immensely. Annicut Channels, flowing
 more or less since 19th May, are now
 flowing full, and one foot of water
 over annicut. Many Tanks full,
 all have received $\frac{1}{3}$ ^d to full supply.
 Average of Tanks $\frac{2}{3}$ ^d full, Rice-
 Bazaars along canal supplied.
 Fairly well, but much rice very
 bad quality. -

Whunpuey

District Engineer

Nellor
 14th June/77

11th June
 211.5

101.51

101.51

101.51

101.51

I enclose the ...
 ...
 ...

11.02.11.27.18

From
The District Engineer
of Bell. or
To The Secretary
to Government
P.W. Dept.
Fort St George

Dated 14th June 1877
Recd

Post Copy of Services
to be given dated 13th
June 1877 regarding
the Coolies employed
on the East Coast Canals

G.O. 278. W. 20-6-77

G.O. 278. W. 20-6-77

No 278 W Buildings and Roads

Proceedings of the Madras Government
Under date the 20 June 77
Read the following

Telegram from the Dist. Eng. } H.E. - d/14th June 1877
Nellore }

The District Engineer
will instruct all Canal
Officers to report to the
Canal authorities on the
spot if any unwholesome
rice is offered for sale.

CAF
19/6

By Telegram

W.H.
19.6.77

To The District Engineer
Revenue Dept. S. No. 28-6-77
Recd by Telegram 19.6.77
SC No. 26-6-77

107961

Sept. of 1877

PUBLIC WORKS.

To The D. S. McNamee

Dated

Issued

Recd

Encl

G. O. 20 June 1877, No 278W

Nos. 195-196

East Coast Canal

Passing orders on telegrams
from the District Engineer
McNamee regarding the number
of coolies employed during
the building of the, and
other particulars connected
with the

Ents in Regs.