

(1) Number of pages \_\_\_\_\_

(2) Date of repair \_\_\_\_\_

(3) Initials of the Referencer \_\_\_\_\_

# MADRAS RECORD OFFICE.

Government of Madras.

*Public Works* DEPARTMENT.

G.O. No. 399 (W) Press  
~~Mis.~~

Dated 5-2-1877.

Not to be folded or roughly handled

Proceedings of the Madras Government, Public Works Department,  
5th February 1877. No. 399.

No. 165. Read the following:—

IMPERIAL, ROADS AND BUILDINGS.  
PART I.—Irregularities with respect to Estimate.

| Item No. | Particulars.                                                    | Amount of Estimate. | Expenditure up to Date. | Excess over Estimate. | Expenditure during Month. | Opinion of the District Engineer, with final Remarks by Examiner.                                                                                                                                                                                                    | Orders by Local Government.                                    |
|----------|-----------------------------------------------------------------|---------------------|-------------------------|-----------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
|          |                                                                 | RS.                 | RS.                     | RS.                   | RS.                       |                                                                                                                                                                                                                                                                      | No. 165. ORDER THEREON, 5th Feb. 1877, No. 399.                |
|          | <i>Cannanur.</i>                                                |                     |                         |                       |                           |                                                                                                                                                                                                                                                                      | ACCOUNT, No. 10.                                               |
| 1        | Constructing a plunge bath to the Battery of Artillery.         | 3,470               | 4,126                   | 656                   | 25                        | The District Engineer, Malabar, states that a revised estimate has been submitted to Government for sanction.                                                                                                                                                        | Paragraph 1 of G.O., No. 3,329, of 9th December 1876, applies. |
| 2        | <i>Mount.</i><br>Cantonment road at Palaveram.                  | ..                  | 417                     | 417                   | 69                        | District Engineer's reply awaited.                                                                                                                                                                                                                                   | No orders required.                                            |
| 3        | Renewing and reconstructing Commissariat godown at Mount.       | ..                  | 316                     | 316                   | 269                       |                                                                                                                                                                                                                                                                      |                                                                |
|          | <i>Presidency.</i>                                              |                     |                         |                       |                           |                                                                                                                                                                                                                                                                      |                                                                |
| 4        | Repairing fortifications, Fort St. George.                      | ..                  | 7,527                   | 7,527                 | ..                        | The Government has been specially addressed in regard to these old items of objectionable expenditure.—Vide letter to Government No. 186, dated 22nd August 1876.                                                                                                    | Paragraph 2 of G.O., No. 3,329, of 9th December 1876, applies. |
| 5        | Repairing Body Guard Lines.                                     | ..                  | 3,874                   | 3,874                 | ..                        |                                                                                                                                                                                                                                                                      |                                                                |
| 6        | Repairing District Engineer's quarters, Fort St. George.        | ..                  | 1,369                   | 1,369                 | ..                        |                                                                                                                                                                                                                                                                      |                                                                |
| 7        | Repairing huts, Perambore Lines.                                | ..                  | 269                     | 269                   | ..                        |                                                                                                                                                                                                                                                                      |                                                                |
| 8        | Altering quarters occupied by the Commissary of Ordnance.       | ..                  | 337                     | 337                   | 161                       | The District Engineer's reply awaited.                                                                                                                                                                                                                               | No orders required.                                            |
| 9        | Well and trough in the Bullock line of the Commissariat Depot.  | ..                  | 598                     | 598                   | 253                       | Early provision of estimates promised by the District Engineer.                                                                                                                                                                                                      | Do.                                                            |
| 10       | Repairing the Wallajah Gate.                                    | ..                  | 262                     | 262                   | 9                         |                                                                                                                                                                                                                                                                      |                                                                |
| 11       | Repairing the cracks of the bastion wall in the Fort.           | ..                  | 583                     | 583                   | 337                       | Do.                                                                                                                                                                                                                                                                  | Do.                                                            |
| 12       | Repairing fortifications, Fort St. George.                      | ..                  | 475                     | 475                   | 121                       |                                                                                                                                                                                                                                                                      |                                                                |
| 13       | White-washing walls of Brigade-Major's quarters                 | ..                  | 279                     | 279                   | 235                       | District Engineer's reply awaited.                                                                                                                                                                                                                                   | Do.                                                            |
| 14       | White-washing walls of Officers' Mess, 67th Regiment.           | 1,170               | 1,627                   | 457                   | 159                       | As stated by the District Engineer in his reply to Audit note for September, a revised estimate of Rupees 1,170 has been sanctioned for this work in the return of sanctioned estimates for November 1876, but the amount is still insufficient to cover the excess. |                                                                |
|          | <i>Trichinopoly.</i>                                            |                     |                         |                       |                           |                                                                                                                                                                                                                                                                      |                                                                |
| 15       | Temporarily supporting the roof of the European Detail Hospital | ..                  | 802                     | 802                   | 802                       | District Engineer's reply awaited.                                                                                                                                                                                                                                   | No orders required.                                            |
|          | <i>Nellore Northern.</i>                                        |                     |                         |                       |                           |                                                                                                                                                                                                                                                                      |                                                                |
| 16       | Watch-tower in the salt platform No. 2 of Beera-gunta station.  | ..                  | 215                     | 215                   | 139                       | Do.                                                                                                                                                                                                                                                                  | Do.                                                            |

Proceedings of the Madras Government, Public Works Department,  
5th February 1877. No. 399.

PART II.—Irregularities with respect to Appropriation.

| Item No. | Particulars.                                                                             | Amount of Appropriation. | Expenditure of the Year. | Excess over Appropriation. | Expenditure during Month. | Opinion of the District Engineer, with final Remarks by Examiner.                                                                                   | Orders by Local Government.                                                              |
|----------|------------------------------------------------------------------------------------------|--------------------------|--------------------------|----------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| 1        | <i>Cananur.</i><br>Constructing a plunge bath to the Battery of Artillery.               | Rs. 608                  | Rs. 608                  | Rs. 25                     | Rs. 25                    | File this office letter to Government, No. 347, dated 20th December 1876, in which a transfer of funds has been suggested to cover the expenditure. | Rs. 608 have been appropriated in G.O. No. 30 of 10th January 1877.                      |
| 2        | <i>Presidency.</i><br>Well and trough in the Bullock line of the Commissariat Depot.     | 598                      | 598                      | 353                        | 353                       | District Engineer's reply awaited.                                                                                                                  | No orders required.                                                                      |
| 3        | <i>Trichinopoly.</i><br>Repairing the cracks of the bastion wall in the Fort.            | 585                      | 585                      | 537                        | 537                       | Do.                                                                                                                                                 | Do.                                                                                      |
| 4        | <i>Trichinopoly.</i><br>Temporarily supporting the roof of the European Detail Hospital. | 802                      | 802                      | 802                        | 802                       | Do.                                                                                                                                                 | Do.                                                                                      |
| 5        | <i>Sherman.</i><br>Police huts at Vinnapadu for Salt Department.                         | 1,722                    | 1,722                    | 740                        | 740                       | File this office letter to Government, No. 347, dated 20th December 1876, in which a transfer of funds has been suggested to cover the expenditure. | File proposals of officers of Government in Part II of the statement for September 1876. |

(True Extract.)

(Signed) W. FAREWELL, Colonel.

3329-7-9-12-76  
5-8-1-77  
78-19-1-77

From

The Examiner,  
Public Works Accounts,

To

The Secretary to Government,  
Public Works Department,  
Fort Saint George.

Dated

Recd.

10 January 1877.

Forwards for the orders of the Local Government a Statement of Objectionable Items in the Accounts of Executive Officers for the month of *October* 1876, under Imperial, Roads and Buildings.

*Lowrey-Jordan*

Examiner, P. W. Accounts.

*With order*

2-77

Imperial, Roads and Buildings.

PART I.—Irregularities with respect to Estimate.

| Item No. | Particulars.                                                        | Amount of Estimate. | Expenditure up to date. | Excess over Estimate. | Expenditure during month. | Opinion of the District Engineer, with final remarks by Examiner.                                                                 | Orders by Local Government.                     |
|----------|---------------------------------------------------------------------|---------------------|-------------------------|-----------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
|          | Cannanur                                                            |                     |                         |                       |                           |                                                                                                                                   |                                                 |
| 1        | Constructing a plunge bath to the Battery of Artillery              | 3,470 5126 856      | 95                      |                       |                           | The District Engineer's report of 9th Dec. states that a revised estimate has been submitted to govt for sanction.                | No 399 30th 11/11                               |
| 2        | Cantonment Road at Palanur                                          | 417 517 69          |                         |                       |                           | District Engineer's report avoided.                                                                                               |                                                 |
| 3        | Repairing and reconstructing Commisariat bazaar at Mount            | 311 310 269         |                         |                       |                           |                                                                                                                                   |                                                 |
|          | Presidency                                                          |                     |                         |                       |                           |                                                                                                                                   | 2                                               |
| 4        | Repairing Fortifications, Fort St. George                           | 4529 4529           |                         |                       |                           | The Government has been specially addressed in regard to these old items of objectionable expenditure. Vide letter to Government. | Para 2 of 9th No 3329 of 9th Dec. 1890 applies. |
| 5        | Do. Body Guard Lines                                                | 3874 3874           |                         |                       |                           |                                                                                                                                   |                                                 |
| 6        | Do. District Engineer's Quarters, Fort St. George                   | 1369 1369           |                         |                       |                           |                                                                                                                                   |                                                 |
| 7        | Do. huts Perambur Lines                                             | 269 269             |                         |                       |                           | No 186 dated 22nd August 1896.                                                                                                    |                                                 |
| 8        | Altering Quarters occupied by the Commissariat of Ordnance          | 337 337             |                         |                       |                           | The District Engineer's reply is awaited.                                                                                         | No orders required.                             |
| 9        | Well and trough in the Bullock Lines of the Commissariat Department | 598 598             | 353                     |                       |                           | Early provision of estimates proposed by the District Engineer.                                                                   | No.                                             |
| 10       | Repairing the Wallajah Gate                                         | 262 262             |                         |                       |                           |                                                                                                                                   |                                                 |

| Item No.                                                        | Particulars.                                                    | Amount of Estimate. | Expenditure up to date. | Excess over Estimate. | Expenditure during month. | Opinion of the District Engineer, with final remarks by Controller.                                                                                                                         | Orders by Local Government. |
|-----------------------------------------------------------------|-----------------------------------------------------------------|---------------------|-------------------------|-----------------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| Presidency                                                      |                                                                 |                     |                         |                       |                           |                                                                                                                                                                                             |                             |
| 11                                                              | Repairing the Cracks of the bastion wall in the Fort            |                     | 583                     | 583                   | 337                       | Early provision of Estimates provided by the District Engineer                                                                                                                              | No orders required.         |
| 12                                                              | Repairing Fortifications, Fort St. George                       |                     | 475                     | 475                   | 171                       |                                                                                                                                                                                             |                             |
| 13                                                              | White washing walls of Brigade Major's Quarters                 |                     | 279                     | 279                   | 235                       | District Engineer's reply awaited.                                                                                                                                                          |                             |
| 14                                                              | do - walls of Officers Mess by Regt.                            | 1170                | 1627                    | 457                   | 154                       | As stated by the District Engineer the District Engineer is desirous to supply to the District Engineer's note for repair of the walls, a sum of Rs. 1170 has been sanctioned for the work. |                             |
| Trichinopoly                                                    |                                                                 |                     |                         |                       |                           |                                                                                                                                                                                             |                             |
| 15                                                              | Temporarily supporting the roof of the European Detail Hospital |                     | 802                     | 802                   | 802                       | District Engineer's reply awaited                                                                                                                                                           | No orders required          |
| Madras Northern                                                 |                                                                 |                     |                         |                       |                           |                                                                                                                                                                                             |                             |
| 16                                                              | Water tower in the salt platform No. 2 of Barragunda Station    |                     | 215                     | 215                   | 139                       | District Engineer's reply awaited                                                                                                                                                           | No orders required          |
| Dist. Engineer concerned<br>Enc. P. W. Memo.<br>Dispd 19. 2. 77 |                                                                 |                     |                         |                       |                           |                                                                                                                                                                                             |                             |

19/7/77

| Item No. | Particulars. | Amount of Estimate. | Expenditure up to date. | Excess over Estimate. | Expenditure during month. | Opinion of the District Engineer, with final remarks by Examiner. | Orders by Local Government. |
|----------|--------------|---------------------|-------------------------|-----------------------|---------------------------|-------------------------------------------------------------------|-----------------------------|
|----------|--------------|---------------------|-------------------------|-----------------------|---------------------------|-------------------------------------------------------------------|-----------------------------|

Imperial, Roads and Buildings. PART II. - Irregularities with respect to Appropriation.

| Item No.         | Particulars                                                    | Amount of Appropriation. | Expenditure up to date. | Excess over Appropriation. | Expenditure during month. | Opinion of the District Engineer, with final remarks by Examiner.                                                                                                                            | Orders by Local Government. |
|------------------|----------------------------------------------------------------|--------------------------|-------------------------|----------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| <i>Casuarina</i> |                                                                |                          |                         |                            |                           |                                                                                                                                                                                              |                             |
| 1                | Constructing a plunge bath to the Battery of Artillery         | 608 608 95               |                         |                            |                           | Under this Office R has have been letter to Government appropriated in p 347 dated 20th Feb. 1906 of December 1906 in which a transfer of funds has been suggested to cover this expenditure |                             |
| 2                | Wellington in the Bullocks line of the Commissariat Department | 598 598 353              |                         |                            |                           | District Engineer                                                                                                                                                                            |                             |
| 3                | Repairing the cracks of the bastion wall in the Fort           | 583 583 337              |                         |                            |                           | Reply awaited No order required                                                                                                                                                              |                             |

Item No.

Particulars.

Amount  
of Approp-  
riation.Expendi-  
ture of the  
year.Excess  
over  
Appropri-  
ation.Expendi-  
ture  
during  
month.Opinion of the District  
Engineer, with final  
remarks by Examiner.

Orders by Local Government.

Trichinopoly

4 Temporarily supporting the roof of  
the European Detail Hospital

802 802 802

District Engineer's No order required  
reply awarded

Shenmadeni

5 Police huts at Vizispathur for  
Salt Department

1722 1722 761

Vide this Office Order No 9 of order  
letter to Government of Govt. on 22<sup>nd</sup> of  
Nov 347 Dated 20<sup>th</sup> the statement for  
December 1896 Sept 1896in which a transfer  
of funds has  
been suggested  
to cover this ex-  
penditure

✓  
No 235

Oct. of 1877 Madras.  
PUBLIC WORKS.

To *The N. Engineers Concerned*

Dated *12/11/77*

Issued *12/11/77*

Recd. *12/11/77*

Encl.

G. O. *12/11/77* 1877, No. 399.

Nos. 165-66

*Statement of Objects and  
Items in Account  
Executive Officers Orders  
on — for the month of  
October 1876 under Substantial  
Roads and Buildings Fund  
to the Officers concerned*