

(1) Number of pages 24
 (2) Date of repair 1-8-86
 (3) Initials of the Referencer 10-2

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU
 Public Works DEPARTMENT

G.O. No.	2137 W	Press.
B.P. No.		Mis.
Dated	13. 5 1878	197.

2137

Not to be folded or roughly handled

2131
1

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT.

13th May 1878, No 2,137 W.

Buildings and Roads
Civil Works

Read the following papers —

No. 138	From the District Engineer, Cuddapah, dated 31st July 1875, No 946
No 138-A	From " " " " 4th Oct 1877, " 1,596
No 138-B	From " " " " 6th Mar 1878, " 3,195.
No 138-C	Proceedings, Revenue Department, dated 16th Jan " " 77.
No 138-D	From the District Engineer, Cuddapah, " 20th April " " 172

No. 139. ORDER THEREON, 13th May 1878, No 2,137 W.

THE plan and estimate of Rupees 14,895, as corrected in the Chief Engineer's Office for constructing a Sub-Collector's Cutcherry at Madanapully in the Cuddapah District, are sanctioned

2 No funds are available for the work at present

3 The delay in the preparation of these plans and estimates, as detailed in the Collector's letter recorded in the G O in the Revenue Department, No 77, dated 16th January 1878, is inexcusable. The District Engineer will report what action he has taken, or intends to take, to mark his sense of the conduct of the persons in fault.

4 This sanction has been registered as Provincial No 20 B of 1878-79

(True Extract)

(Signed) E. A. FOORD, Colonel, R.E.,
Secretary to Govt, P.W.D

To the District Engineer, Cuddapah
" Examiner of Public Works Accounts.
" Judicial Department
" Revenue do

Exd E C Shunker
Spare Copies

TULSA AND ROUTE
CIVIL WORKS

Subt. of (1878) *Public Works*
PUBLIC WORKS.

THE DISTRICT ENGINEER
OF THE
MAY 1878

G. O. 100-129, N. 100-129

MAY.

Dec. 100-129

6th-Collector's Catalogue at May 1878
Calicut District.—The plan and estimate
of Rs. 11,895 for carrying a
sanctioned with the terms of the duty in
the preparation of the same.

10th of 1878
Office of the District Engineer
31st July 1878

The District Engineer
Calicut District

The Secretary
to Government
P. W. Department
Fort Saint George

With reference to G. O. No. 117 and
797 dated 13th February and 20th March
last, I have the honor to submit for
sanction, an abstract Estimate with 3
plans and a specification amounting to
Rs. 16600 for improvements and alterations
required for the Sub Collector's building
at Madanapally and to inform you that
the plan coincides with the standard
design received with G. O. No. 117 of 1878
February 78

2 The Estimate provides for a latrine

a wall and a compound wall and include
a portion of the original structure to
be utilized. The original cost of this
building was \$3720 and it was
commenced in 1863 and completed 1864
as already stated in my letter No. 560
of 24th June 1874. The specification
which accompany the Estimate will
exhibit more details in connection
with the proposed improvements &c.
of the new building.

I have the honor to be

Yours most obt servant

W. M. B. 1878

District Engineer

21.11.72-100 189.190
 " 5-12-74 - 7 1810
 " 13.2.75 - 117 -
 " 20-3- - 579-530
 " 29-7- - 197 1810
 " 5-1- - 47 -
 13-7-74 - 524 1810

Chicago No 120 d/19-1-76

Estimated for maintenance
 on the bridge to be
 erected on the
 bridge over the
 river, 16,000 for the
 first 10 years
 and 10,000 for the
 next 10 years
 making a total
 of 26,000

Chicago 31st July 1875
 No. 5039
 Chicago 31st July 1875
 No. 5039

Chicago 31st July 1875
 No. 5039
 Chicago 31st July 1875
 No. 5039

Chicago 31st July 1875
 No. 5039
 Chicago 31st July 1875
 No. 5039

Buildings
 & Roads

No. 1596

Bussapah District Engineer's Office
 45 Astoria 1877

From

The District Engineer
 - Bussapah

To

The Chief Engineer
 for Buildings & Roads Branch
 Madras

Sir,

Agreeably to instructions conveyed
 in your Memo No. 120 dated 19th January 1876,
 I have the honor to submit for approval
 and early sanction a site plan revised
 specification and Abstract Estimate
 amounting to Rs 15,200 for constructing the sub-
 collectors bungalow at Oradanapully and
 to state that the Estimate has been prepared
 in accordance with the general plan of the re-
 -vised Standard Plan received with your Memo
 No. 237 dated 3rd February 1876. All papers con-
 -nected with the former estimate are herewith
 transmitted.

I have the honor to be
 Sir
 Your Most Obedient Servant

B. M. S.
 District Engineer
 Bussapah

G 11-7-72 has 189-190
 " 1-12-74 " 9 mis
 " 13-2-75 " 117 - "
 " 20-3- " " 529 & 530
 " 29-9- " " 197 mis
 " 5-4- " " 47 - "
 C.E. 13-7-74. 524 mens
 " 19-1-76 " 120 - "
 " 3-2- " " 237 - "

Buildings and Roads

From
 The District Engineer
 of Cuddapah

To
 The Chief Engineer
 Buildings and Roads
 Madras

Dated 11th Oct 1877
 Recd 5th Oct 1877

N: 1596

N: of Enclosures

Sub. Collector's Catchery at Ma-
 -danasally -

Forwards an Estimate re con-
 -structing the Catchery at Ma-
 -danasally for Rs 15200 for constructing
 the -

Revenue Department

Read the following Proceedings of the
 Board of Revenue dated 5 January 1878
 on letter from the Acting Collector of Cuddapah
 dated 12 December 1877 No 824

Referring to para 2. of the Proceedings of
 the Board of Revenue No 8064 dated 5 June
 last, I have the honor to state that the District
 Engineer informs me that he on the 4 October last
 submitted to the Chief Engineer for Buildings
 and Roads for sanction an Estimate for Rs 15,200
 for the erection of a new Sub-Collector's Catchery at
 Madanasally.

2. The District Engineer explains the delay
 in the matter of preparing and forwarding this
 estimate as follows -

3. An estimate for the Catchery was sent
 to the Secretary to Government with the District
 Engineer's letter No 946 dated 31st July 1875. It
 was returned in January 1876 with instructions
 to prepare it according to the Standard Plan. It
 reached the District Engineer on the 5 February

CG 11-7-

" 1-12

" 13-2-

" 20-3

" 29-9

" -5-4

CG 13-7

" 10

1876. The Estimate was presented to the Range Officer who delivered it to his draughtsman in order that the survey might be prepared. It was stated to have left for some time and then to have given it over to the Surveyor saying that he had so much to do in revising Irrigation Estimates that he had no time to attend to it. The Surveyor retained it until April last when it was sent to the Range Officer and there left, so the Range Officer says, without his knowledge or initial until July, when a reminder, based apparently upon a letter from this Office, was received and it was then found that the draughtsman had delayed to check and put it into the proper form. The work of revising was performed by the Draughtsman of the District Engineer's Office and the estimate was sent in.

4. The explanation does not appear to me to be satisfactory.

5. The Range Officer reports to the District Engineer that the Draughtsman who was the principal cause of delay has been called upon to resign.

Submitted to Government with the request

request that early orders may be passed regarding the construction of a Cutcherry for the Sub-Collector at Madanapally and funds provided in the ensuing year's Budget. 2131

Order thereon 16 January 1878. 1677

1. Referred to the Public Works Department for consideration and orders
2. Due notice will be taken in the Department concerned of the great delay which has occurred in the preparation of the plans (Two Extract)

Quarter
Secretary to Government.

To.

The Public Works Department

20th Feb

8011-7-72 ho 1666.

mens: 13-7-74 ho 524

6 ho 3 of 1-12-74

" 117 " 17-2-75

8020-3-75 ho 737.

ho 805-4-75 ho 67

" 28-9-75. 197.

C. 8 ho 120 of 13-1-76

" 237. 3-2-76

" 46. 16 of 12-12-77

Copy of letter No 76 dated 17th April
1878 from the officer in charge of
Madanapally Range to the District
Engineer Buddapah.

With reference to your No 3334 of 18th
March 1878, I have the honor to forward
herewith section of trial pits for the
Sub-Collector's butchery at Madana-
pally. The only large building in the
vicinity of the proposed site is the
residence of the Sub-Collector situated
about 50 yards west. An octagonal
wing was added to this house about
10 years ago the basement is about 4 $\frac{1}{2}$
feet high and it, as well as all the Ver-
dah pillars have shown signs of settle-
ment by numerous cracks. The founda-
tion is 3 $\frac{3}{4}$ feet deep and the soil at
that depth is the same as is found

at the proposed site for butchery a
Yandy Black Cotton mixed with nodules
of limestone. The soil is peculiar and
such as I do not remember having seen
elsewhere. The cracks at Sub-Collector's
residence have not enlarged for the
last 20 years I hear.

Anna Maria
District Engineer
Buddafah

213'
6

Enclosure to the District
Engineer's letter No 172 dated
20th April 1878,

Buildings & Roads District Engineer's Office
Buddapah 20th April 78
No 172

From

The District Engineer
of Buddapah.

To The Chief Engineer
for Buildings & Road branch
Madras

Sir

With reference to your Memorandum
- No 1349 dated 16th ultimo I
have the honor to submit Copy of letter
- No 76 dated 17th instant with action
of trial pits for the Sub-Collector's post-
- office at Madanapally received
from the Madanapally Range Officer
and to state that all the information
therein required has been furnished

I have the honor to be
Sir

Your most obedient servant
Howard Lambton
District Engineer Buddapah

Encls 2

1666-11-7-72.
 7-5-12-74
 -117-13 2-75
 -797-20 3-
 -145-29-3-76
 524-3-7-76
 -120-17-1-76
 -4416-12-12-77
 -339-18-1-78.
 1349-16 3-78

Buildings & Roads

From
 The District Engineer
 of Coimbatore
 To The Chief Engineer
 for Buildings & Road
 Madras

Dated 20th April 1878
 Recd.

No 172 Cont 2/12

Submits Copy of letter
 No 70 dated 17th instant
 with action of trial pits
 for the Sub Collector's
 butchery at Madana-
 fully received from
 the Madanapally range
 officer and states that all
 the information required
 has now been furnished

Cir 10-5-78. Dtd 13-5-78
 Cof 6-5-78

Buildings No 3195

Coimbatore District Engineer's
 Office Coimbatore
 6th March 1878

From

The District Engineer
 Coimbatore

To

The Chief Engineer
 Roads & Buildings Branch
 Madras

Sir

Specification
 statement showing
 the difference of rates
 Copy of letter from
 the Madanapally
 Range Officer
 Site plan
 Abstract Estimate
 1 Data book
 1 Data-rate book
 1 old detached
 at least Estimate

Agreeably to instructions conveyed in
 your Memorandum No 4416 dated 12th Decem-
 ber 1877, I have the honor to resubmit the
 Estimate with enclosures as per Margin for
 Rs 15,260 for Constructing a sub Collector's but-
 chery at Madanapally prepared in accordance
 with the design which accompanied G.O. No
 252 dated 6th February 1876 in the principal
 Department and to state that the collector
 has countersigned in the body of the Estimate
 I beg to request that you will return
 the Data and rate book when no longer required.

I have the honor to be

Sir

Your Most Obedient Servant

B. M. S. J. S. S.
 District Engineer
 Coimbatore

Roads & Buildings

From

The District Engineer
Cuddalore

To

The Chief Engineer
Buildings & Public Works
Madras

Dated 6th March 1878.
Recd.

N. 3195 Encl. 8
Returned vide G.O. No. 8960 of 1878

Sub Collector's Cont.
Cherry at Madanapurley.

Resubmits the Estimate
of — for Rs 15260 for Constructing
a — prepared in accordance
with the design which accom-
panied G.O. No 252 dated 8/4/77
F. 10 May 1876 in the Public
Department.

No 2137 ✓ Public Works Department
PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the 13 May 1878

Read the following:—

From the Dist Engineer
Cuddalore

do do

do do

Proceedings Revenue Dept.

From the P. E. Cuddalore

N. No 916 dated 31 July 1875.

N. No 1596 dated 4 October 1877.

N. No 3195 dated 8 March 1878.

N. No 77 dated 16 January 1878.

N. No 172 dated 20 April 1878.

The plan and estimate
of Rs 14,895, as corrected
in the Chief Engineer's office,
for constructing a Sub Col-
lector's Outcherry at Mad-
napurley in the Cuddalore
District are sanctioned.

No funds are available
for the work at present.

The delay in the pre-
paration of these plans and
estimates, as detailed in the
Collector's letter recorded in
the A.C. in the Revenue
Department No 77 dated

16th January 1878, is in-
-excusable - The District
Engineer will report what
action he has taken, or
intends to take, to mark
his sense of the conduct
of the persons in fault.

W.H.
9.5.78

This sanction has been
registered as Provincial No. 20
B of 1878.79.

See also 1878.79

Dist Engineer Cuddalore
Secy Public Works Dept.
Judicial Dept.
Revenue Dept.

Ar 10-5-78. CR 13-5-78.
6-5-78

Chet 23-5-78

2812
8905

Govt. of (1878) Madras.

PUBLIC WORKS

Date

Time

Place

N. S. Subbarao

13 May 1878 No. 2137/78

Recd.

Subcollector Catchery at
Madanapalle. Subbarao h. O.

The plan & estimate of Rs. 14,895
for constructing a — — — — —
— — — — — with leave to do so as to the
delay in the preparation
of the same.

C. S. Subbarao

1878 6-5-78

1878 20-5-78