

(1) Number of pages 24
 (2) Date of repair 28.8.86
 (3) Initials of the Referencer comd

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P.V.D. DEPARTMENT

G.O. No.	3672.11.	Press.
B.P. No.		Mis.
Dated	18.9.1878	<u>1878</u>

P.B.S. 11

Not to be folded or roughly handled

3672
1

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

18th September 1878, No. 3,672 W.

General.
Account.

Read the following paper :—

No. 208. -From G. T. WALCH, Esq., Acting District Engineer, Godavari, to the Chief Engineer, Public Works Department, dated Dowlaishvaram, 2nd September 1878, No. 1,787.

With reference to this office letter No. 3,000, dated 21st December 1877, to your address, forwarded through the Examiner of Public Works Accounts, I have the honor to inform you that the Examiner stated that he agreed as to the advisability of disposing of the outslabs of the Godavari and Pegu teak wood, now standing in the Workshop stock accounts, at a book value of Rupees 14,038-6-4* in the manner proposed, and on this my predecessor ordered the sale.

2. Thirty-four lots of these slabs, which were put up to auction in anticipation of orders of Government, fetched a sum of Rupees 137-6-0 or Rupees 4-0-8 per lot. Each lot consisted of about 4 cubic yards, and considering the character of the lots, it is considered that the lots fetched tolerably fair price, as the greater part of them were only fit for firewood.

3. After this, the correspondence noted in the margin† passed between the Examiner and myself, and I have countermanded the continuance of the sale, and have the honor to request you will be good enough to obtain the orders of Government for the sale of the remaining slabs and for writing off the difference between their book value (Rupees 14,038-6-4) and the sale proceeds to the head "Profit and Loss."

From G. T. WALCH, Esq., Acting District Engineer, Godavari, to the Examiner of Public Works Accounts, dated Dowlaishvaram, 31st July 1878, No. 1,424.

With reference to your letter, No. 46 G.D., of the 3rd June 1878, I have the honor to forward herewith copy of a letter from the Officer in charge of the Government Workshops, Dowlaishvaram, regarding the amount realised by the sale, by public auction, of 34 lots of Pegu and Godavari teak outslabs, and to inform you that under the circumstances reported I have ordered the sale of the remainder of the outslabs, after giving due notice one month hence.

2. I would ask if it is not advisable to have orders passed by Government on the subject. My predecessor considered your letter under notice as sufficient warrant for the sale, but I think it advisable to draw your attention to the matter.

2 PUBLIC WORKS DEPARTMENT, 18TH SEPTEMBER 1878, No. 3,672 W.

From Major L. CONWAY-GORDON, R.E., Examiner of Public Works Accounts, to the District Engineer, Godavari, dated Chepauk, 17th August 1878, No. 113 G.D.

With reference to your letter No. 1,424, dated 31st July 1878, I have the honor to inform you that in accordance with G.O., No. 243, dated 27th January 1875, the sanction of Government is required to any sale of stock or tools and plant when the value of the stores to be disposed of exceeds Rupees 500.

No. 1,700.

Communicated to the Officer in charge of the Government Workshops, Dowlaishvaram, with reference to his letter, No. 109, of the 25th July 1878, and with a request that he will defer the further sales of the outslabs of Pegu and Godavari teak till the sanction of Government is obtained and communicated to him.

DOWLAISHVARAM,
26th August 1878.

(Signed) G. D. WYBROW, Exe. Engr.,
for District Engineer, Godavari.

No. 209. ORDER THEREON, 18th September 1878, No. 3,672 W.

The sale of the remaining slabs is authorised. The difference between their book value and the proceeds realised from them will be written off as proposed.

2. The attention of Major Conway-Gordon is drawn to the fact that the District Engineer's first letter never reached the Chief Engineer, to whom it was addressed, but was retained in the Examiner's Office, and that even when the Acting District Engineer pointed out that no orders had been passed upon his application, the mistake was not detected.

(True Extract.)

(Signed) E. A. FOORD, Colonel, R.E.,
Secretary to Govt., P.W.D.

(True Copy.)

Major, R.E.,
Under Secy. to Govt., P.W.D.

To the District Engineer, Godavari.
" Examiner of Public Works Accounts.

Exd. T. D. Ryan.
Spare Copies

3672

2

GENERAL
ACCOUNT.

Subt. of (1878) ~~1878~~
PUBLIC WORKS.

THE DISTRICT ENGINEER
GODAVERY DISTRICT.
G. O., No. 200-200.

Dated September 18th.

Direct

Local.

Local.

G. O., No. 200-200, No. 200-200.

SEPTEMBER.

Nos. 200-200.

"Outslabs" of Pegu and Godavari. The
Pamphletum. Workings. The sale of the
authorized with remarks.

No 286

Camp Cocanada

Eastern Delta Division, Office

9th November 1877

From

The Officer in Charge

Eastern Delta Division

Godavery District

To

The Superintending Engineer

Godavery District

Sir,

I have the honor to inform you that
there are now appearing in the Workshop stock
the quantities of "outslabs" (that is the rough outside
portions of logs which have been squared) shown
in the appended list. It is seldom that any of these
"outslabs" can be used up in the Workshops and the
quantity of them is constantly on the increase bur-
dening the stock account, lumbering up the store-
yard, & adding to the danger of fire. I have therefore
the honor to request permission to sell by Auction
such lots of these "outslabs" as may, from the prices
realized, appear to be advisable, and to cut up the
remainder into 3 feet lengths and supply it as firewood

to

to the Steamers and Dredges at 13 Annam ^{cut} ¹⁷⁹
yard. writing off the balance of book value to
"profit and loss."

The quantities and book values of the outstals re-
ferred to are

3519 of Pegueteak at 1-9-0 = ^{Rs} 5498-7-⁰

9998 - Godaveryteak at 0-13-8 = 8539-15-4

I have the honor to be &c

/Signed/ G. J. Walsh

Executive Engineer in charge

Government Workshop

(True Copy)

L. Pearty Major R.E.
Offg. Supg. Engineer Godavery

3672
4

3 JAN 79

Enclosure in a letter
dated 21st December 1877
from the Offg. Supg Engr
Godavery.

NO. 3000 General.

3672/4

FROM,

THE OFFG. SUPERINTENDING ENGINEER

GODAVERY DISTRICT.

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT

MADRAS.

To the Escomptor TO,
M. W. U. L.

Encls. 1

Copy of letter 2236
of 1st Nov 1877 -

CAMP DOWLAISHWERAM, 21st December 1877

SIR,

I have the honor to forward herewith copy
of a letter received from the officers in charge Eastern
Satta Division, and under the circumstances therein
brought to notice to request permission to dispose of
Pegu and Godavery teak now standing in the work-
shop stock accounts at a Book value of
Rs. 14,038-6-4 in the manner proposed by Mr
Waleh and to write off their balance of their
book value to the head "Profit & Loss" in the shop
accounts.

2. This application is made, as the value to be
written off exceeds the limit of Rs. 500 up to
which District Engineers are empowered to sanction
sales of stock materials vide G. O. No 1588 of
5th June 1875.

I have the honor to be,

Yours Most Obedient Servt.

L. Beatty. Major R.E.
Offg. Superintending Engineer

Compt.
G.O.

FROM,

THE OFFG. SUPERINTENDING ENGINEER

GODAVERY DISTRICT.

TO,

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT

MADRAS.

DATED 21st December 1877
RECEIVED 21st

No. 3000

ENCLOSURE. 1

Dowlaiswaram Workshop
Out-slabs of Pegu and Godavari
teak now standing in the
accounts of the. Requesting
permission to sell by
public auction for certain
reasons.

No. 1424

FROM

THE OFFG. SUPERINTENDING ENGINEER

GODAVERY DISTRICT.

TO

THE EXAMINER

PUBLIC WORKS ACCOUNTS.

MADRAS.

Encls.

Dowlaiswaram, 31st July 1878.

SIR,


With reference to your letter
No 46 G.D. of the 3rd June 1878, I have
the honor to forward herewith copy of
a letter from the officer in charge of the
Government Workshop Dowlaiswaram
regarding the amount realized by the
sale, by public auction, of 34 lots of
Pegu and Godavari Teak outslabs and
to inform you that under the circumstances
reported, I have ordered the sale of the
remainder of the outslabs, after giving
due notice, one month hence.

2. I would ask if it is not advisa-
ble to have orders passed by Govern-
ment on the subject. My predecessor con-
sidered your letter under notice as suf-
ficient warrant for the sale but I think
it

it advisable to draw your attention to
the matter.

I have seen
/Signed/ G. T. Walsh
Sr Dist Eng: Godavari.

(True Copy)


Sr District Eng: Godavari

From,
The Examiner, P. W. Accounts.
Madras.

To,
The District Engineer
Godavari

No 113 G.D. Chepak, 17th August 1878.

Sir,

With reference to your letter No 142
dated 31st July 1878, I have the honor to
inform you that in accordance with G.O.
No 245 dated 27th January 1875, the sanction
of Government is required to any sale of
stock or tools and Plant, when the value of
the stores to be disposed of exceeds Rs. 500.


I have seen
/Signed/ L. Conway-Gordon
Examiner P. W. Accounts & Major R.
No 1700.

Communicated to the officer in charge
of the Government Workshops Dowlaishwarum
with reference to his letter No 109 of the 25th
July 1878, and with a request that he will
defer the further sale of the outslabs of Pegua
and Godavari Teak, till the sanction of
Government

Government is obtained and commu-
-nicated to him.

Dowlaishuaram } / Sd/ G. D. Wylerow Esq. Eng.
26th August 1878. } For District Eng^r Godavari.

(True Copy)



At District Eng^r Godavari

3672-
8

Enclosure in a letter
 No. 1707 dated 2nd September
 from the District Engineer
 Godavari

(100/10124)

Quantity
 Pegue Teak 3549
 Godavari Teak 9998

Value.
 5498-7-4
 8539-15-4
 14038-6-4

No. 1787 General.
 FROM, *the District*
 THE DISTRICT SUPERINTENDING ENGINEER
 GODAVARI DISTRICT.
 TO,
 THE CHIEF ENGINEER
 PUBLIC WORKS DEPARTMENT
 MADRAS.

CAMP DOWLAISHWARAM, 2nd September 1878


SIR,
 With reference to this office
 letter No. 3000 dated 21st December 1877, to
 your address forwarded through the Exami-
 ner of Public Works Accounts, I have the
 honor to inform you that the Examiner
 stated that he agreed as to the advisabi-
 lity of disposing of the cut slabs of the
 Godavari and Pegue Teak wood, now stand-
 ing in the Workshop stock accounts at a Book
 value of Rs 14,338-6-4, in the manner pro-
 posed & on this my predecessor ordered the sale.
 2. Thirty four lots of these slabs,
 which were put up to auction in antici-
 pation of orders of Government, fetched
 a sum of Rs 137-6-0 or Rs 4-0-8 per lot.
 Each lot consisted of about 4 Cubic yards
 and

and considering the character of the lots it is considered that the lots fetched tolerably fair price, as the greater part of them were only fit for firewood.

3. After this the correspondence noted in the margin passed between the Examiner & myself & I have countermanded the continuance of the sale & have the honor to request you will be good enough to obtain the orders of Government for the sale of the remaining slabs and for writing off the difference between their Book value (Rs 14038-6-4) and the sale proceeds to the head "Profit & loss".

I have the honor to be,
Sir,

Your most obedient Servant



At District Engineer Godavari

X
No 1424- of
31st July 1878
to Examiner
His reply No
113 G.O. of 17th
August 1878

3672
12

General.

although it is said
to be a fault.

The
19/9/78 Dy. Engr.
H.

FROM,

Salem District
THE OFFG. SUPERINTENDING ENGINEER.

COLLAVERY DISTRICT.

TO,

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

MADRAS.

DATED 22nd September 1878.
RECEIVED

No. 1787

ENCLOSURE.

Cutslabs in the Government
Workshops Dowlaichavaram.
Requesting permission to
sell by public auction for
the reasons stated within.

To C.

What has become of
the P's letter re. 3000 square
ft. It has not been
received in this office

to C. 13.9.78
Cir 16.9.78 Ret 18.9.78
M. 1/4

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the 18th Sep/78

Read the following:

From

The District Engineer
Godavari

(N. 2. 12/1878 of 2nd September 1878)

The sale of the re-
maining slabs is authorized
the difference between their
book value and the proceeds
realised from them will be
written off as proposed.

2. The attention of Major Conway
Jordan is drawn to the fact
that the District Engineer's
first letter never reached
the Chief Engineer to whom
it was addressed, but was
retained in the Examiner's
office, and that even when
the

1. 15/9

the Acting District Engineer
pointed out that no orders
had been passed upon his
application, the mistake
was not detected.

905 14/9

3472
12

To
The C. E. Jadhav
The Ex. Engineer
C. E. Jadhav
16-9-78. 18-9-78. 11

10024

Gobt. of (1878) Madras.

PUBLIC WORKS.

To

Dated

For

Recd.

Encl.

H. E. Gregory
5-10-78

G. O. 18th Sept 1878. No. 3172 H

Nos. 208 & 209

"Out-slabs" of Pegu & Godavari
Peak. Dowlaishewam work
Shops

The sale of the —
authorized with remarks.

Sub. in the m