

(1) Number of pages 20  
(2) Date of repair 27-10-16  
(3) Initials of the Referencer Long

# TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P.W. DEPARTMENT

|          |           |        |
|----------|-----------|--------|
| G.O. No. | 1236 -w   | Press. |
| B.P. No. | 1236-A.w  | Mis.   |
| Dated    | 25-4-1879 | 197    |

*Long*

Not to be folded or roughly handled

1236  
7  
2

GOVERNMENT OF MADRAS.  
PUBLIC WORKS DEPARTMENT.

25th April 1879, No. 1,236 W.

Buildings and Roads.  
Military Works.

Read the following papers:—

No. 216. From Lieutenant-Colonel H. L. PRENDERGAST, R.E., Superintending Engineer, Second Circle, to the Chief Engineer, Public Works Department, dated Bellary, 28th February 1879, No. 1,929.

With reference to G.O., No. 230 W, dated 18th January 1879, I have the honor to report that a permanent building called the Commissariat godown in Ramandroog is used for serving out rations; no expenditure is, therefore, required towards providing a ration-shed.

No. 216-A. From the Superintending Engineer, Fourth Circle, to the Chief Engineer, Public Works Department, dated Coimbatore, 10th March 1879, No. 711/167.

With reference to G.O., No. 230 W, of 18th January 1879, I have the honor to report that the barracks noted in the margin in my circle are provided with ration-sheds which answer their purpose.

Barracks at Wellington.  
Do. at West Hill, Calicut.  
Do. at Maliyapuram.  
Do. at Cannanore (European Infantry).

2. The barracks lately occupied at Cannanore by a Garrison Battery of Royal Artillery are not furnished with a ration-shed. Previous to the departure of the Battery from the station the skittle alley, a temporary building, was used as a ration-shed. It was destroyed by fire in August 1878 and has not been replaced. The Military authorities, however, do not consider it necessary to rebuild the shed, as they see no immediate prospect of the building being occupied.

No. 216-B. From Major H. W. WOOD, R.E., Acting Superintending Engineer, Third Circle, to the Chief Engineer, Public Works Department, dated Chepak, 14th March 1879, No. 1,411.

With reference to G.O., No. 230 W, dated 18th January 1879, I have the honor to inform you that there are no hill stations in the Third Circle.

No. 216-C. From the Superintending Engineer, Third Circle, dated 18th April 1879, No. 2,220.

No. 217. ORDER THEREON, 25th April 1879, No. 1,236 W.

THE Government of India will be informed that no additional ration-sheds are required at the hill stations in the Madras Presidency.

(True Extract.)

Exd. E. C. Shunker.  
Spare Copies

Major, R.E.,  
Ag. Under Secy. to Govt., P.W.D.

BUILDINGS AND ROADS.  
MILITARY WORKS.

Govt. of (1879) Madras.  
PUBLIC WORKS.

To

Dated April 25th.

For

Recd.

Encl.

G. O., 25th April 1879, No. 1,236 W.

APRIL

Nos. 216-217.

*Ration-sheds.*—The Government of India informed that no additional — are required at the hill stations in the Madras Presidency.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

25th April 1879, No. 1,236 W.

Buildings and Roads.  
Military Works.

Read the following papers :—

No. 216. From Lieutenant-Colonel H. L. PRENDERGAST, R.E., Superintending Engineer, Second Circle, to the Chief Engineer, Public Works Department, dated Bellary, 28th February 1879, No. 1,929.

WITH reference to G.O., No. 230 W, dated 18th January 1879, I have the honor to report that a permanent building called the Commissariat godown in Ramandroog is used for serving out rations; no expenditure is, therefore, required towards providing a ration-shed.

No. 216-A. From the Superintending Engineer, Fourth Circle, to the Chief Engineer, Public Works Department, dated Coimbatore, 10th March 1879, No. 711/167.

WITH reference to G.O., No. 230 W, of 18th January 1879, I have the honor to report that the barracks noted in the margin in my circle are provided with ration-sheds which answer their purpose.

Barracks at Wellington.  
Do. at West Hill, Calicut.  
Do. at Maliyapudam.  
Do. at Cannanore (European Infantry).

2. The barracks lately occupied at Cannanore by a Garrison Battery of Royal Artillery are not furnished with a ration-shed. Previous to the departure of the Battery from the station the skittle alley, a temporary building, was used as a ration-shed. It was destroyed by fire in August 1878 and has not been replaced. The Military authorities, however, do not consider it necessary to rebuild the shed, as they see no immediate prospect of the building being occupied.

No. 216-B. From Major H. W. WOOD, R.E., Acting Superintending Engineer, Third Circle, to the Chief Engineer, Public Works Department, dated Chepak, 14th March 1879, No. 1,411.

WITH reference to G.O., No. 230 W, dated 18th January 1879, I have the honor to inform you that there are no hill stations in the Third Circle.

No. 216-C. From the Superintending Engineer, Third Circle, dated 18th April 1879, No. 2,220.

No. 217. ORDER THEREON, 25th April 1879, No. 1,236 W.

THE Government of India will be informed that no additional ration-sheds are required at the hill stations in the Madras Presidency.

(True Extract.)

(Signed) R. H. SANKEY, Colonel, R.E.,  
Secretary to Govt., P.W.D.

No. 218. (DOCKET No. 1,236-A W, dated 25th April 1879.)

COPY of the above forwarded to the Government of India with reference to Colonel Pollard's Circular of the 11th January last, No. 29 M.—W.

Exd. E. C. Shunker.  
Spare Copies

Major, R.E.,  
Ag. Under Secy. to Govt., P.W.D.

No 1929

Sup<sup>ts</sup> Engineer's Office  
Baltimore  
D/ 28<sup>th</sup> February 1849.  
3 1236

From The Superintending Engineer  
2d Circle Battery

To. The Chief Engineer  
Public Works Department  
Madras.

Sir,

With reference to G. O. No 2304  
dated 18<sup>th</sup> January 1849, I have the  
honour to report that a permanent  
building called the Commissariat  
Godown on the Ramanadivog is  
used for serving out Rations.  
No expenditure is therefore required  
towards providing a Ration Shed.

I have the honour to be

Sir

Yours Most Obedient Servant

Hawthorne

*Liberty of Ab*

Superintending Engineer  
2<sup>d</sup> Fire Battery E.

From  
The Super Engineer  
2<sup>d</sup> Circle  
Bella St.

To. The Chief Engineer  
P.W. Department  
Head Quarters.

Pr 925-4-79 No 12367  
Enc. 1st.

Of 28<sup>th</sup> & Substant 7/79  
Recd. 8  
No 1929.

Ration Shed at Ramanuag  
Informing that no cost  
is required towards providing  
a. as a permanent building  
called the Commissariat Godown  
is used for serving out Ration.

No. 1411.

3<sup>d</sup> Circle  
CHIEF SUPERINTENDING ENGINEER'S OFFICE  
Chapank 14<sup>th</sup> March 1879.  
SAINT THOMAS' MOUNT.

From

THE SUPERINTENDING ENGINEER,

CHINGLEPUT. 3<sup>d</sup> Circle.

To

The Chief Engineer  
Public Works Department.

Sir,

With reference to G.O. No 230 A  
dated 18<sup>th</sup> January 1879, I have  
the honor to inform you that  
there are no Hill Stations in  
the Third Circle.

I have the honor to be  
Sir

Your most obedient servant

Major R. S.

Ag Super Engineer 3<sup>d</sup> Circle.

Dec of 25-4-77 No 123/77

No 1411.

Notes 14

OK

March 179

Hill Stations —  
 Informs that there are  
 no — in the 3<sup>d</sup> Circle.

3 Circle

Черныш

~~Saint Thomas' Mount, 18 April 1879.~~

From

THE SUPERINTENDING ENGINEER.

~~CHINESE~~ 3<sup>rd</sup> Circle

Tc

The Chess Enterprise

Public Works Department.

Sir

With reference to your Memorandum No 965 dated 17<sup>th</sup> March 1879, I have the honor to enclose copy of your Memorandum No 1316 dated 21<sup>st</sup> November 1876. forwarded to this office by the Executive Engineer Bangalore - Bangalore Division - in which Bangalore is considered a Plain Station.

2. The Executive Engineer reports that the cost of a Ration Shed for two Batteries of Artillery - measuring 46 x 24 feet outside dimensions - would cost Rs 14-50.

I have the honor to be

Sir  
Your most obedient servant  
B. H. Wood Major &c.  
Armstrong & Co. Civil Engrs.

4.6.18 Jan 179 no 230 W.

1879

N<sup>o</sup> 3/38

From

The Sup<sup>ts</sup> Engrs 3<sup>d</sup> Circle

Go by 1236 W  
9 25 a/p/79

N<sup>o</sup> 2220.

Dated 18<sup>th</sup> } April 1879  
Received }

Enc 1.

Ration Shed  
Informing that the Sul  
officer reports that the  
Construction of a - at  
Bangalore will cost  
Rs 1450 & forwarding also  
Copy of letter from D<sup>ist</sup> Engrs  
in which it is informed  
that Bangalore is considered  
a plain station -

Sent 100 by 21-4-79.

711  
No 167

Sup<sup>ts</sup> Engineer's Office, 4<sup>th</sup> Circle  
Coimbatore, 10<sup>th</sup> March 1879

From The Superintending Engineer  
To The Chief Engineer  
P. W. Department

1236  
6

Sir,  
With reference to G. O. No 40 W of 18<sup>th</sup>  
January 1879, I have the honor to report  
that the Barracks noted in the margin

|                                        |
|----------------------------------------|
| Barracks at Wellington                 |
| do at Mett Hill (Cavalry)              |
| do at Inallipuram                      |
| do at Cannanore (European<br>Infantry) |

in my Circle are  
provided with a  
ration shed which  
answer their purpose.

2. The Barracks  
lately occupied at  
Cannanore by a Garrison  
Battery of Royal Artillery are not fur-  
nished with a ration shed. Previous to  
the departure of the Battery from the Station  
the skittle Alley, a temporary building  
was used as a ration shed. It was des-  
troyed by fire in August 1878 and has not  
been replaced. The Military Author-  
ities, however do not consider it neces-  
sary to rebuild the shed as they  
see

See no immediate prospect of the  
building being occupied.

I have the honor to be

Sir,

Your most Obedt Servt

Wm. L. Smith

Supr Engineer

St. Charles

12<sup>36</sup>  
70

G.O. No. 230 W. of 18-1-79.  
C.E. Memo. No. 965. of 16-3-79.

From  
The Supg Engineer  
4<sup>th</sup> Circle  
To The Chief Engineer  
M.D.

Recd 25-4-79 at 1236 to

No. 74  
167

Dated 10<sup>th</sup> March 1879

Ration sheds at  
Wellington  
West Hill Calicut  
Kalliapuram  
and Jeannamore  
Reports that the  
barracks in the 4<sup>th</sup>  
Circle are provided  
with ———

Cir 18-4-79. Retd 23-4-79.  
To Coly. H. 4-79.

No. 1316 F.

1236  
8

Memo.

From District Engineer, Bangalore,  
dated 14<sup>th</sup> November 1876 No. 182.

The District Engineer is  
informed that Bangalore is  
considered a Plain station.

(By order)

Fort Saint George / Signed H. Farewell Colonel  
21<sup>st</sup> Nov. 1876 }  
Offg Dy. Chief Engineer  
M.D.

To  
The District Engineer  
Bangalore.

(True copy)

/ Signed J. J. Conolly & Co.  
Executive Officer

(True copy)

Ag Supg Engineer 3<sup>rd</sup> Circle.

1236/19 Building  
P. L. D. D. D.

Proceedings of the Madras East

Under date the 25<sup>th</sup> April/79

Read the following:-  
The Supr. Engrs. Second Circle (H.E. No. 1929 of 28<sup>th</sup> Feb/79)  
do do Third do (H.E. No. 1411 of 14<sup>th</sup> March)  
do do do (H.E. No. 2220 of 18<sup>th</sup> April)  
The Supr. Engineer  
South Circle (H.E. No. 167 of 10<sup>th</sup> March 1879)

The Government of India will be informed that <sup>additional</sup> no sheds are required at the hill stations in the Madras Presidency.

H.E. No. 1236/19 of 25<sup>th</sup> April/79

Copy of the above forwarded to the Govt. of India, with reference to Colonel Pollard's Circular of the

To Govt.

1236/19

the 11<sup>th</sup> January last,  
No. 29 In. W.

L. 114

114

Chief 6-5-99 = 6 days

Cir 18.4.79. Use 1/4.  
To 20.5.79. Recd 17/4

1236  
10

Govt. of Madras.

PUBLIC WORKS.

To

Dated

Issued

Recd.

Encl.

G. O. 25 April 1879, No. 1234 W  
1236 A

Nos. 216-217  
218

Station sheds The Dy. Supt.  
informed that no additional  
are required at the hill  
stations in the Madras  
Presidency.

Provision of additional  
station sheds at hill  
stations.