

(1) Number of pages 12
(2) Date of repair 11-11-86
(3) Initials of the Referencer lar

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P. W. DEPARTMENT

G.O. No.	1401 W	Press.
B.P. No.		Mis.
Dated	17-5-1879	197

A.K.
Not to be folded or roughly handled

1401
7

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT.

17th May 1879, No. 1,401 W.

General
Establishment.

Read the following paper :—

No. 125. From Major H. W. WOOD, R.E., Superintending Engineer, Third Circle, to the Chief Engineer, Public Works Department, dated Chepauk, 2nd May 1879, No. 2,625.

With reference to G.O., No. 1,107 W, dated 8th April 1879, and in continuation of this office No. 1,807, dated 28th March 1879, I have the honor to inform you that the excess expenditure incurred in repairing the Government House, Manjacoopum, was mainly due to high rates and extra work done on the Bengal terrace roof, as ordered by the late District Engineer, Major Mead. The third grade Overseer Dorasawmy Mudaliar, who was in charge of the work, and who is responsible for the high rates charged, appears, from his service book, to be by no means an efficient Government servant.

2. The Divisional Officer, Cuddalore, reports that the excess amount, viz., Rupees 265-5-1, was not included in his statement of liabilities for the last three months of the year 1878-79, as the late Divisional Officer was of opinion that only sums urgently required for expenditure should be entered in that statement, and that it was not therefore necessary to include the amount (Rupees 163-13-5) spent in November in the statement. The remainder Rupees 101-7-1 was not included pending the receipt of explanations from the Overseer as to the circumstances under which he exceeded the authorised allotment.

3. I have the honor to forward the comparative statement for your inspection and return.

No. 126. ORDER THEREON, 17th May 1879, No. 1,401 W.

ORDERED to be recorded.

2. The explanation given is by no means satisfactory, and the responsibility cannot be transferred from the District Engineer and Executive Officer concerned to the Overseer.

3. The name of the Executive Officer in charge of the work should have been reported.

(True Extract.)

Major, R.E.,
Ag. Under Secy. to Govt., P.W.D.

To the Superintending Engineer, Third Circle, with one enclosure.
" Examiner of Public Works Accounts.

Exd. S. T. Austin

Spam Copies

GENERAL
ESTABLISHMENT.

Govt. of (1879) Madras.
PUBLIC WORKS.

To
THE SUPERINTENDING ENGINEER,
TRIALS CIVIL
CHINGLEPUT.

Dated May 17th.

Received

By

G. O. No. 176 May 1879, No. 124.

MAY.
Nos. 124-125.

Government House at Mangalore, South
Arabia. Received from the Superin-
tending Engineer, Trials Civil, submitting
statement relating to the excess work
incurred on the - - - - -

No. 2625.

3rd Circle.
Chingleput Superintending Engineer's Office.
Chingleput
Saint Thomas Mount. 2 May 1879.

From

THE SUPERINTENDING ENGINEER,

Chingleput, 3rd Circle.

To

The Chief Engineer,
Public Works Department.

Sir,

Enc 1.

With reference to G. O. No. 1107 dated
8th April 1879 and in continuation of
this office No. 1807 dated 28th March
1879, I have the honor to inform you
that the excess expenditure in-
curred in repairing the Government
House Mangalore, was mainly
due to high rates and extra work
done on the Bengal Terrace Roof,
as ordered by the late District
Engineer, Major Mead. The 3rd Grade
Overseer Dorasamy Mudra who was
in charge of the work and who
is responsible for the high rates
charged - appears from his Service
Book, to be by no means an effi-
cient Government servant.

2. The Divisional Officer Audolone reports that, the excess amount Rs. 265-5- was not included in his Statement of Expenditure for the last 3 months of the year 1878-79 as the late Divisional Officer was of opinion that only sums actually required for expenditure should be entered in that Statement and that it was not therefore necessary to include the amount (Rs. 103-13-5) spent in stationery in the Statement. The remainder Rs. 161-7- was not included pending the receipt of an explanation from the Officer as to the circumstances under which he exceeded the authorized allotment.

3. I have the honor to forward the Comparative Statement for your inspection and return.

I have the honor to be
Sir
Your most obedient servant
B. M. M. M. M. Major A. B.
Superintendent of Police.

Sp. A. 1107 1/2 - 8-11-77-

From the Supp. Eng. 3^d C.

Per 9-5-79 No 14012

No 2625.

Dated 2^d }
Recd } May 1879.

Enc 1.

Govt House at Manjoo =
= cuppaun — Reporting
regarding the excep sp =
= penditure incurred on
the —

Cip 10-5-79. Dtd 14-6-79
Ld 14-8-5-

Office

In returning this order
after the R.M.'s approval
to the London Office
for disposal I think it
as well to note that
the Comparative Statement
is not in the authorized
Order form - though
giving minute details
of amount of unaccounted
items it fails to bring
out & explain in words
the extent & causes for
the difference between the
Sanctioned Estimate and
the actual one

W. H. B.
6/7/79

The form referred
to by W is No 103.
The form in use
here is also used
in Singapore as is

*1/500 lbs
on W -
dotted with
W.S.*

Cyber
16.5

The explanation of curves
or elevations
given should have been
given in the column of remarks,
that the latter are not
sufficiently detailed in
the fault of the Officer who
filled up the form, but
not of the form itself.

25

I shall cordially be compelled
to furnish a better specimen than
shown examples are ^{being} sent up
if the form is really sufficient for its
immediate purpose ~~there~~ can be no
doubt for ~~the~~ ^{the} ~~purpose~~ ^{purpose} of it
Discontinue 56-83-79 17/5/79 *Att*

Pro: of the Madras Government
Under date the 17th May/79
Read the following

From
The Supp. Eng. Third (N.E. No. 2625 of 2nd Aug 1877)
Circle 3

Ordered to be

recorrido.

2- The explanation given is by no means satisfactory, and the responsibility cannot be transferred from the District Engineer and Executive Officer concerned to the Overseer.

3. The name of the
Executive officer in charge
of the work should have
been reported. (1)

No. Third Circle with
enclosures

Gen. P. W. Axtell

Depth 26 - 5 - $\frac{3}{4}$ $\frac{1}{2}$ $\frac{1}{8}$ $\frac{1}{16}$ $\frac{1}{32}$ $\frac{1}{64}$ $\frac{1}{128}$ $\frac{1}{256}$ $\frac{1}{512}$ $\frac{1}{1024}$ $\frac{1}{2048}$ $\frac{1}{4096}$ $\frac{1}{8192}$ $\frac{1}{16384}$ $\frac{1}{32768}$ $\frac{1}{65536}$ $\frac{1}{131072}$ $\frac{1}{262144}$ $\frac{1}{524288}$ $\frac{1}{1048576}$ $\frac{1}{2097152}$ $\frac{1}{4194304}$ $\frac{1}{8388608}$ $\frac{1}{16777216}$ $\frac{1}{33554432}$ $\frac{1}{67108864}$ $\frac{1}{134217728}$ $\frac{1}{268435456}$ $\frac{1}{536870912}$ $\frac{1}{1073741824}$ $\frac{1}{2147483648}$ $\frac{1}{4294967296}$ $\frac{1}{8589934592}$ $\frac{1}{17179869184}$ $\frac{1}{34359738368}$ $\frac{1}{68719476736}$ $\frac{1}{137438953472}$ $\frac{1}{274877906944}$ $\frac{1}{549755813888}$ $\frac{1}{1099511627776}$ $\frac{1}{2199023255552}$ $\frac{1}{4398046511104}$ $\frac{1}{8796093022208}$ $\frac{1}{17592186044416}$ $\frac{1}{35184372088832}$ $\frac{1}{70368744177664}$ $\frac{1}{140737488355328}$ $\frac{1}{281474976710656}$ $\frac{1}{562949953421312}$ $\frac{1}{1125899906842624}$ $\frac{1}{2251799813685248}$ $\frac{1}{4503599627370496}$ $\frac{1}{9007199254740992}$ $\frac{1}{18014398509481984}$ $\frac{1}{36028797018963968}$ $\frac{1}{72057594037927936}$ $\frac{1}{144115188075855872}$ $\frac{1}{288230376151711744}$ $\frac{1}{576460752303423488}$ $\frac{1}{1152921504606846976}$ $\frac{1}{2305843009213693952}$ $\frac{1}{4611686018427387904}$ $\frac{1}{9223372036854775808}$ $\frac{1}{18446744073709551616}$ $\frac{1}{36893488147419103232}$ $\frac{1}{73786976294838206464}$ $\frac{1}{147573952589676412928}$ $\frac{1}{295147905179352825856}$ $\frac{1}{590295810358705651712}$ $\frac{1}{1180591620717411303424}$ $\frac{1}{2361183241434822606848}$ $\frac{1}{4722366482869645213696}$ $\frac{1}{9444732965739290427392}$ $\frac{1}{18889465931478580854784}$ $\frac{1}{37778931862957161709568}$ $\frac{1}{75557863725914323419136}$ $\frac{1}{151115727451828646838272}$ $\frac{1}{302231454903657293676544}$ $\frac{1}{604462909807314587353088}$ $\frac{1}{1208925819614629174706176}$ $\frac{1}{2417851639229258349412352}$ $\frac{1}{4835703278458516698824704}$ $\frac{1}{9671406556917033397649408}$ $\frac{1}{19342813113834066795298816}$ $\frac{1}{38685626227668133590597632}$ $\frac{1}{77371252455336267181195264}$ $\frac{1}{154742504910672534362390528}$ $\frac{1}{309485009821345068724781056}$ $\frac{1}{618970019642690137449562112}$ $\frac{1}{1237940039285380274899124224}$ $\frac{1}{2475880078570760549798248448}$ $\frac{1}{4951760157141521099596496896}$ $\frac{1}{9903520314283042199192993792}$ $\frac{1}{19807040628566084398385987584}$ $\frac{1}{39614081257132168796771975168}$ $\frac{1}{79228162514264337593543950336}$ $\frac{1}{158456325028528675187087900672}$ $\frac{1}{316912650057057350374175801344}$ $\frac{1}{633825300114114700748351602688}$ $\frac{1}{1267650600228229401496703205376}$ $\frac{1}{2535301200456458802993406410752}$ $\frac{1}{5070602400912917605986812821504}$ $\frac{1}{10141204801825835211973625643008}$ $\frac{1}{20282409603651670423947251286016}$ $\frac{1}{40564819207303340847894502572032}$ $\frac{1}{81129638414606681695789005144064}$ $\frac{1}{162259276829213363391578010288128}$ $\frac{1}{324518553658426726783156020576256}$ $\frac{1}{649037107316853453566312041152512}$ $\frac{1}{1298074214633706907132624082305024}$ $\frac{1}{2596148429267413814265248164610048}$ $\frac{1}{5192296858534827628530496329220096}$ $\frac{1}{10384593717069655257060992658440192}$ $\frac{1}{20769187434139310514121985316880384}$ $\frac{1}{41538374868278621028243970633760768}$ $\frac{1}{83076749736557242056487941267521536}$ $\frac{1}{166153499473114484112975882535043072}$ $\frac{1}{332306998946228968225951765070086144}$ $\frac{1}{664613997892457936451903530140172288}$ $\frac{1}{1329227995784915872903807060280344576}$ $\frac{1}{2658455991569831745807614120560689152}$ $\frac{1}{5316911983139663491615228241121378304}$ $\frac{1}{10633823966279326983230456482242756608}$ $\frac{1}{21267647932558653966460912964485513216}$ $\frac{1}{42535295865117307932921825928971026432}$ $\frac{1}{85070591730234615865843651857942052864}$ $\frac{1}{170141183460469231731687303715884105728}$ $\frac{1}{340282366920938463463374607431768211456}$ $\frac{1}{680564733841876926926749214863536422912}$ $\frac{1}{1361129467683753853853498429727072845824}$ $\frac{1}{2722258935367507707706996859454145691648}$ $\frac{1}{5444517870735015415413993718908291383296}$ $\frac{1}{10889035741470030830827987437816582766592}$ $\frac{1$

been reported.

3548

Govt. of Madras

PUBLIC WORKS.

To ✓

Dated

19/5

From

Recd.

Encl.

17 May 1914. No. 1401W

Nos. 125-128

Government Notice at
Mengalcoorun S. Area

Re Letter from the
Superintendent
submitting explanation
relative to the excess
military in force in the
— period of with
remarks.