

(1) Number of pages 16
 (2) Date of repair Oct. 1986
 (3) Initials of the Referencer lwp

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P. W.

DEPARTMENT

G.O. No.	2128(N)	Press.
B.P. No.		Mis.
Dated	13. 8. 1879	197.

V.B

Not to be folded or roughly handled

2128
T

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT.

13th August 1879, No. 2,128 W.

General. 1
Account.

Read the following papers:—

No. 85. From Major H. M. VIBART, R.E., Acting Superintending Engineer, Third Circle, to the Chief Engineer, Public Works Department, dated 25th July 1879, No. 4,370.

With reference to G.O., No. 1,380 W., dated 16th May 1879, I have the honor to inform you that the amounts due to the Public Works Workshops by the Executive Engineer, Chingleput Division, will be adjusted as soon as the funds applied for for this division under "Tools and Plant" in the statement submitted from this office, on the 24th ultimo, have been sanctioned by Government.

2. In regard to the sums due to the Workshops on account of the Guindy Water Works, I beg to enclose copy of a statement submitted by the Executive Engineer, Presidency Division, showing the amounts of the bills which remain unadjusted up to the date of the transfer of the Workshops Department to under the immediate orders of the Chief Engineer, and the causes of the non-adjustment of the same.

STATEMENT showing the Bills of the Public Works Workshops on account of the Guindy Water Works which remained unadjusted up to the date of Public Works Workshop transferred to under the immediate orders of the Chief Engineer, Department Public Works.

Number and Date of Bills.	Amount.	Cause of non-adjustment.
Bill No. 1,084 dated 15th Feb. 1878, for maintenance charges of the Guindy pump—For 1876-77, Rs. 1,647. " 1877-78 " 1,734.	RS. A. P. 3,381 0 0	In G.O., No. 3,453, dated 6th December 1875, the General Superintendent, Public Works Workshops, was charged with the duty of carrying out the alterations to the pumping machinery at Guindy and for its maintenance. In reference to this order the General Superintendent submitted an estimate on the 22nd March 1877, and subsequently in letter No. 3, dated 2nd May 1877, he stated that items 1 and 3 of the estimates, viz., Rupees 4,911 and Rupees 1,734, were respectively required; the first to pay the workshop bill for expenses incurred in making and fitting up a new set of pumps, &c.; and the latter for the maintenance of the boiler and engine, &c., for the year 1877-78. Accordingly Government in their Order, No. 807 W., dated 29th September 1877, allotted these two sums. This order was communicated to the General Superintendent, Public Works Workshops, with the late District Engineer's No. 4,722, dated 16th November 1877, for information and guidance. Instead of adjusting himself the sum of Rupees 1,734 allotted for maintenance charges for 1877-78, the General Superintendent forwarded to this office a bill for Rupees 3,381 being the maintenance charges for 1876-77 and 1877-78. As there was only Rupees 1,734 available, the late District Engineer applied for the balance of Rupees 1,647, but was not allotted by Government.

Statement showing the Bills of the Public Works Workshops, &c.—cont.

Number and Date of Bills.	Amount.	Cause of non-adjustment.
Bill No. 279, dated 1st August 1878, for making and setting up a new set of pumps.	RS. A. P. 4,911 0 0	In like manner the General Superintendent appears to have overlooked the grant of Rupees 4,911 sanctioned in G.O., No. 807 W., dated 29th September 1877, and forwarded to this office on the 19th November 1878 a bill for Rupees 4,911 for making and setting up of pumps. In addition to this bill he also sent the bills as per margin for Rupees 3-11-0 and 2-11-0 requesting their adjustment. He also sent in a reminder for the adjustment of the bill for Rupees 3,381 above referred to on the 5th May 1879; but, as the Public Works Workshop was transferred to under the immediate orders of the Chief Engineer, I have returned all the above bills to the General Superintendent on the 10th January and 29th May 1879 and requested him to obtain funds direct from the Chief Engineer for their adjustment.
Bill No. 537, dated 2nd September 1878, for repairing boiler.	3 11 0	
Bill No. 1,070, dated 31st October 1878, for repairing hatchet.	2 11 0	
Bill No. 1,814, dated 21st March 1879, for making two iron tanks.	1,600 3 0	The bill was received in this office on the 22nd March 1879, but was returned to the General Superintendent on 5th April 1879 stating that there were no funds available.

CHEPAUK,
21st July 1879.

(Signed) S. C. PLUMMER, Lieut.
Asst. Engr. in charge, Presidency Division.

No. 85-A. From the Superintending Engineer, Third Circle, to the Chief Engineer, Public Works Department, dated Chepauk, 4th August 1879, No. 4,490.

With reference to paragraph 2 of G.O., No. 1,884 W., dated 17th July 1879, received 31st July, I have the honor to inform you that the report called for in paragraph 2 of G.O., No. 1,380 W., dated 16th May 1879, was submitted in this office No. 4,370 of the 25th July 1879. The report would have been sent earlier, but for some misapprehension as to the division (whether Chingleput or Presidency) with which the adjustment of the bills of the Guindy Water Works rested, which caused some delay in obtaining the required information from the Divisional Officer concerned.

No. 86. ORDER THEREON, 13th August 1879, No. 2,128 W.

RECORDED, with reference to G.O., No. 1,884 W., dated 17th July 1879.

2. Funds to the extent of Rupees 650 are provided from the Provincial Reserve to enable the Superintending Engineer to arrange for the adjustment of the items referred to under Tools and Plant.

3. The General Superintendent, Public Works Stores and Workshops, has already been instructed regarding the adjustment of the items outstanding in connection with the Guindy Water Works.—Vide G.O., No. 1,951 W., dated 24th July 1879.

(True Extract.)

Major, R.E.
Ag. Under Secy. to Govt., P.W.D.

To the Superintending Engineer, Third Circle.
" Examiner of Public Works Accounts.
" General Superintendent, Public Works Stores and Workshops.
Encl. E. C. Shunker.
3 spare Copies

GENERAL
ACCOUNT.

Govt. of (1879) Madras.

PUBLIC WORKS.

THE SUPERINTENDING ENGINEER
THIRD CIRCLE.

AC. AC. &

Dated August 13/79.

Issued

Recd.

End.

G. O., 1304 August 1879, No. 2,128 W.

AUGUST.

Nos. 85-86.

Outstanding bills due to the Presidency
Workshops. Reports from the Superintend-
ing Engineer, Third Circle, regarding the
recorded with remarks.

No. 4370

3rd Circle Superintending Engineer's Office

25th July 1879.

From

W. J. Dwyer 26th

The Superintending Engineer
3rd Circle.

To
The Chief Engineer
Public Works Department.

Sir,

With reference to G. O. No. 1380 W. dated
16th May 1879, I have the honor to in-
form you that the amounts due to
the P.W. Workshops by the Executive
Engineer Chief Eng. Division will
be adjusted as soon as the funds
applied for for this Division
under "Tools and Plant" in the
Statement submitted from this office
on the 24th ultimo, have been sanc-
tioned by Government.

2. In regard to the sums due
to the Workshops on account of
the Grindly Water Works, I beg to
enclose copy of a Statement submitted
by the Executive Engineer Presidency
Division, showing the amounts of

the Bills which remain unadjusted
up to the date of the transfer of the
Workshop Department to under
the immediate orders of the Chief
Engineer, and the causes of the
non-adjustment of the same.

I have the honor to be
Sir

Your most obedient servant

Henry M. Vihart Major R.E.
Asst. Supr. Engineer 3^d Circle.

42.58-2458-6-12-75-
 - 804 7-29-77
 - 1280 7-16-77

P.W.D.
 29th 79

From
 The Supr^g Engr^s 3^d C.

Per 713.877 Rs 22875

21/79

Rs 4370

Dated 25th
 Dispt 26th } July 1879
 Ord

Enclosure over.

Outstanding Bills in
 the account of Public
 Works Workshops
 Reports regarding the

Cir 8.8.79. Dtd 11.8.79.
 To Ctry 7-8-13-8-

Statement showing the bills of the P.W. Workshops on account of the Guindy Water Works which remained unadjusted up to the date of P.W. Workshop transferred to under the immediate orders of the Chief Engineer, D.C.W.

No and date of bills. Amount Cause of non adjustment.

Bill No 1034 of 15th Feb/78
 for maintenance charges
 of the Guindy Pump
 for 1876-77 Rs 1647
 " 1877-78 " 1734

3381

Bill No 279 of 1st Augt
 1878 for making and
 setting up a new set
 of pumps.

4911

In G.O. No 3453 of 16th December 1875 the Genl Suptt P.W. Workshops were charged with the duty of carrying out the alterations to the pumping Machinery at Guindy and for its maintenance. In re-
 - sponse to this order the Genl Suptt submitted an estimate on the 22nd March 1877 and subsequently in letter No 372 of 2nd May 1877 he stated that items 1 and 3 of the estimate viz Rs 4911 and Rs 1734 were respectively required, the first, to pay the Workshop bill for expenses incurred in making and fitting up a new set of pumps &c, and the latter for the maintenance of the Boiler and Engine &c for the year 1877-78. Accord-
 - ingly Genl in their order No 207 of 29th Sept 77 allotted these two sums. This order was communicated to the Genl Suptt P.W. Workshops with the ltr No 4722 of 16th Nov 77 for informa-
 - tion and guidance. Instead of adjusting himself the sum of Rs 1734 allotted for maintenance charges for 1877-78, the

Genl Suptt forwarded to this office a bill for Rs 3381 being the maintenance charges for 1876-77 and 1877-78. As there was only Rs 1734 available the late Distt Engineer applied for the balance of Rs 1647, but was not allotted by Government.

In like manner the Genl Suptt appears to have overlooked the grant of Rs 4911 sanctioned in G.O. No 207 of 29th Sept 77 and forwarded to this office on the 19th November 1878, a bill for Rs 4911 for making and setting up of pumps. In addi-
 - tion to this bill he also sent the bills as per margin for Rs 3-11-0 and 2-11-0 requesting their adjustment. He also sent in a reminder for the adjustment of the bill for Rs 3381 above referred to on the 5th May 1879, but as the P.W. Work-
 - shops were transferred to under the immediate orders of the Chief Engr, I have returned all the above bills to the Genl Suptt on the 10th January and 29th May 1879 and requested him to obtain funds direct from the Chief Engineer for their
 - adjustment.

The bill was received in this office on the 22nd March 1879 but was returned to the Genl Suptt on 5th April 1879 stating that there were no funds available.

Signed L.C. Plummer, District
 Asst Engineer
 In Charge Presidency D.

Bill No 1314 of 21st March
 1879 for making two iron
 tanks -

1600 3

Chapman
 2nd July 1879

Received by
 H. C. Plummer, Major R.E.
 Asst Engineer, S. Circle.

NO. 44,90.

3RD. CIRCLE SUPERINTENDING ENGINEER'S OFFICE,

Chopank, 4th Augth 1879.

From

THE SUPERINTENDING ENGINEER,

3RD. CIRCLE,

To

The Chief Engineer
Public Works Department.

SIR,

With reference to para 2 of G.O. No. 1884 N dated 17th July 1879, received 31st July, I have the honor to inform you that the report called for in para 2 of G.O. No. 1380 N dated 16th May 1879 was submitted in this office No. 4370 of the 25th July 1879. The report would have been sent earlier, but for some misapprehension as to the Division (whether Chief Eng or Presidency) with which the adjustment of the Bills of the Guidy Water Works rested, which caused some delay in obtaining the required information from the Divisional Office concerned.

I have the honor to be

Sir

Your most obedient servant

For Asst. Engineer
3rd Circle.

Cir 8. 8. 79. Dtd 11-8-79.

To Copy 7-8-13-8-

1887-1888 14-1-79
1887-1888 24-7-79

1879 D.

From

NR. 2128

The Sup^d Engrs 3^d C.

Per 9-13-8-79. No 2128 W.

No 4190.

Dated 4th } August 1879.
Recd

Outstanding Bills due to
the Presidency Workshops
— Inform that the
required report on the
— have submitted on
the 25th July 1879 with No.
4270 —

85A

Cir 8.8.79. Retd 11-8-79.
To Order 7-8-1879

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the 13th Aug. 1879
Read the following:—

in full
From the Sup^d Engrs }
Third Circle } No 4490 d/4th Aug 1879
do — } No 4370 d/25-7-79

Recorded with
reference to G.O. No
1884 W dated 17th
July 1879 —

2- Funds to the extent
of Rs 650 are
provided from the
Provincial Reserve to
enable the Superintend-
ing Engineer to arrange
for the adjustment of
the items referred to,
under Tools & Cont.

3. The General Supt^d
Public Works Stores and
Work Shops has already
been

been instructed &
regarding the adjust-
ment of the items
outstanding in connection
with ^{the} Quincy Water
works - Vide L.O. # 19514
dated 24th July 1879.

S
7-8

MM
8/8/79

35
4

Line
78

S. E. Third
Hammer Cha
Level Supdt. Photos
4400 ft

Scaped 21
19-8-79

Cir 8-8-79. Sub 11-8-79.
L.O. # 7-8-8-10-8

Cir 3739

Govt. of (1879) *INDIA*

PUBLIC WORKS.

To

Dated

Issued

Recd.

By

G. O. 13 Augt 1879. No. 2126 W

Nos. 85-86

Outstanding bills due to
the Presidency Architects
Reports from the Supg. Engr.
and Circle regarding the
needed with remarks.