

(1) Number of pages 12
 (2) Date of repair 6. 11. 86
 (3) Initials of the Referencer lowe

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P.W DEPARTMENT

G.O. No.	649 W	Press.
B.P. No.		Mis.
Dated	4.3.1879	197.

lowe
Not to be folded or roughly handled

649
1

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT.

4th March 1879, No. 649 W.

Buildings and Roads.
Civil Works.

Read the following paper:—

No. 35. From Major S. C. CLARKE, R.E., Acting Superintending Engineer, Third Circle, to the Chief Engineer, Public Works Department, dated St. Thomas' Mount, 18th February 1879, No. 845.

With reference to your memorandum, No. 214, dated 11th January 1879, I have the honor to inform you that the Superintendent, Public Works Workshops, reports that Rupees 3,381 represents the maintenance charges for the Guindy engine for two years, viz. :—

	rs.
For 1876-77	1,647
„ 1877-78	1,734
Total ...	3,381

and adds, with regard to the concluding clause of your memorandum above quoted, that water is required for the Guindy Park and gardens throughout the whole year, and that the cost of extra pumping required when the house is occupied forms but a small portion of the total expenditure.

No. 36. ORDER THEREON, 4th March 1879, No. 649 W.

In the fifth column of the statement recorded with G.O., No. 162 A W, dated 11th January 1879, the claim was stated to represent maintenance charges for the pump for 1877-78.

It now appears that the charges for 1876-77 are included in the total of Rupees 3,381.

2. Errors of this kind should not be allowed to appear in the accounts of a semi-commercial institution. The Government have on previous occasions noticed* similar inaccuracies in statements submitted from the Workshops. The attention of the Acting Superintendent will be called to the matter.

(True Extract.)

Colonel, R.E.,
Ag. Secy. to Govt., P.W.D.

To the General Superintendent, Public Works Workshops and Stores.
„ Financial Department.

Exd. C. Howarth.
Spare Copies

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of (1879) Madras.

PUBLIC WORKS.

To

THE GENERAL SUPERINTENDENT,
PUBLIC WORKS WORKSHOPS
AND STABLES.

Secy Secy Secy

Defd March 4th.

Issued

Recd.

Recd.

G. O. 4th March 1879, No 649 W.

MARCH.

Nos. 35-38.

Gandy Engine. The attention of the
Acting Superintendent, Public Works Work-
shop, called to the inaccuracy of the amount
which represents the maintenance charge
for the —

NO. 845.

3rd Circle

~~General~~ SUPERINTENDING ENGINEER'S OFFICE,

SAINT THOMAS' MOUNT, 18th Feb 1879.

From

THE SUPERINTENDING ENGINEER,

CHINGLEPUT. 3rd Circle.

To

The Chief Engineer,
Public Works Department.

Sir,

With reference to your Memorandum
No 214 dated 11th January 1879, I have
the honor to inform you that the
Superintendent, P.W. Workshops reports
that Rs 3,381 represents ^{the} maintenance
charges for the Gandy Engine for
two years - viz:

For 1876-77 — Rs 1,647

" 1877-78 — " 1,734
3,381

and adds, with regard to the
concluding clause of your Memo-
-randum above quoted, that water is
required for the Gandy Park and
gardens throughout the whole year
and that the cost of extra pump-
-ing required when the house is

occupied forms but a small
portion of the total expenditure.

I have the honor to be
Sir

Your most obedient servant

Wm. W. Major D.
Ag. Supg Engineer B. A. C. A.

From the Sup^r Eng^r 3^d C

No. 845.

dated 18th } Feb^r 179
Rec^d — }

Proc 4-3-77 No 647 W

Ch 211 3-11-77
to 917 W 25-1-78
to 273 W 23-1-78 side Ch 129.

Guindy Engine —

Reporting on the exces-
sive amount of the
maintenance charge for
the —

B. H. Dep^t
J. H. Dep^t

649
4

Proc. of Govt.
No. 649 W dated 4th March 79

Read letter from
the S. E. India Club (No. 845 dated 18th January,
1877.)

In the fifth column
of the statement recorded
with No. 162-11 dated
11th January, 1879, the
claim was stated to
represent maintenance
charges for the pump
for 1877-78.

It now appears that
the charges for the
preceding year are
included in the total
of Rs. 3381.
2. Some of this kind
should not be allowed

to appear in the accounts
of a semi-commercial
institution. The Government
have on previous occasions
noticed similar inaccuracies
in statements submitted
from the Workshops.

The attention of the Acting
Superintendent will be
called to the matter.

Wt-
27.2.79

* G.O. No. 917W dated 25 Feb 78

G.O. No. 273W dated 23 Jan 79

Recd. Sept. S. W. Workshops
and Stores
Indl. Dept.

Sept 20-8-79

No. 1. Salmon

Am 28/2

28/2

Ch 1537
Govt. of 1879 Madras.
PUBLIC WORKS.

To

Dated

Issued

Recd.

Encl.

G. O., 4 Mar 1879, No. 629 W

Nos. 35-36

Kindly Engine The
attention of the Agt Supdt
P. W. Workshop called to the
inaccuracy of the amount
which represents the
maintenance charge for
the —