Archives I 10,006—16-8 77.

(1) Number of pages 52

(2) Date of repair 4.12.86

(3) Initials of the Referencer

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

Public Works DEPARTMENT

G.O. No. B.P. No.	2363 W.	Press. Mis.
Dated	14.10.1880.	~~19~~ .

Not to be folded or roughly handled

1/2363 W

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

14th October 1880, No. 2,363 W.

General
Account.

Read the following papers :—

No. 56. Official Memorandum, dated 22nd September 1880, No. 469.

No. 56-A. From the General Superintendent, Public Works Workshops and Stores, dated 24th September 1880, No. 1,129 S.

No. 57. ORDER THEREON, 14th October 1880, No. 2,363 W.

ON reconsideration the Government are of opinion that a bell of good quality may be cast in the Workshops, at a cost not exceeding Rs. 400, for the Fort Church at Bellary, the bell to weigh 2½ cwts. The General Superintendent will arrange accordingly.

(True Extract.)

(Signed) R. H. SANKEY, Colonel, R.E.,
Secretary to Govt., P.W.D.

To the General Superintendent, Public Works Workshops.
„ Ecclesiastical Department.

Exd. S. T. Austin.
Spare Copies

GENERAL.
ACCOUNT.

Govt. of (1880) Madras.

PUBLIC WORKS.

To

THE GENERAL SUPERINTENDENT,
PUBLIC WORKS WORKSHOPS,
&c., &c., &c.

Dated October, 14th.

Issued

Recd. *Encl.*

G. O., 14th October 1880, No. 2,363 W.

OCTOBER.
Nos. 56-57.

Bell for the Fort Church at Bellary.—The General Superintendent, Public Works Workshops, directed to cast a — at a cost not exceeding Rs. 400.

2/2363W

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

14th October 1880, No. 2,363 W.

General.
Account.

Read the following papers :—

No. 56. Official Memorandum, dated 22nd September 1880, No. 469.

No. 56-A. From the General Superintendent, Public Works Workshops and Stores, dated 24th September 1880, No. 1,129 S.

No. 57. ORDER THEREON, 14th October 1880, No. 2,363 W.

ON reconsideration the Government are of opinion that a bell of good quality may be cast in the Workshops, at a cost not exceeding Rs. 400, for the Fort Church at Bellary, the bell to weigh 2½ cwts. The General Superintendent will arrange accordingly.

(True Extract.)

Major, R.E.,
Under Secy. to Govt., P.W.D.

To the General Superintendent, Public Works Workshops.
„ Ecclesiastical Department.

Exd. S. T. Austin.
Spare Copies

GENERAL
ACCOUNT.

Govt. of (1880) Madra

PUBLIC WORKS.

To

The GENERAL SUPERINTENDENT,
PUBLIC WORKS WORKSHOPS,
&c., &c., &

Dated October, 14th.

Issued

Recd.

Encl.

G. O., 14th October 1880, No. 2,868 W.

OCTOBER.
Nos. 56-57.

Bell for the Fort Church at Bellary.—The General Superintendent, Public Works Workshops, directed to cast a — at a cost not exceeding Rs. 400.

3
2868 W

Proceedings of the Madras Government, Public Works Department, 8th February 1876.

No. 121. Read the following endorsement of the Chief Secretary to Government, dated Fort St. George, 3rd February 1876, No. 152 :—

From the Venerable C. R. DRURY, Archdeacon of Madras, to the Honorable W. HUDLESTON, Chief Secretary to Government, Fort St. George, dated Madras, 31st January 1876, No. 375.

I HAVE the honor to forward an application from the Church Committee at Bellary, dated 13th January 1876, for a grant of Rupees 3,542-6-6 towards defraying the cost of improvements in the interior arrangements, and necessary repairs, in the Fort Church of that station.

2. No detailed estimate by the Engineer Officer of the district has been sent to me.

3. The Church Committee state in their letter that the estimated cost of the proposed work is as follows :—

	RS.	A.	P.
For new seats	5,000	0	0
For lighting the church	622	14	6
Total ...	5,622	14	6

4. In January 1874 the Lord Bishop visited this station, and wrote a minute recommending improvements in the interior arrangements of this church. A copy of this minute is embodied in the letter of the Church Committee.

5. A considerable sum has been raised towards this object from local sources.

	RS.	A.	P.
By the sale of the gallery	334	12	10
By offertories, subscriptions, fancy sale and concert ...	1,724	11	2
Total ...	2,060	8	0

6. The Church Committee, under these circumstances, ask the Government for a grant of Rupees 3,542-6-6, the balance required to make up Rupees 5,622-14-6, the estimated cost of the work contemplated.

7. Although the Lord Bishop visited Bellary in January 1874 and wrote a minute recommending improvements and repairs in this church, I was not made aware of this circumstance before I sent into Government the Ecclesiastical Budget Estimates for the coming financial year. If I had been better informed on this point, I should have strongly recommended that the estimates for Bellary should be sanctioned by Government.

8. The Government will, I am sure, give due weight to the recommendation of the Lord Bishop, and will appreciate the energetic efforts of the residents at Bellary in raising funds towards improving the Fort Church, so as to make it more worthy of the sacred purpose for which it has been consecrated.

From the Bellary Church Committee, to the Venerable C. R. DRURY, Archdeacon of Madras, dated Bellary, 13th January 1876.

WE have the honor to inform you that Trinity Church in the Fort is in a very dilapidated state and urgently requires reseating.

The Lord Bishop of Madras, when he was here in January 1874, wrote the following minute concerning the state of Trinity Church :—

4/2068

Proceedings of the Madras Government, Public Works Department,
8th February 1876.

"The interior arrangements of the Fort Church are capable of much improvement. I recommend that an early meeting of the Church Committee be held for considering what is desirable and practicable.

"The seats assigned to the soldiers are in many instances frail and out of repair. It seems to me most desirable that the accommodation provided for soldiers should be of a more worthy character, so as to assist them in showing reverence in the House of God, and especially that every man should be enabled to kneel without personal discomfort."

2. Since the Bishop's visit the Church Committee have been trying to raise funds for the necessary repairs, and have now in hand Rupees 2,060-8-0, contributed from the following sources:—

	RS.	A.	P.
Proceeds from sale of old gallery	334	12	10
Offertories in Church	322	10	1
Collected by subscription list	114	1	1
Proceeds of Mrs. Master's fancy sale	1,000	0	0
Proceeds of Mrs. Master's concerts	289	0	0
Total ...	2,060	8	0

3. It is estimated that a sum of Rupees 5,622-14-6 will be required to carry out the necessary repairs, viz., Rupees 5,000 for new seats and furniture, and Rupees 622-14-6 for lighting the church.

4. We therefore trust that you will recommend Government to sanction a grant-in-aid of Rupees 3,542-6-6 to make up the balance required.

TRANSFERRED to the Public Works Department for disposal.

(Signed) W. HUDLESTON,
Chief Secretary.

No. 122. ORDER THEREON, 8th February 1876, No. 344.

CIVIL WORKS, No. 6.

COMMUNICATED to the District Engineer, Bellary, who will submit the necessary estimate for the work.

(True Extract.)

(Signed) G. W. WALKER, Major-General, R.E.,
Secretary to Government.

To the District Engineer, Bellary.

Exd. E. C. Shunker.
Spare Copies

Govt. of {1876} Madras.

1/2

PUBLIC WORKS.

To

THE DISTRICT ENGINEER,
BELLARY.

Dated February 8th.

Issued

Recd. *Encl.*

G. O., 8th February 1876, No. 344.

FEBRUARY.

Nos. 121-122

Fort Church at Bellary.—The District Engineer directed to submit the necessary estimate for the repairs and alterations to the —as required by the Church Committee.

5
2383

Proceedings of the Madras Government, Public Works Department,
10th May **1875.**

Read the following Proceedings of the Madras Government in the Ecclesiastical Department, dated 5th May 1875, No. 117 :—

Read the following letter from the Acting Archdeacon, to the Chief Secretary to Government, dated 29th April 1875.

I HAVE the honor to forward to Government an application from the Church Committee at Bellary for a new bell for the Fort Church.

2. The District Engineer has examined the bell now in use, and found it cracked both inside and outside.

APPROVED and transferred to the Public Works Department for supply of a new bell.

(True Extract.)

(Signed) D. F. CARMICHAEL,
Officiating Chief Secretary.

ORDER THEREON, 10th May 1875, No. 71.

COMMUNICATED to the District Engineer, Presidency, for supply of a new bell in communication with the Superintending Engineer of Bellary.

(True Extract.)

(Signed) J. O. HASTED, Major, R.E.,
Offg. Joint Secretary to Government.

To the District Engineer, Presidency.
„ Controller of Public Works Accounts.
„ Ecclesiastical Department.

Exd. W. J. Lewis.
Spare Copies

P.W. 3115/80

6/2383W

Madras. August 20 - 1880

To Colonel Sankey. R.E.
Chief Engineer. P.W.D.

Sir. In reply to your letter. P.W.D. No 316. dated Ootacamund. Augt 13. 1880; I beg to say, that the Church referred to in my correspondence, viz the Fort Church, Bellary is not "the Garrison Church;" but "Trinity Church:" and is put down in G.O 21 April 1877, No 93 as Trinity Church, 2d Class Military Church.

With reference to your remarks about the size of the Bell, as prescribed in Govt orders, I hope that they are not to have retrospective effect in this instance.

Eccl. Dept. M. G.O 27th July 1875. No 195. The Archdeacon was ordered to submit to Govt an indent in due form, in triplicate, for the Bell required for the Fort Church at Bellary, for submission to the Secretary of State. In the same order was published a letter, stating that the Ch: Cttee required a good bell, "about 7 cwt, and 2 1/2 feet in diameter."

It appears from the letter of Revd W. Keen Chaplain of Bellary, ~~[illegible]~~ Enclosure, dated Bellary, Aug 18/80, that Rs 1000 were collected at Bellary in 1874 & 75 for a new Bell, but when the Ch: Cttee received G.O. 27 July 1875 No 195; they naturally assumed that the Bell wd be provided at Govt expense, and the Rs 1000 were then handed over to the Church Improvement Fund. It appears that the residents of Bellary have contributed no less than Rs 3184 for the improvement of the Fort Church. (i.e. Trinity Church).

It is very strange that the Church Committee only a few days ago wrote to me again on the subject.

As the Rs 1000, which was originally ~~and Rs 2000 besides~~

intended for the purchase of the New Bell &c, with Rs 2104 added to it, been expended by the Resident on the improvement of the Fort Church, a Govt. Church, I hope that Govt. will sanction the original plan as described in § 6 above quoted, be carried out.

The chief fault I am chiefly to blame for not having sent into Govt. an indent in due course as desired. At the same time I think also some blame attaches to the Church Cttee for not having once written to me on the subject for five years.

I remain Sir
Your obedt. servant
C. R. Drury Archdeacon

S.W. 6115

Fr 71 - 10-6-75
- 68 - 9-8-75
- 2466 - 15-9-76
- 93 - 21-4-77 Recd.
- 1720 W. 10-11-77
- 2087 W. 27-5-78
To 316 - 13-8-80

TO BE RETURNED WITH REPLY.

Recd 4-9-80 Sd. 13-9-80
Cir 25-8-80 Rd 3-9-80
Oh. Encl. 62 Augt

1/2363W P.W.D.

No. 316.

To
The Ven: the Archdeacon

Ootacamund d/13th Augt/80.

Ven'ble Sir

No. 32 d/14-7-80.
6-8-80

With reference to your marginal letters to the Chief Secretary I have the honor to request that you will be so good as to inform me, whether the Fort Church at Bellary is of the first or second class.

2. If it is of the former, the cost of the bell must not with reference to para 1444 of the P.W. Code exceed Rs 300, if of the latter Rs 200 are the limit

3. If however any Members of the Congregation are prepared to subscribe the difference between the sum which Govt: can provide under the rules and the price of a really good bell, to be procured from England, there will be no objection to the proposed reference to the Secretary of State and the necessary action can be taken by me. No indent is required.

I have &c. &c.

Copy sd/ R. H. Sankey
Col. R.E.
Ch. Engr. P.W.D.

P.W. 6115/80
10

A/..

8/23630

Bellary,
18th Augt. /80.

My dear Archdeacon,

The Fort Church (a 2nd class Military Church) here is Trinity Church; its original name, I expect, before there was a Garrison Church. The order, decision in G.O. 27th July, 1875 has already permitted the submission of the Indent for the Bell, of the size & price named in the Supdt. Engr's letter quoted in the G.O.; so unless subsequent G.O.s on the subject are retrospective, it will be disappointing if the submission of the Indent cannot now be allowed.

---

his letter, No. 200

grant for the building

Memo No. 310 2/13 Aug.

To the Ven. the
Archdeacon

Please let Col: Sankey know that Rs1000 were collected here in /74 & /75 for a new Bell; but when the Ch: Comee received G.O. 27th July, 1875. No 195, they naturally assumed that the Bell was to be provided at Govt. Expense, & the Rs: 1000 were then handed over to the Church Improvement Fund. & the large sum of Rs: 3104 has been contributed in Bellary for the improvement of the Fort Church, I cannot with any good grace begin again now, & ask people to contribute towards the purchase of a new Bell which they understood had been promised to them by Government. Mr. J.H. Master, the late Collector of Bellary, was certainly under this impression; &, in a letter to me lately, asked if the bell had arrived from England.

Yours Sincerely,
H. Wace.

18th Sept. –

P.T.O.

...partment.

following
...deacon
...32.

...ce to
if any
... Secre-
...ation
Bell to
...nears
London
?

...: 138.

...con
would be informed that the
Secretary

...t of which will be
...ed in addition to
...grant for the building:–

his letter, G.O. 200

14

P.S. Rs: 217.7 only have been given by Government towards the Fort Church Improvements (vide G.O. 27th May, 1878, No. 2,289 W. ?, out of the sanctioned estimate of Rs: 5000; & an additional sum of subscriptions amounting to Rs: 515 has to be added to the sum of Rs: 2,589 mentioned in this G.O. as contributed by the congregation. I cannot ask them to give any more subscriptions.

TO BE RETURNED WITH REPLY.

7/8/80 please send.

10/226300

Madras. Aug. 6. 1880.

To the Actg Under Secretary to
Govt
Fort St George.

Sir, Will you be kind enough to send me a form of indent on the Secretary of State for a Bell for the Fort Church at Bellary, as directed in G.O. 27th July 1875 No 195, para 2.

I remain Sir
your obedient servant
C. R. Drury
Archdn.

Memorandum 310 of 13 Aug 80

To the Ven. the
Archdeacon

226300

partment.

following

deacon

32.

ace to

if any

Secre-

ation

Bell to

means

London

?

o: 138.

con

that the

Secretary

---

t of which will be
ed in addition to
grant for the building

the letter, [illegible] 200

No. 1591.

Transferred to the Public Works Department for disposal, with reference to Section 20 (K) of the Rules communicated with this order No. 1720 W.

d 19th Nov 1877.

J. Sanders
Chief Secretary

Govt. memorandum d 12th August 1880, No. [illegible] to the Public Works Department, with copy of G.O. 21st July 1880, No. 138.

[illegible] Sheet 22 Sept.

Eccl (1880) DEPARTMENT.
(Church — England)
605

From The Venble the Archdeacon

No.
Memo No. 310 [illegible]

Dated 6th } August /80.
Received 7. }

No. 225

Requesty. to be furnished with a form of indent on the Secy. of State for a Bell for the Fort Church at Bellary.

TO BE RETURNED WITH REPLY.

With endorsement.

14

Memo No. 310 d/13 Aug. 80

To the Ven. the Archdeacon

12/
2363 W

Ecclesiastical Department.

PROCEEDINGS of the MADRAS GOVERNMENT.

READ the following letter from the Venble the Archdeacon of Madras, d/ 14th July 1880. No: 32.

May I ask in reference to G.O. 27th July 1875, No: 195, if any reply was received from the Secretary of State to an application made to him to allow a Bell to be procured from Messrs: Mears & Stainbank, Bell founders, London for the church at Bellary?

Order thereon 21st July 1880. No: 138.

The Ven: the Archdeacon will be informed that the Secretary

---

cost of which will be
[illegible] in addition to
grant for the building [illegible]

the letter, [illegible] 200

Secretary of State for India was not addressed regarding a Bell for the Church at Bellary, as the Indent called for in para: 2 of G.O. of the 27th July 1875 No: 195, was not received.

(True Extract)

Sd/. R. Davidson

Chief Secretary.

(True copy)

R. Davidson -

Chief Secretary

14

Memo No. 310 of 13 Aug

To the Ven. the Archdeacon

13/2363

be supplied by the
with the following articles
cost of which will be
in addition to
grant for the building

in the margin), exceed
Rs. 300; if of
the latter, Rs. 200

G.O. 19th Novr. /77 No. 1720 W
Mis. — 9th Augt./75 — 58

Govt. of {1880} Madras.

P.W. 6115/80

7

To

Dated } 1880, No.
Recd. }

Nos.

Memo No. 312 d/13th Augt.

TO BE RETURNED WITH REPLY.

Memo No. 316 d/13 Aug/80

To the Ven. the
Archdeacon

Dear Sir,

No. 32, dated 14th July/80.
Do. 6th August/80.

With reference to your marginal letters to the Chief Secretary, I have the honor to request that you will be so good as to inform me whether the Fort [Parade] church at Bellary is of the first* or second† class.

2. If it is of the former, the cost of the bell must not, with reference to para. 1444 of the P.W. Code (extracted in the margin), exceed Rs. 300; if of the latter, Rs. 200

* that is, a church contg. 400 or more sittings

† — — — — — less than 400 sittings

" Each Protestant Church, Civil
" or Military (Cathedrals excepted),
" will be supplied by the
" Dept. with the following articles,
" the cost of which will be
" allowed in addition to
" the grant for the building:—

are the limit.

3. If, however, any members of the congregation are prepared to subscribe the difference between the sum which Govt. can provide under the rules and the price of a really good bell, to be procured from England, there will, however, be no objection to the proposed reference to the Secretary of State, & the necessary action can be taken by me. No indent is required.

A.P. 13/8.

12/8/80

14/2363W

***

"One bell of reasonable
"size to summon the
"congregation to church,
"at a cost not exceeding
"Rs. 300 for a first class
"church *** and Rs
"200 for a second class
"church ***

15/2363W

PUBLIC WORKS DEPARTMENT.

Letter from the Ven'ble the Archdeacon d/ 20th August 1880.

FOR ORDERS.

2. Before the issue of the rules appended to Oy. No. 1720 W, dated 19th Novr. 1877, there was no limitation as to the size of the church bells to be provided by Govt., and as the proposal to get out a good bell, to cost Rs 750, from England was virtually sanctioned in Oy No. 195 of the 27th July 1875, Ecclesiastical Deptt., the contention of Mr. Wace and the Archdeacon appears well founded.

Hon. W. Hudleston

3. If the Hon'ble Member concurs in this view, it is proposed to address the Secretary of State. No regular indent appears necessary under the circumstances.

FOR ORDERS.

M. Sankey Col. R.E.
Secy. to Govt. P.W.D.

24th August 1880.

Recd 4-9-80. Rtd 13-9-80 —
Cir 25-8-80. Rtd 3-9-80
G. Eng O.L. Sheil 62 Augt.

Bellary,
1st Septr. /80.

To Col. M. Sankey,
Chief Engineer P.W.D.
&c &c.

Dear Sir, I have this morning received from the Archdeacon your letter to him of 30th ulto. relative to the new bell for the Fort Church in this ~~[illegible]~~ station, and I have been directed by the Archdeacon to send a reply to your enquiry in that letter, direct to yourself.

17/

With reference to the
...'s enquiry regarding
...per size of a bell for
...lary Church I beg
...h a note from the
...lain Mr. Wace
...ting a limit of Rs

...n Pennycuick
..., me that in every
...bells 20 inches in
... diameter 180 lbs
...ht and casting
... have been specified
...ggests that as
... is a large station
...tly larger bell
...ighing 2½ cwt.
... to cost more
...Rs 400 might be

This would appear reasonable, and would in all probability not be objected to by Mr. Wace & the congregation.

3/9/80

...80. Rtd 13-9-80 —
...ul 62 Augt.

Hon. W. Huddleston

FOR ORDERS.

3. If the Hon'ble Member concurs in this view, it is proposed to address the Secretary of State. No regular indent appears necessary under circumstances.

M. Hankey Col.
Secy to Govt P.W.

24th August 1880.

Recd 4-9-80 Rtd 13-9-80 —
Cir 25-8-80 Rtd 3-9-80
Eng. Asst. O.L. Cheil. Eng. Asst.

The Church Committee here would, I am sure, be quite content if the Government would allow them to have a bell from England of the value of Rs. 500. I do not know what difference this would make in the size of the bell, but it makes a saving of Rs. 250 in the expenditure for it.

16

Mentioned in G.O. 27th July 1875. No 195.

I am, dear Sir,
faithfully yours,
W. Wace.
Chaplain of Bellary.

With reference to the
's enquiry regarding
per size of a bell for
llary Church I beg
ude a note from the
plain Mr. Wace
ting a limit of Rs

Pennycuick
me that in many
ells 20 inches in
diameter 180 lbs
ht and costing
have been specified
suggests that as
is a large Station
ghtly larger bell
ighing 2½ cwt
to cost more
Rs 600 might be

This would appear reasonable, and would in all probability not be objected to by Mr. Wace & the congregation.

3/9/80

Rtd 13-9-80

Hon W. [illegible]

FOR ORDERS.

Yes [illegible]

3. If the Hon'ble Member concurs in this view, it is proposed to address the Secretary of State. No regul [illegible] appears necessary [illegible] circumstances.

M. Hawkey
Secy. to Govt.

24th August 1880.

Recir 4-9-80 Retd 13-9-80 –
Cir 25-8-80 Retd 3-9-80
[illegible] O.L. Sheil 62 Augt.

17

Hon W. [illegible]

With reference to the H M's enquiry regarding the proper size of a bell for the Bellary Church I beg to attach a note from the Chaplain Mr. Wace suggesting a limit of Rs 500.

Major Pennycuick informs me that in many cases bells 20 inches in bottom diameter 180 lbs in weight and costing Rs 250 have been sanctioned but suggests that as Bellary is a large station a slightly larger bell say weighing 2½ cwt and not to cost more than Rs 400 might be given.

This would appear reasonable, and would in all probability not be objected to by Mr. Wace & the congregation.

3/9/80

Yes WH

Cir 4-9-80. Retd 13-9-80 –
O.L. Sheil 62 Augt.

~~17~~
~~2743~~

172

P. W. 187 DEPARTMENT.

P.W.D.
16SEP80
Nº 58

No.

From

Ven: Archdeacon

No.

Dated 20 Augt/80.

Recd.

SUBJECT.

Regarding bell for Trinity Church Bellary.

Disposal.

C.E. 426 a/13 Septr/80.

Please send Cho

Art

Herewith
13/9

S.W.D.

Memo:

With reference to the enclosed papers, the undersigned has the honor to request that a special indent, in proper form for submission to the Secy of State, may be prepared by the Superintendent, for a bell weighing 2 1/2 cwt, the cost not to exceed Rs 400.

AT
11/9

~~RHtt~~
12/9/80

To,
The Genl. Supdt. S.W. Stores
with papers to be ret

P.W.D.

Memo:

With reference to the enclosed papers, the undersigned has the honor to request that a special indent, in proper form for submission to the Secy. of State, may be prepared by the Superintendent, for a bell weighing 2½ cwt, the cost not to exceed Rs 400.

11/9 12/9/50

To,
The Genl. Supdt. P.W. Stores
with papers to be ret

18/2326

19/2363 W

No. 1604 W.

PRESIDENCY PUBLIC WORKS WORKSHOPS,
Madras, 15th Septr 1880

From
THE GENERAL SUPERINTENDENT,
PUBLIC WORKS WORKSHOPS,

To The Chief Engineer
P.W.D. Madras

[illegible]

SIR,

Enclosures.

With reference to your Memo: No 426 of 13th September 80, I have the honor to suggest that the Bell should be cast here, as there is no difficulty in executing the work for the amount allowed Viz: Rs 400/.

2. If a drawing is furnished of the existing Bell the new one will be cast of exactly the same pattern or if preferred the design will be settled here.

3. The Bell could be despatched within 3 weeks from date of order.

I have the honor to be
Sir
Your most obedient Servant
M C Baddeley Lieut R.E.
Genl Supdt: Pres: P.W. Workshops

Presidency P. W. Workshops.

From

The ~~General~~ Superintendent,
P. W. Workshops,
Madras,

P.W.D.
17 SEP 80
No. 5907

To

The

No.

Dated
Despd.
Received 17-9-80
188

ENCLOSURES.

Subject.

O. 17-9-80

V°

Memo: No. 469 of 22nd Sept 80

From the Genl. Supt.
No. 1604 W., 15th Sept.
1880.

With reference to the letter above quoted, it is considered that in the present case it will be better to procure the church bell from an English firm, and the u/s has therefore the honour to request that the indent called for in his ~~letter~~ memo: of the 13th inst., No. 4206 may be prepared.

N/S A.E.

to the Genl. Supt.
21/9/80

PUBLIC WORKS STORE DEPARTMENT,
Madras, 24th September 1880.

No. 1129 S.

From

THE GENERAL SUPERINTENDENT,
PUBLIC WORKS STORES, &c.,

To

THE Deputy Chief Engineer
Public Works Department
Madras

SIR,

With reference to Memo: No. 226 dated 13th September 1880 from Chief Engineer I have the honor to forward for submission to Govt. a Special Indent in triplicate on the Home Govt. for a Bell for the Fort Church at Bellary. The Government should allot funds for the payt. of the Bell.

Enclosures. 11
1 Indent in tripl.
10 [illegible] papers

The enclosures received with the Memo are herewith returned.

I have the honor to be
Sir
Your most Obedt. Servant

W C Batchelor Lieut R.E.
General Supdt. P.W. Stores

0.17.9.80

Cr. 316 - 13 - 8 - 80.
G.O. 1720 W. 19 - 11 - 77.
— 2289 W. 27 - 5 - 78.
— 2466 W. 15 - 9 - 76.
Cr. 469 - 22 - 9 - 80 -

Public Works Store Department.

From
The General Superintendent,
P. W. Stores, &c.,
Madras,

P.W.D.
27 SEP 80
No. 611

To
The Deputy Chief Engineer
Public Works Dept.
Madras.

No. 1129 S.

Dated 24
Despd. 24 } September 1880.
Recd. 27

No. of Enclosures. 3

Forwards for submission to Govt. a Special Indent in triplicate on the Home Govt. for a Bell for the Fort Church at Bellary.

Cr. 2-10-80. Rtd 2-10-80 -
O. 28-9-80. Rtd 14-10-80

23/D36

PUBLIC WORKS DEPARTMENT.

From the General Supdt. P. W. Stores
No. 1129 dd 24th Septr. 1880.

FOR ORDERS. whether this special indent should be sent to England, or the demand be made in the ordinary annual indent for 1881-82.

Col. R.E.
Secy. to Govt. P.W.D.

2 Octr. 1880

2/10

No
Bell [illegible] might be cast
here. There is a very
[illegible] attached on [illegible]
a [illegible]
[illegible]
& [illegible] & Church
bell metal heats
[illegible] and a [illegible] —

G. 28.

FOR ORDERS.

2363 W

Cir 2.10.80 - Retd 8-10.80 -
28.9.80

No. 2363 W

24/2363 W Genl Acct

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 14th Octr /80

Read the following:—

Official Memorandum	(P.E. No. quote 69 d/ 22nd Septr /80)
Letter from Genl. Supdt. P.W. Workshops & Stores	(— quote 1129 S. d/24th — " —)

On reconsideration the Govt. are of opinion that a bell of good quality may be cast in the workshops, at a cost not exceeding Rs 400, for the Fort Church at Bellary, the bell to weigh 2½ cwts. The General Supdt. will arrange accordingly.

Genl. Supdt. P.W. Workshops with Indent in triplicate ~~Ctt~~
Ecclesiastical Dept.

Ex 10
21-10-80 8/10/80

8/10

Cir 6-10-80. Retd 12-10-80
28-9-80

25/2363

27 619 134

~~X~~ 6115

Govt. of [1879] Madras.

PUBLIC WORKS.

To Encl. 2.

Dated 15/10

Issued

Recd. Encl.

G. O. 14th Oct. 1880 No. 2363W.

Nos.

Bell for the Govt. Church at Bellary.

The Genl. Supdt. Govt. workshops be directed to cast a — at a cost not exceeding Rs 400.

8/3