

No. 1799



Superintending Engineer's Office,
2nd Circle, Masulipatam
15th November 1881
Desd No. —

From

The Superintending Engineer,
2nd Circle.

To

The Chief Engineer
and Secretary to Government,
Public Works Department.

Sir

I have the honor to state that,
the undermentioned tools, whose book value,
is also given, are reported by the Executive
Engineer Nistna Western Division to be irre-
coverable.

66 Crowbars ————— Rs. 82.8.0

63 Mamoties ————— . 39.6.0

2 Hammers stone breaking . 0.12.0

Total Value Rs. — 122.10.0

2. These were given out to Coolies em-
ployed on Sanitary Works in 1878.

3. On asking the Executive Engineer
why the loss of these tools was not

reported previously, and why they were not included among the tools, the loss of which was reported in my A. 595 of the 1st July last, the Executive Engineer explains that, he had hopes of being able to recover these, but that his endeavours have proved unsuccessful.

4. I request therefore that authority may be given to strike off the value of these tools, in addition to the amount sanctioned in G.O. A. 1763 W of the 18th July 1881.

I have the honor to be,
Sir,

Your Most Obedt. Servant.

D. W. Rundle
Superintending Engineer,
2nd Circle.

B. No. 2957 Wd/ 25 Nov 89
The Hon. W. H. H. H. H.

Sanctioned as re-
quested in paragraph 4.

Cu

Att

21/11/89

Pl. No. 1762 W. 1A. 7-84.

1/11/89

S. S. 2 Circle ✓

Sanctioned ✓

Id 29/11

22.11.89

25/11/89

From
The Suply Engineer
II Circle

To
The Chief Engineer
and Secretary to Govt.
Public Works Dept

Date 15 November 1891
Ref: 21

No. 1799.

Tools reported to have
been lost and whose value
seems to be irrecoverable.

Requests that Authority
may be given to strike off-
certain -

Entd. in Receipt Bgr

with order