Archives I 10,006—16-8 77.

(1) Number of pages [illegible],32

(2) Date of repair 23.2.87

(3) Initials of the Referencer

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

PUBLIC WORKS DEPARTMENT

G.O. No.
~~B.P.~~ No. 3054-W. Press. ~~Mis.~~

Dated 9-12-1881 ~~197~~.

Not to be folded or roughly handled

3054/1

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

9th December 1881, No. 3054 W.

General.
Establishment.

Read the following paper:—

No. 23. Endorsement of the Chief Engineer for Irrigation, dated Chepauk, 19th November 1881, No. 52 E.W.

From the late Superintendent of Works, Godávari, dated 21st July 1881, No. 1050.

From the late Superintendent of Works, Godávari, dated 1st September 1881, No. 1382.

Forwarded to the Chief Engineer, Public Works Department, for consideration and disposal.

2. These papers contain the views of the local officers as to the establishment required in the Godávari District and the data on which the proposals are based.

3. The formation of an additional sub-division (Rajahmundry) in the Eastern Delta Division is considered to be essential. Even the emergent work rendered necessary by the cyclonic storm and rainfall of 1878, now three years ago, has not been nearly fully carried out, and it will not be practicable to attend to these outlying, and some of them important, Irrigation works without this additional sub-division.

4. The total cost of the establishments proposed will, even supposing the two divisions to be held by officers of higher rank than those whose salaries are entered in the statements, not exceed 1½ lakhs, including conservancy establishment, and the percentages on works, outlay, and revenue will be considerably within those, viz., 20 per cent. for the former, and 4 per cent. for the latter, which have been deemed reasonable:—

	RS.
The works outlay is estimated at	4,95,693
The revenue due to irrigation at	18,22,523
And 17½ per cent. on the works outlay would be	86,745
3½ per cent. on the revenue	63,787
Total ...	1,50,532

(Signed) JOHN MULLINS, Col., R.E.,
Chief Engineer for Irrigation.

No. 24. Order thereon, 9th December 1881, No. 3054 W.

In the endorsement recorded above the Chief Engineer for Irrigation recommends the formation of an additional sub-division* (Rajahmundry) in the Eastern Godávari Division. The necessity for strengthening the hands of the Superintending Engineer is admitted, but it is not deemed advisable to permanently alter the scale of

* Present No. 3.

establishment so recently sanctioned. Further experience may show that it is practicable to provide the requisite establishment by rearrangement within the sanctioned scale, but meanwhile the number of sub-divisions of the Eastern Godávari will be increased to four, the cost of the additional sub-divisional office establishment being met from the grant for temporary establishment.

2. It is understood that South Arcot also requires an additional sub-division, making the number up to two.

3. An appropriation of Rs. 186* is now made from the grant for temporary establishment to meet the additional cost sanctioned in these Proceedings during the remainder of the current official year.

	RS.
*Cost of two sub-divisional establishments at Rs. 31 = ...	62
For three months ...	186

(True Extract.)

(Signed) R. H. SANKEY, Colonel, R.E.,
Secretary to Govt., P.W.D.

To the Superintending Engineer, First Circle.
" " " Fifth Circle.
" Chief Engineer for Irrigation.
" Examiner of Public Works Accounts.

Exd. E. C. Shunker.
Spare Copies

GENERAL
ESTABLISHMENT.

Govt. of [1881] Madras.

PUBLIC WORKS.

To

THE SUPERINTENDING ENGINEER,
FIRST CIRCLE,
&c., &c.,

Dated December, 9th.

Issued

Recd.

G.O., 9th December 1881, No. [illegible] W.

DECEMBER.

Nos. 23-24.

Sub-divisions of the Eastern Godavari.—The number of [illegible] increased to four, and the cost of the additional sub-divisional office establishment directed to be met from the grant for temporary establishment.

From late Superintendent of Works, Godavari
No. 1050 - 21st July 1881.
do No. 1382 - 1st Septr 1881.

No. 52. Est.

Forwarded to the Chief Engineer P.W.D. for consideration and disposal.

2. These papers contain the views of the local officers as to the establishment required in the Godavari District and the data on which the proposals are based.

3. The formation of an additional Subdivision (Rajahmundry) in the Eastern Delta Division[x] is considered to be essential. Even the emergent work rendered necessary by the cyclonic storm and rainfall of 1878, now 3 years ago, has not been nearly fully carried out, and it will not be practicable to attend to these outlying, and some of them important, irrigation works without this additional Sub division.

x Already has 3 sub divisions

4. The total cost of the establishments proposed will, even supposing the 2 Divisions to be held by officers of higher rank than those whose salaries are entered in the statements, not exceed 1½ lakhs including Conservancy establishment, and

and the per centages on works outlay and reven[illegible] will be considerably within those, viz/ 20 per cent for the former, and 4 per cent for the latter which have been deemed reasonable.

The works outlay is estimated at Rs 4,95,693
" revenue due to irrigation " " 18,22,523
and 17½ per cent on the works outlay
would be Rupees 86,745
3½ do on the revenue " 63,787
Total 1,50,532

J. Mullins Colonel R.E.
Chepauk Chief Engineer for Irrgn
19th November 1881

To
The Chief Engineer
P.W.D.

J.G.
M.

P.E. No. 4564 d. 16-7-80.

C29.11. [illegible]

305/A

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the

Read the following :—

Endorsement of the Chief Engr. for Irrigation } A.G. No 52 E.W. d/ 19/11/81.

[illegible]

In the Endorsement recorded above the Chief Engineer for Irrigation recommends the formation of an additional× Sub-division (Rajahmundry) in the Eastern Godavari Division. The necessity for strengthening the hands of the Superintending Engineer is admitted, but it is not deemed advisable to apply to the Govt of India for any increase of the scale of Establishment

× Present No 3.

I don't much like this. but I accept the Ch. E.'s view.

so

so recently Sanctioned - The required arrangements must therefore be made within the existing scale -

2. It is thought that the Madura Division which has been allowed 2 Sub-divisions can without much difficulty be worked with one.

3. A reduction of one Sub-division will therefore be made in Madura, and the number of Sub-divisions of the Eastern Godavari increased to four by the formation of the Rajahmundry Sub-division

4. It is understood that South Arcot requires two Sub-divisions instead of one. The matter will engage the early attention of the Chief Engineer P. W. Department

R. S.

3054/6

29.11.81

Supdg Engrs I & VI Circles
Chief Engr for Irrigation.
Examr P.W. Accounts
Chief Engr P.W. Deptt.

3454

No. 1382

30/-

FROM

THE SUPERINTENDENT OF WORKS
GODAVARI DISTRICT.

TO

THE CHIEF ENGINEER
FOR IRRIGATION.

Enclos. 3

Dowlaishweram, 1st September 1881
Despd 2nd 8

SIR,

With reference to your No. 759 G.D. dated 8th June 1881, I have the honor to forward herewith the Statements A & B. duly corrected and a schedule such as ordered in foot Note 2 on form B. Circular No. 46 G 1st October 1880.

2. I trust that early sanction may be accorded to the proposition contained in my No. 2835, and generally approved in Para 2 of your No. 22 G.D. 17th February 1881 - for from want of an establishment for the purpose nearly all the tanks remain unrepaired -

I.

I have the honor to be,
Sir,
your most obedient St

Supdt of Works Godavari.

166. G. D.

CHIEF ENGINEER
7 SEP
1881
FOR IRRIGATION

From

The Superintendent of Works
Godavari

To

The Chief Engineer
for Irrigation
Madras.

Dated 1st
Despd 2nd } September 1881
Received

No. 1382

Enclosures 3

Irrigation Works and the Cost of Establishment in the Godavari District. Forwarding revised abstract statements of—

NO. 1050

305/9

FROM

THE Ag SUPERINTENDENT OF WORKS
GODAVARI DISTRICT.

TO

THE CHIEF ENGINEER
FOR IRRIGATION.

Enclos.

Dowlaishweram, 21st July 1881
Despd 22d Do

SIR,

With reference to para 4 of my letter No. 3931 of the 27th March 1881 I have the honor to forward herewith 2 statements A & B together with a schedule shewing the sanctioned and proposed establishments of the Western Division Godavari District.

2. In the preparation of these statements the instructions given in your Memo No. 75 G.D. of the 8th June 1881 have been attended to.

I have the honor to be,
Sir,
your most obedient Servt
H E Clerk. Asst Engr
For Ag Supdt of Works Godavari

Compd TK.

From,

The Superintendent of Works

Godavari.

CHIEF ENGINEER FOR IRRIGATION
27 JULY
1881

To,

The Chief Engineer

for Irrigation.

Dated 21st }
Received. } July 1881.

No. 1050

Encls: 3

Godavari Western Dn.

Establishments of the—

Forwards statements A & B. together with a schedule showing the sanctioned & proposed—

C.A.W. 30/7

Have we [illegible] [illegible] ~~&c~~ under temp^y Estabt. to meet the charge for 2 temp^y Sub Subdivision Offices? — This would be the best solution after all

5/12

To

To W 2 Extra
Subdivisio

2 Subdivisional officers would cost for the remainder of the official year.

Rs 31 × 2 × 3 = Rs 186.
We have Rs 4000 under Temporary Establishments.

It would doubtless be best to sanction against "Temporary Establishment".

R.S.
5-12

Council Bn
tomorrow
Wednesday
5/12 R.H.H.

W

Chs. 6215
C. 29 (1)

3059
T.L

One Subdivision might be taken from Madura & given to South Arcot. and one from the West Coast. where there are three, and given to the Godavery.

The officer on the Nilgiris might be "Detached" instead of having Subdivisional charge. No transfer of officers would be necessary.

The new Subdivision in the Godavery could be opened when an officer became available.

There would be no extra expense.

R.S. 23/

genl

Cho: 6815.

The number of Subdivisions for the whole Presidency has been fixed at 50. exclusive of the Subdivision recently sanctio for Dumagudem. Of these - 5 (exclusive of Dumagudem) have been allotted to the two Divisions of the Godavery as follows

Eastern Godavery — 3
Western - Do — 2.

Should another Subdivision now be considered necessary for the Godavery, it should, it is thought, be provided by reduction elsewhere. C will be able to advise as to the reductions - taking expenditure as a guide.

C.S.
22/11.

3057/13

E.I.

Can you suggest a subdivision for reduction elsewhere.

22/11/81

E.W.

Probably the subdivisions of Madura could be reduced from 2 to 1, but I am not aware what work other than irrigation is to be done there. On the other hand South Arcot requires 2 subdivisions instead of 1. Trichinopoly cannot well be worked with 2 Subdivisions owing to the way in which the District is divided by the Cauvery & Coleroon. I do not therefore see how the formation of an extra subdivision for Rajahmundry is to be avoided.

Ves. 23/11/81

No. 3054 W

genl establt

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 9th Decr 1881

Read the following :—

Endorsement of the Chief Engr for Irrigation } No. 52 I.W. d/ 19-11-81

3057/14

In the Endorsement recorded above the Chief Engineer for Irrigation recommends the formation of an additional † Subdivision (Rajahmundry) in the Eastern Godavari Division. The necessity for strengthening the hands of the Superintending Engineer is admitted, but it is not deemed advisable to permanently alter the scale of establishment so recently sanctioned. Further experience may show that it

is

† Special Number 3.

is practicable to provide the requisite establishment by re-arrangement within the sanctioned scale, but meanwhile the number of Sub-divisions of the Eastern Godaveri will be increased to four, the cost of the additional sub-divisional office establishment being met from the grant for Temporary Establishment.

4. It is understood that South Arcot also requires an additional Sub-division, making the number up to two.

An appropriation* of Rs 186 is now made from the grant for Temporary Establishment to meet the additional cost sanctioned in these Proceedings

* Cost of 2 Sub divisional Estabt @ R 31 = 62
for 3 months = R 186

Proceedings during the remainder of the current official year

R.S.

3057/8

8/12/81

Supdg Engrs 1st and 5th Circles ✓
Chief Engineer for Irrigation ✓ with file.
Examiner P.W. Accounts ✓

Despd 19-12-81.

24-1-12 ✓

6815

Govt. of (1881) Madras.

PUBLIC WORKS.

To

Dated

Issued

Recd.

Encl.

G. O., 9th Decr. 1881, No. 3054 W.

Nos. 23 to 24

Sub divisions of the Eastern Godavari

The number of — increased to four and the cost of the add. sub div. office establishment directed to be met from the grant for tempy. estabt.

26/1/12

Entd. in Receipt Regr